

Bandit VXL (Model 24076-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings		Differential Components
607	Ball bearings (5x11x4mm) (8)	2380	Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit,
728	Ball bearings (5x8x2.5mm) (2)		Stampede®, Slash)
116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit,
114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)	2202	Stampede®, Rustler®)
545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)	2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignmer shaft (1) all hardened steel
675	Bushings, self-lubricating (5x11x4mm) (14)	2388X	Planetary gear differential with steel ring gear (complete) (fits Band
985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	2000/1	Stampede®, Rustler®)
	Body & Accessories	1647	Silicone grease
926	Antenna caps, vinyl (2)/ antenna spool		Driveline Components
726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	46000	
334	Body clips (12) (standard size)	4628R	Differential output yokes, black (2)/ 3x5mm countersunk screws (2) screw pin (2)
315	Body washers (8)	4628X	Differential output yokes, hardened steel (w/ U-joints) (2)
716	Body washers, foam, 2mm (4)/ 3mm (4)/ 4mm (4)	2751	Half-shaft pro-pack (internal-splined (6)/external-splined (6))
417	Body, Bandit (front & rear) (clear, requires painting)/ window, lights, grille decal sheet		(plastic shafts only)
514	Decal sheet, racing sponsors	1651	Half-shafts (internal-splined (2)/external-splined (2))/ metal U-joints
13R	Decal sheets, Bandit VXL		(4)
85	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)	3752	Stub axle carriers (2) (requires 5x11x4mm bearings)
74	Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)	3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
77A	Wheelie bar mount (1) / hardware (green)		aluminum (blue-anodized)/ 5x11mm ball bearings (4)
77P	Wheelie bar mount (1) / hardware (pink)	3652G	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
77	Wheelie bar mount (1)/ hardware (black)	20500	aluminum (green-anodized)/ 5x11mm ball bearings (4)
77X	Wheelie bar mount (1)/ hardware (blue)	3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
78	Wheelie bar, assembled (black) (fits Slash, Bandit, Rustler®,	3652X	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
	Stampede® series)	30327	aluminum (red-anodized)/ 5x11mm ball bearings (4)
78X	Wheelie bar, assembled (blue) (fits Slash, Bandit, Rustler®,	2754	Stub axle pins (4)
	Stampede® series)	2753X	Stub axles, rear (2)
78A	Wheelie bar, assembled (green) (fits Slash, Bandit, Rustler®,		Front Suspension & Steering
	Stampede® series)		
78P	Wheelie bar, assembled (pink) (fits Slash, Bandit, Rustler®,	2728	Ball bearings (5x8x2.5mm) (2)
76	Stampede® series)	2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
76	Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)	2530	Bulkhead (front) (black)
86A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)	2530A	Bulkhead (front) (grey)
86	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/	2432	Caster blocks (l&r) (30-degree)
00	axles (2)/ rubber tires (2)	2437	Front axles (2)
15	Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2)	5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
14	Wing wire	5347	Rod ends, Revo® (large) with hollow balls (12)
••		3646 3744	Screws, 3x15mm flat-head machine (hex drive) (6)
	Chassis & Attachments	3639	Servo saver w/adapters Shock tower (front)
27	Battery hold-down plate (black)/ metal posts (2)/body clips (2)	3736	Steering blocks, left & right (2) (requires 5x11x4mm bearings)
27A	Battery hold-down plate (grey) / metal posts (2) / body clips (2)	3636A	Steering blocks, let & light (2) (requires 5x17x41111 bearings) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6
528	Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)	OUUUA	aluminum (blue-anodized)/ 5x11mm ball bearings (4)
'35	Bumper (front)	3636G	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6
'35P	Bumper (front) (pink)		aluminum (green-anodized)/ 5x11mm ball bearings (4)
22X	Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3725R	3636P	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6
	ESC mounting plate)		aluminum (pink-anodized)/ 5x11mm ball bearings (4)
22R	Lower chassis (grey) (166mm long battery compartment) (fits both flat	3636X	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6
2213	and hump style battery packs) (use only with #3725R ESC mounting		aluminum (red-anodized)/ 5x11mm ball bearings (4)
	plate)	2531X	Suspension arms (front) (2)
25R	Mounting plate, electronic speed control (for installation of XL-5/VXL	2640	Suspension pins, 44mm (2) w/ e-clips
	into Bandit or Rustler®)	3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for
29	Seal kit, receiver box (includes o-ring, seals, and silicone grease)	0507	complete suspension pin set) (Bandit, Rustler®, Stampede®)
85	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)	2537	Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw
23	Upper chassis (black)	2532	Tie bar, fiberglass
23A	Upper chassis (grey)	2444	Turnbuckles, camber link, 47mm (67mm center to center) (front)
74	Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)	2115	(assembled with rod ends and hollow balls) (1 left, 1 right)
77A	Wheelie bar mount (1) / hardware (green)	2445	Turnbuckles, toe link, 55mm (75mm center to center) (2) (assemble with rod ends and hollow balls)
77P	Wheelie bar mount (1) / hardware (pink)		
77	Wheelie bar mount (1)/ hardware (black)		Hardware
77X	Wheelie bar mount (1)/ hardware (blue)	1834	Body clips (12) (standard size)
78	Wheelie bar, assembled (black) (fits Slash, Bandit, Rustler®,	3934	Body clips, heavy duty (12)
704	Stampede® series)	2585	Cylinder head bolts, marine 3x20mm CS (6) (TRX 2.5)
78X	Wheelie bar, assembled (blue) (fits Slash, Bandit, Rustler®,	2586	Screws, 3x15mm cap-head machine (hex drive) (6)
70 4	Stampede® series)	2745	Nuts, 3mm nylon locking (12)
78A	Wheelie bar, assembled (green) (fits Slash, Bandit, Rustler®, Stampede® series)	3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
780	• •	1747	Nuts, 4mm nylon locking (10)
78P	Wheelie bar, assembled (pink) (fits Slash, Bandit, Rustler®, Stampede® series)	1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
976	Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)	1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
86A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball scre
	axles (2)/ rubber tires (2)	F0 (F	(2)
86	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/	5347	Rod ends, Revo® (large) with hollow balls (12)
	······································	2742X	Rod ends, short (6)/ hollow balls (6)
00	axles (2)/ rubber tires (2)	3347	Screws, 2.5x5mm button-head machine (hex drive) (6)

Page 2 Bandit VXL: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 24076-4) Parts List

•		
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)	295
2587	Screws, 3x10mm cap-head machine (6) (no washer)	295
2578	Screws, 3x12mm button-head machine (hex drive) (6)	295
2552	Screws, 3x12mm countersunk machine (6) (hex drive)	296
2579	Screws, 3x15mm button-head machine (hex drive) (6)	296
3646	Screws, 3x15mm flat-head machine (hex drive) (6)	296
2580	Screws, 3x20mm button-head machine (hex drive) (6)	298
2591	Screws, 3x23mm button-head machine (hex drive) (6)	200
2582	Screws, 3x30mm button-head machine (hex drive) (6)	
2592	Screws, 3x40mm button-head machine (hex drive) (6)	299
		200
2575	Screws, 3x6mm button-head machine (hex drive) (6)	299
2554	Screws, 3x6mm cap-head machine (hex drive) (6)	
3932	Screws, 3x6mm flat-head machine (hex drive) (6)	226
2576	Screws, 3x8mm button-head machine (hex drive) (6)	297
3931	Screws, 3x8mm flat-head machine (hex drive) (6)	297
2542	Screws, 4x12mm countersunk machine (hex drive) (6)	231
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,	297
	captured (4)	201
3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine)	297
	(2)/ draglink shoulder screws (chrome) (2)	201
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)	297
2754	Stub axle pins (4)	201
2746	Washers, 3x6mm metal (12)	652
3685	White plastic washers (5x8x1.0mm) (6)	651
2615	Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2)	297
	Motors & Electronics	207
1706		207
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	296
1552	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench	290
2260	BEC assembly (complete)	296
3342	Bullet connectors, male, 3.5mm (3)/ heat shrink	290
3340	Cooling fan, Velineon® VXL-3s ESC	655
3790	Gear adapter, fixed	653
2072A	Gear set (for 2070, 2075 servos)	000
2252	Gear set, metal (for 2250, 2255 servos)	652
3354R	Motor cover, endbell (Velineon® 3500)	653
3351R	Motor, Velineon® 3500, brushless (assembled with 12-gauge wire	655
	and gold-plated bullet connectors)	657
3725R	Mounting plate, electronic speed control (for installation of XL-5/VXL	652 652
	into Bandit or Rustler®)	
3352R	Rebuild kit, Velineon® 3500 (includes plastic endbell, 5x11x4mm ball	652
	bearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing)	652
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)	225
3931	Screws, 3x8mm flat-head machine (hex drive) (6)	225
2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)	225
2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)	
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for	207
	2250, 2255 servos)	207
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)	207
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof	225
2075	Servo, digital high-torque (ball bearing), waterproof	
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing),	225
	waterproof	
2255	Servo, digital high-torque 400 brushless, metal gear (ball	207
	bearing), waterproof	655
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	655
3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes	
	VXL-3s waterproof ESC, Velineon 3500 motor, and speed control	655
	mounting plate (part #3725R))	
3355R	Velineon® VXL-3s Electronic Speed Control, waterproof (brushless)	653
	(fwd/rev/brake)	
3343	Wire, 12-gauge, silicone (Maxx® Cable) (650mm or 26 inches)	654
	Radio System, Batteries & Chargers	650
2849X	4000mAh 11.1v 3-Cell 25C LiPo Battery	650
2872X	5000mAh 11.1v 3-Cell 25C LiPo Battery	
2842X	5000mAh 7.4v 2-Cell 25C LiPo Battery	
2843X	5800mAh 7.4v 2-Cell 25C LiPo Battery	652
2869X	7600mAh 7.4v 2-Cell 25C LiPo Battery	
2976	AC to DC converter, 40W	652
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries	
	to separate balance ports)	653
2943	Battery charge indicators (green (4), blue (4), grey (4))	
6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529,	651
	6530 transmitters)	335
2914	Battery, Power Cell AA Alkaline (4)	
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)	653
2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)	
2942X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)	
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)	240
2940X 2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)	
-9417		

2952X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
2963X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 8-C hump, 9.6V)
2984	Battery/charger completer pack (includes #2969 2-amp NiMH
	peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH battery (1))
2992	Battery/charger completer pack (includes #2970 iD® charger (1),
2002	#2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))
2994	Battery/charger completer pack (includes #2970 iD® charger (1),
	#2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery (1))
2260	BEC assembly (complete)
2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery
	Identification
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto
074	Battery Identification
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto
2010	Battery Identification
6525	Communication link, telemetry expander
6512	Cover plate, Traxxas Link™ Wireless Module
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)
2072A	Gear set (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for
	Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for
	Traxxas® iD® batteries)
6554 5555	Mount, telemetry expander (fits Bandit, Rustler®, Slash 2WD)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
6552	Seal kit, expander box (includes o-ring, seals, and silicone
	grease)
6526	Sensor, auto-detectable, temperature
6527	Sensor, auto-detectable, voltage
6520	Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)
6521	Sensor, temperature and voltage (long)
2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
2254 2253	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for
2253 2251	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2253 2251 2074	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2056 and 2075 waterproof servos)
2253 2251 2074 2075R	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof
2253 2251 2074 2075R 2075	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof
2253 2251 2074 2075R	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing),
2253 2251 2074 2075R 2075	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2253 2251 2074 2075R 2075 2250	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing),
2253 2251 2074 2075R 2075 2250	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball
2253 2251 2074 2075R 2075 2250 2255	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2253 2251 2074 2075R 2075 2250 2255 2075X	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with
2253 2251 2074 2075R 2075 2250 2255 2075X 5553X 5553X	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo, case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
2253 2251 2074 2075R 2075 2250 2255 2075X 6553X	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo, case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with
2253 2251 2074 2075 2250 2255 2075X 6553X 6550X	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo, case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
2253 2251 2074 2075R 2075 2250 2255 2075X 5553X 5553X	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/
2253 2251 2074 2075R 2075 2250 2255 2075X 6553X 65551X 65538	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
2253 2251 2074 2075R 2075 2250 2255 2075X 5553X 5553X 5551X 5551X 5538	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
2253 2251 2074 2075R 2075 2250 2255 2075X 6553X 65551X 65538	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
2253 2251 2074 2075R 2075 2250 2255 2075X 5553X 5553X 5551X 5551X 5538	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo, case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1)
2253 2251 2074 2075 2250 2255 2075X 6553X 6553X 6551X 65538 6551X 65538	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo, case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link [™] enabled, TSM (2-ch transmitter, 5-ch micro receiver)
2253 2251 2074 2075R 2075 2250 2255 2075X 5553X 5553X 5550X 5551X 5538 5509R 5509R	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo, case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
2253 2251 2074 2075 2250 2255 2075X 6553X 6553X 6551X 65538 6551X 65538	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo, case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3) (3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-
2253 2251 2074 2075 2250 2255 2075X 5553X 5553X 5553X 5551X 5538 5509R 5509R 5507R	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo, case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2- channel (transmitter only)
2253 2251 2074 2075R 2075 2250 2255 2075X 5553X 5553X 5550X 5551X 5538 5509R 5509R	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2- channel (transmitter only)
2253 2251 2074 2075R 2075 2250 2255 2075X 6553X 6553X 6551X 6551X 6551X 6559R 6509R 6509R 6509R 6507R	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link TM enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link TM Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQi Traxxas Link TM enabled, 2.4GHz high output, 2- channel (transmitter only)
2253 2251 2074 2075 2250 2255 2075X 5553X 5553X 5553X 5551X 5538 5509R 5509R 5507R	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2- channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3- channel (transmitter only)
2253 2251 2074 2075R 2075 2250 2255 2075X 6553X 6553X 6551X 6551X 6551X 6559R 6509R 6509R 6509R 6507R	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo, case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2- channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3- channel (transmitter only)
2253 2251 2074 2075R 2075 2250 2255 2075X 5553X 5553X 5553X 5553X 5551X 5538 5509R 5509R 5509R 5507R	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2- channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3- channel (transmitter only)
2253 2251 2074 2075 2250 2250 2255 2075X 5553X 5553X 5553X 5553X 5553X 5553X 5553X 5553X 5553X 5553X 5553X 5553X 5553X 5553X 55538 5509R 5509R 5507R 5528 5529 5530 5511	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo, case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3) 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2- channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3- channel (transmitter only) Traxxas Link™ Wireless Module
2253 2251 2074 2075 2250 2250 2255 2075X 5553X 5553X 5553X 5553X 5553X 5553X 5553X 5553X 5553X 5553X 5553X 5553X 5553X 5553X 55538 5509R 5509R 5507R 5528 5529 5530 5511	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 4-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2- channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3- channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4- channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4- channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4- channel (transmitter only) Traxsas Link™ Wireless Module Velineon® VXL-3s Electronic Speed Control, waterproof (brushless)
2253 2251 2074 2075R 2075R 2075 2250 2255 2075X 3553X 35550X 35551X 35551X 35538 35509R 3509R 3509R 3509R 3509R 3509R 3528 3529 3530 3555R	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #65501X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #65501X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2- channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3- channel (transmitter only) Traxsas Link™ Wireless Module Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake) Wire retainers, gear cover/ 3x4mm BCS (2)
2253 2251 2074 2075 2250 2250 2255 2075X 5553X 5553X 5550X 5551X 5551X 5538 5509R 5509R 5509R 5509R 5507R 5528 5529 5529 5530 5528 5529 5530 5528 5529 5530	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2- channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3- channel (transmitter only) Traxsas Link™ Wireless Module Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake) Wire retainers, gear cover/ 3x4mm BCS (2) <u>RCeRUY-TO-FRACE MODICI</u>
2253 2251 2074 2075R 2075R 2075 2250 2255 2075X 3553X 3550X 35551X 35538 35509R 3509R 3509R 3509R 3509R 3509R 3528 3529 3530 35528	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #65501X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #65501X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2- channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3- channel (transmitter only) Traxsas Link™ Wireless Module Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake) Wire retainers, gear cover/ 3x4mm BCS (2)

Shock tower (rear) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axles, rear (2) Suspension arms, long (rear) Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®) Sinck (01) Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone)	245: 245: 245: 245: 376: 376: 376: 376: 376: 376: 376: 376
Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axles, rear (2) Suspension arms, long (rear) Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®) Sinck (0) Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone)	245 [°] 245 [°] 245 [°] 376 [°] 376 [°] 376 [°] 376 [°] 376 [°] 376 [°] 376 [°]
aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axles, rear (2) Suspension arms, long (rear) Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®) Sinck (0] Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone)	245 245 376 376 376 376 376 376
Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axles, rear (2) Suspension arms, long (rear) Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®) Sinck(0] Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone)	376 376 376 376 376 376
aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axles, rear (2) Suspension arms, long (rear) Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®) Sinck (011 Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone)	376 376 376 376
aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axles, rear (2) Suspension arms, long (rear) Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®) Shock (01) Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone)	3760 3762 3793
aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axles, rear (2) Suspension arms, long (rear) Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®) Sinck(0] Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone)	376
Suspension arms, long (rear) Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®) Sinck(01 Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone)	3793
Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®) Sinck(01 Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone)	
complete suspension pin set) (Bandit, Rustler®, Stampede®) ShOCK OII Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone)	
Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone)	
Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone)	
Oil, shock (40 wt, 500 cSt, 60cc) (silicone)	
	255
	555
Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone)	
Oil, shock (70 wt, 900 cSt, 60cc) (silicone)	379
Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)	241
Shock oil bottle (60cc) (for mixing shock oil)	191
Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, &	241
80 wt premium shock oils with spinning carousel rack)	242
Silicone shock oil (30 wt), 60cc	242
	243
Shocks (Pro-level Aluminum)	472
Big Bore shock cylinder (long) (1)	472 467
Big Bore shock cylinder (XX-long) (1)	407
Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)	468
	468
aluminum) (assembled with TiN shafts) w/o springs (rear) (2)	469
& washers (2) (Big Bore Shocks)	
	272
	254 534
Rod ends, short (6)/ hollow balls (6)	374
Shock caps, aluminum (Big Bore Shocks) (2)	374
Shock shafts, hardened steel, titanium nitride coated (long) (2)	
Shock shafts, hardened steel, titanium nitride coated (X-long) (2)	374
	374
	0 - 4
	374
1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore	374
Springs, front (white) (progressive rate) (2) (fits #5862 aluminum	374
Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum	684
	244
Body, Ultra Shock(s) (XXL) (grey) (2)	552
Rebuild kit, Ultra shocks (for 2 shocks)	534
Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)	374 263
Rod ends, short (6)/ hollow balls (6)	<u>.</u>
	264
	364
Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)	244
Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)	244
	244
	_
Shock shafts, steel, chrome finish (X-long) (2)	
Silicone diaphragms (4)	251
Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)	616
Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))	995 990
	Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Silicone shock oil (30 wt), 60cc Spinning carousel rack Shock S(Pro-fevel Aluminum) Big Bore shock cylinder (XX-long) (1) Big Bore shock s (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4) Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2) Piston head set (2-hole (2)/ 3-hole (2)) shock mounting bushings & washers (2) (Big Bore Shocks) Rebuild kit, Ultra shocks (for 2 shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, steel, chrome finish (long) (2) Rebuild kit, Ultra shock(s) (XL) (grey) (2) Rebuild kit, Ultra shocks (for 2 shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shoc

2458	Springs, front (black) (2)
2458P	Springs, front (pink) (2)
2458A	Springs, front (white) (2)
2457	Springs, rear (black) (2)
2457P	Springs, rear (pink) (2)
2457A	Springs, rear (white) (2)
3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers
	& springs) (front) (2)
3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load
57.02	
	spacers & springs) (rear) (2)
3760A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers &
	springs) (2)
3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers &
	springs) (rear) (2)
	Slipper Clutch Components
3793	Input shaft (slipper shaft) / spring pin
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/
	4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
5556	Slipper pressure plate & hub (aluminum alloy)
	Spur Gears & Pinion Gears
3790	Gear adapter, fixed
2416	Gear, 16-T pinion (48-pitch) / set screw
1918	Gear, 18-T pinion (48-pitch) / set screw
2419	Gear, 19-T pinion (48-pitch) / set screw
2423	Gear, 23-T pinion (48-pitch) / set screw
2426	Gear, 26-T pinion (48-pitch)/set screw
2431	Gear, 31-T pinion (48-pitch) / set screw
4725	Gear, pinion (25-tooth) (48-pitch) / set screw
4728	Gear, pinion (28-tooth) (48-pitch)/ set screw
4676	Spur gear, 76-tooth (48-pitch) (for models with Torque-Control slipper
	clutch)
4683	Spur gear, 83-tooth (48-pitch) (for models with Torque-Control
	slipper clutch)
4686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control
	slipper clutch)
4690	
+050	Spur gear, 90-tooth (48-pitch) (for models with Torque-Control
	slipper clutch)
	Steering Components
770	Steering Components
2728	Ball bearings (5x8x2.5mm) (2)
2545	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4)
	Ball bearings (5x8x2.5mm) (2)
2545	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4)
2545 5347 3744	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters
2545 5347	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine)
2545 5347 3744 3742	Ball bearings (5x8x2.5mm) (2)Bellcrank bushings (plastic) (5x8x2.5mm) (4)Rod ends, Revo® (large) with hollow balls (12)Servo saver w/adaptersShoulder screws, steering bellcranks (3x30mm cap-head machine)(2)/ draglink shoulder screws (chrome) (2)
2545 5347 3744 3742 3743	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink
2545 5347 3744 3742	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/
2545 5347 3744 3742 3743 3743	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
2545 5347 3744 3742 3743	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/
2545 5347 3744 3742 3743 3743	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
2545 5347 3744 3742 3743 3743	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
2545 5347 3744 3742 3743 3743 3743 3743A 3743G	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/
2545 5347 3744 3742 3743 3743 3743A 3743G 3743P	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
2545 5347 3744 3742 3743 3743 3743 3743A 3743G	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks, (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
22545 5347 3744 3742 3743 3743 3743A 3743A 3743G 3743P 3743P	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
2545 5347 3744 3742 3743 3743 3743A 3743G 3743P	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
2545 5347 3744 3742 3743 3743 3743A 3743G 3743G 3743P 3743P 3743X 5845X	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks, (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
22545 5347 3744 3742 3743 3743 3743A 3743A 3743G 3743P 3743P	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, servo saver / servo saver spring/ servo spring retainer/servo horn, steering Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled
2545 5347 3744 3742 3743 3743 3743A 3743G 3743G 3743P 3743P 3743X 5845X	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, servo saver / servo saver spring/ servo spring retainer/servo horn, steering Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled
2545 5347 3744 3742 3743 3743 3743A 3743G 3743G 3743P 3743P 3743X 5845X	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, servo saver / servo saver spring/ servo spring retainer/servo horn, steering Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)
2545 5347 3744 3742 3743 3743 3743A 3743G 3743G 3743P 3743P 3743X 5845X	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, servo saver / servo saver spring/ servo spring retainer/servo horn, steering Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled
2545 5347 3744 3742 3743 3743 3743A 3743G 3743G 3743P 3743P 3743X 5845X	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, servo saver / servo saver spring/ servo spring retainer/servo horn, steering Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)
22545 5347 3744 3742 3743 3743 3743A 3743A 3743G 3743P 3743P 3743X 5845X 2445	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, strey saver / servo saver spring/ servo spring retainer/servo horn, steering Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls) SIISIGENSION LINKAUGE
22545 5347 3744 3742 3743 3743A 3743A 3743G 3743G 3743P 3743P 3743Z 5845X 2445	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, servo saver/ servo saver spring/ servo spring retainer/servo horn, steering Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls) SISIESISENT LINK(2)E Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, Revo® (large) with hollow balls (12)
22545 5347 3744 3742 3743 3743A 3743A 3743G 3743G 3743P 3743P 3743X 5845X 2445 5525R 5347 3744	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, beaver / servo saver spring/ servo spring retainer/servo horn, steering Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls) SIISIDENSION LINKAUE Rod ends, heavy duty (Jato@/Slayer) (8) Rod ends, heavy duty (Jato@/Slayer) (8) Rod ends, Revo@ (large) with hollow balls (12) Servo saver w/adapters
22545 5347 3744 3742 3743 3743A 3743A 3743G 3743G 3743P 3743P 3743Z 5845X 2445	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (ink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, servo saver/ servo saver spring/ servo spring retainer/servo horn, steering Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls) SIISICALSION LINE(216 Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front
22545 5347 3744 3742 3743 3743A 3743A 3743A 3743A 3743A 3743P 3743P 37432 5525R 5525R 5347 3744 2637	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks, (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls) Stistics of the steering serves and hollow balls Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front suspension arm to caster block)
22545 5347 3744 3742 3743 3743A 3743A 3743A 3743G 3743P 3743P 3743Z 5525R 5525R 5347 3744 2637 2640	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, stervo saver/ servo saver spring/ servo spring retainer/servo horn, steering Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls) SISICENSIONENSISSE Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front suspension arm to caster block) Suspension pins, 44mm (2) w/ e-clips
22545 5347 3744 3742 3743 3743A 3743A 3743A 3743A 3743A 3743P 3743P 37432 5525R 5525R 5347 3744 2637	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, servo saver / servo saver spring/ servo spring retainer/servo horn, steering Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls) SISSIPLISION LINK(2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, heavy duty (Jato®/Slayer) (2) Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (
22545 5347 3744 3742 3743 3743A 3743A 3743A 3743G 3743P 3743P 3743Z 5525R 5525R 5347 3744 2637 2640	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, stervo saver/ servo saver spring/ servo spring retainer/servo horn, steering Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls) SISICENSIONENSISSE Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front suspension arm to caster block) Suspension pins, 44mm (2) w/ e-clips
22545 5347 3744 3742 3743 3743A 3743A 3743A 3743G 3743P 3743P 3743Z 5525R 5525R 5347 3744 2637 2640	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, servo saver / servo saver spring/ servo spring retainer/servo horn, steering Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls) SISSIPLISION LINK(2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, heavy duty (Jato®/Slayer) (2) Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (
22545 5347 3744 3742 3743 3743 3743 3743 3743 3	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, servo saver/ servo saver spring/ servo spring retainer/servo horn, steering Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled) Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled) Steering bellcranks Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front
22545 5347 3744 3742 3743 3743 3743 3743 3743 3	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (1&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, servo saver/servo saver spring/ servo spring retainer/servo horn, steering Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled) Steering bellcranks (12) Servo saver w/adapters Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front suspension arm to caster block) Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front suspension pins, 44mm (2) w/ e-clips
22545 5347 3744 3742 3743 3743 3743 3743 3743 3	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, servo saver/servo saver spring/ servo spring retainer/servo horn, steering Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled) with rod ends and hollow balls) Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front suspension pins, 44mm (2) w/ e-clips Suspension pins, 44mm (2) w/ e-clips Suspens
22545 5347 3744 3742 3743 3743 3743 3743 3743 3	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, servo saver / servo saver spring/ servo spring retainer/servo horn, steering Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls) Stogension pins, 31.5mm, chrome (2) w/ E-clips (4) (front suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front suspension pins, 34mm (2) w/ e-clips Suspension pins, 44mm (2) w/ e-clips Suspension pins, 44mm (2) w/ e-clips Suspension pins set, steel (hex drive)
22545 5347 3744 3742 3743 3743 3743 3743 3743 3	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, servo saver / servo saver spring/ servo spring retainer/servo horn, steering Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls) Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front suspension arm to caster block) Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front suspension arm to caster block) Suspension pins, 44mm (2) w/ e-clips Suspension pins, 44mm (2) w/ e-clips Suspension pins, 44mm (2) w/ e-clips Suspension pins et) (Bandi
22545 5347 3744 3742 3743 3743 3743 3743 3743 3	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, servo saver / servo saver spring/ servo spring retainer/servo horn, steering Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls) Stogension pins, 31.5mm, chrome (2) w/ E-clips (4) (front suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front suspension pins, 34mm (2) w/ e-clips Suspension pins, 44mm (2) w/ e-clips Suspension pins, 44mm (2) w/ e-clips Suspension pins set, steel (hex drive)
22545 5347 3744 3742 3743 3743 3743 3743 3743 3	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ Steering bellcranks, servo saver / servo saver spring/ servo spring retainer/servo horn, steering Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls) Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front suspension arm to caster block) Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front suspension pins, 44mm (2) w/ e-clips Suspension pins, 344mm (2) w/ e-clips Suspension pins, 44mm (2) w/ e-clips Suspension pins, 44mm (2) w/ e-clips Sus
22545 5347 3744 3742 3743 3743 3743 3743 3743 3	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ Steering bellcranks, servo saver / servo saver spring/ servo spring retainer/servo horn, steering Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls) Stepension pins, 31.5mm, chrome (2) w/ E-clips (4) (front suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front suspension pins, 44mm (2) w/ e-clips Suspension pins set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Ban
22545 5347 3744 3742 3743 3743 3743 3743 3743 3	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ Stering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ Stering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ Stering bellcranks, servo saver / servo saver spring/ servo spring retainer/servo horn, steering Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls) Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front suspension arm to caster block) Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front suspension pins, 31.6mm, chrome (2) w/ E-clips (4) (front suspension pins, 31.6mm, chrome (2) w/ E-clips (4) (front suspension pins, 31.6mm, chrome (2) w/ E-clips (4) (front suspension pins, 44mm (2) w/ e-clips Suspension pins, 31.6mm, chrome (2) w/ E-clips
22545 5347 3744 3742 3743 3743 3743 3743 3743 3	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ Steering bellcranks, servo saver / servo saver spring/ servo spring retainer/servo horn, steering Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls) Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front suspension arm to caster block) Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®) Turnbuckles, camber link, 36mm (56mm center to center) (rear) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, camber link, 47mm (67mm center to center) (front) (as
22545 5347 3744 3742 3743 3743 3743 3743 3743 3	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ Stering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ Stering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ Stering bellcranks, servo saver / servo saver spring/ servo spring retainer/servo horn, steering Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls) Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front suspension arm to caster block) Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front suspension pins, 31.6mm, chrome (2) w/ E-clips (4) (front suspension pins, 31.6mm, chrome (2) w/ E-clips (4) (front suspension pins, 31.6mm, chrome (2) w/ E-clips (4) (front suspension pins, 44mm (2) w/ e-clips Suspension pins, 31.6mm, chrome (2) w/ E-clips
22545 5347 3744 3742 3743 3743 3743 3743 3743 3	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, Revo® (large) with hollow balls (12) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ Steering bellcranks, servo saver / servo saver spring/ servo spring retainer/servo horn, steering Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls) Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front suspension arm to caster block) Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®) Turnbuckles, camber link, 36mm (56mm center to center) (rear) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, camber link, 47mm (67mm center to center) (front) (as

Page 4 Bandit VXL: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 24076-4) Parts List

raye 4	Banuit VAL: I QI I FAXXAS LINK ENAbleu 2.40HZ RAU	
	Tires & Wheels	8721
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)	8720
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	8722
1647	Silicone grease	8710
2754	Stub axle pins (4)	
2470A	Tires & wheels, assembled (Tracer 2.2" black chrome wheels, Alias	
211011	2.2" tires) (2) (Bandit rear, medium compound with foam inserts) (TSM rated)	8711
2471A	Tires & wheels, assembled (Tracer 2.2" black chrome wheels, Alias ribbed 2.2" tires) (2) (Bandit front, medium compound w/ foam inserts)	0/11
2479A	Tires & wheels, assembled (Tracer 2.2" black chrome wheels,	8719
2478A	Anaconda® 2.2" tires with foam inserts) (2) (Bandit front) Tires & wheels, assembled (Tracer 2.2" black chrome wheels,	
2470R	Anaconda® 2.2" tires with foam inserts) (2) (Bandit rear) Tires & wheels, assembled (Tracer 2.2" chrome wheels, Alias	8716
	2.2" tires) (2) (Bandit rear, soft compound with foam inserts)	8716X
2471R	Tires & wheels, assembled (Tracer 2.2" chrome wheels, Alias ribbed 2.2" tires) (2) (Bandit front, soft compound w/ foam inserts)	8715
2479R	Tires & wheels, assembled (Tracer 2.2" chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit front)	8715X
2478R	Tires & wheels, assembled (Tracer 2.2" chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit rear)	3415
4740	Tires, 2.1" Pro-Trax ribbed (front) (2)	
1771	Tires, 2.1" spiked (front) (2)	
1770	Tires, 2.15 spiked (rear) (2)	
2470	Tires, Alias® 2.2" (rear) (2)/ foam inserts (Bandit) (soft compound)	5525F
2471	Tires, Alias® ribbed 2.2" (wide, front) (2)/ foam inserts (Bandit) (soft compound)	5347 2443
2478	Tires, Anaconda® 2.2" (rear) (2)/ foam inserts (Bandit) (soft compound)	2443
2479	Tires, Anaconda® 2.2" (wide, front) (2)/foam inserts (Bandit) (soft compound)	2445
3471	Tires, street slicks (front) (2)	2440
3470 2475	Tires, street slicks (rear) (2)	
2475	Wheels, front (2) Wheels, rear (2)	
2474 2473A	Wheels, Tracer 2.2" (black chrome) (2) (Bandit front)	
2472A	Wheels, Tracer 2.2" (black chrome) (2) (Bandit ront)	
2473	Wheels, Tracer 2.2" (chrome) (2) (Bandit front)	
2472	Wheels, Tracer 2.2" (chrome) (2) (Bandit rear)	
	Transmission Components	
1552	Backplate screws (3x8mm cap-head machine) (6)/washers (6)/	
	wrench	
4607	Ball bearings (5x11x4mm) (8)	
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	
3792	Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit)	
5478 3700	Flat wrench, 8mm (blue-anodized aluminum) Gear adapter, fixed	
3790 3691	Gearbox halves (I&r) (black) w/ idler gear shaft	
3691A	Gearbox halves (l&r) (grey) w/ idler gear shaft	
5148	Grease, white lithium	
3696	Idler gear, steel (30-tooth)	
3793	Input shaft (slipper shaft) / spring pin	
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)	
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel	
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)	
3931	Screws, 3x8mm flat-head machine (hex drive) (6)	
3185X	Screws, 3x8mm washerhead machine (large head for motor mount)	
1647		
1647 5556	Silicone grease	
5556 3195	Slipper pressure plate & hub (aluminum alloy) Top drive gear, steel (22-tooth)	
3195 3695	Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit,	
5030	Stampede®, Slash)	
0.4003	Traxxas Tools	
3433X	Body reamer (aluminum handle)	
3433	Body reamer (plastic handle)	
3436 3432	Cap, body reamer Scissors, curved tip	
3432 3431	Scissors, curved up Scissors, straight tip	
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes	

8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive

	8721	Speed bit handle, medium (one piece)
	8720	Speed bit handle, premium, large (rubber overmold)
	8722	Speed bit handle, premium, medium (rubber overmold)
	8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes
		premium handle (medium), travel pouch, hex drivers (straight:
		1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,
		3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm,
		7.00mm, 8.00mm),
	8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end,
;)		includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,
''		2.5mm, 3.0mm), 1/4" drive
	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium
	0/13	handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm,
		5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4"
		drive
	8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm,
		3.0mm), 1/4" drive
	8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm,
		2.5mm), 1/4" drive
	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm,
	3415	2.5mm, 3.0mm), 1/4" drive Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
	3415	3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut
		drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips,
		#0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/
		driver handle
		Turnbuckles & Threaded Rods
	5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
	5347	Rod ends, Revo® (large) with hollow balls (12)
	2443	Turnbuckles, camber link, 36mm (56mm center to center) (rear)
		(assembled with rod ends and hollow balls) (1 left, 1 right)
ft	2444	Turnbuckles, camber link, 47mm (67mm center to center) (front)
		(assembled with rod ends and hollow balls) (1 left, 1 right)
	2445	Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled

5 Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com TRAXXAS.COM