

PAINT COLORS

| | | | |
|---------------------------------|----------------------------|---------------------------|--------------------------------|
| A Black | I Steel | Q Yellow | Y Dark Green |
| B Flat Black | J Brass | R Tan | Z Gray |
| C Semi-Gloss Black | K Gold | S Brown | CO Chevy® Engine Orange |
| D White | L Amber | T Lt. Blue | IC Interior Color |
| E Flat White | M Transparent Amber | U Med. Blue | BC Body Color |
| F Silver | N Red | V Dark Blue | ▲ Semi-Gloss |
| G Chrome (Bright Silver) | O Transparent Red | W Transparent Blue | △ Gloss |
| H Aluminum | P Orange | X Lt. Green | ▲ Metallic |

EXTERIOR COLORS

Standard Colors Include: Ermine White, Grotto Blue Metallic, Fathom Blue Metallic, Island Teal Metallic, Ash Gold Metallic, Grecian Green Metallic, Tripoli Turquoise Metallic, Teal Blue Metallic, Seafrost Green Metallic, Matador Red, Palomino Ivory, Sequoia Green Metallic and Butternut Yellow.

INTERIOR COLORS

Standard Colors Include: Medium Gold Metallic, Dark Gold Metallic, Midnight Gold Metallic, Medium Saddle, Dark Saddle Metallic, Medium Teal Metallic, Dark Teal Metallic, Medium Gray/Green Metallic, Dark Gray/Green Metallic, Medium Turquoise Metallic, Dark Turquoise Metallic, Medium Blue Metallic, Dark Blue Metallic, Red, Dark Red and Black.

It is recommended that you search the internet for additional color references and details.



1/25 SCALE / ÉCHELLE



READ THIS BEFORE YOU BEGIN

AMT kits are molded from the finest High-Impact Styrene plastic. Use only paint and cement made for Styrene. Trim excess plastic from parts before joining. Use just enough cement to join parts, and be careful not to smear cement on exposed surfaces.

Look over this instruction sheet carefully before you begin building. Follow the assembly instructions and "test-fit" the parts without cementing. This will familiarize you with the location of the parts.

Built according to the instructions on this sheet, you should have no trouble assembling your model. Just FOLLOW THE NUMBERS. The parts are numbered in the order of assembly. (C) INDICATES "CHROME" PARTS.

BUILDING TIPS FOR THE ADVANCED MODELERS

For the best possible finish, your kit should be painted, even if molded in color. Paint should be applied evenly, in several thin coats rather than one heavy coat. The first coat should not completely cover the surface. Each layer should be allowed to thoroughly dry before the next is applied. Also, each coat should be "wet sanded", except for the final coat, using No.1200 wet or dry sandpaper which is slightly damp. Be careful not to remove any detail while sanding.

It is important to keep your hands clean when working with your model. Wash parts thoroughly before painting to remove any mold release agent that may have been used during manufacture, body oil from your hands, sanding residue, and dust, which is naturally attracted to plastic by static electricity. Use a mild solution of dishwashing detergent and water. A tack rag should be used to dry the parts, DO NOT use paper towels or tissues, since they will leave lint on the part.

Parting lines and glue joints should be sanded or filed prior to painting and cementing. Because paint has a tendency to draw away from sharp edges, they should be lightly filed. Use filler putty designed for plastic to fill small gaps that may occur between parts and to blend contours. This should be done only after the first, or "primer," coat of paint is applied.

When painting a two-tone body, the lightest color should be painted first. Use frosted, or "magic," tape to mask off the area you do not want painted. After the second color is dry to the touch, the tape can be removed. Use a very fine brush to touch up edges if necessary. If decals are to be added, do so before adding any gloss coat. A gloss coat will help even out the edges between the two colors as well as set the decals.

3 Assembly sequence

7 Part number

6 Completed assembly

P Plated part

C Clear part

A Paint this color














↔ Both sides

↶ Other side

(2X) Repeat several times

⊘ Do not cement

▭ Apply decal






A1362-200

Coca-Cola®

SOAP BOX DERBY RACING CAR

Assembly

(Paint colors of your choice)



OFFICIAL
SPONSOR



GENERAL MOTORS Trademarks used under license to Round 2, LLC. COCA-COLA, COKE, the Contour Bottle Design, the Dynamic Ribbon Device and Red Disc Icon are trademarks of The Coca-Cola Company. Coca-Cola graphics ©2022 The Coca-Cola Company. Other names and trademarks are the property of their respective owners. AMT and design is a registered trademark of Round 2, LLC. ©2022 Round 2, LLC, South Bend, IN 46628 USA. Product and packaging designed in the USA. Made in China. All rights reserved.