



AXI03013

KOH LIMITED EDITION  
**RR10™ BOMBER**

1/10TH SCALE 4WD READY-TO-RUN



INSTRUCTION MANUAL  
BEDIENUNGSANLEITUNG  
MANUEL D'UTILISATION  
MANUALE DI ISTRUZIONI

**HORIZON**  
H O B B Y

**NOTICE**

All instructions, warranties and other collateral documents are subject to change at the sole discretion of Horizon Hobby, LLC.  
For up-to-date product literature, visit [horizonhobby.com](http://horizonhobby.com) or [towerhobbies.com](http://towerhobbies.com) and click on the support or resources tab for this product.

**MEANING OF SPECIAL LANGUAGE**

The following terms are used throughout the product literature to indicate various levels of potential harm when operating this product:

**WARNING:** Procedures, which if not properly followed, create the probability of property damage, collateral damage, and serious injury OR create a high probability of superficial injury.

**CAUTION:** Procedures, which if not properly followed, create the probability of physical property damage AND a possibility of serious injury.

**NOTICE:** Procedures, which if not properly followed, create a possibility of physical property damage AND a little or no possibility of injury.

 **WARNING:** Read the ENTIRE instruction manual to become familiar with the features of the product before operating. Failure to operate the product correctly can result in damage to the product, personal property and cause serious injury.

This is a sophisticated hobby product. It must be operated with caution and common sense and requires some basic mechanical ability. Failure to operate this Product in a safe and responsible manner could result in injury or damage to the product or other property. This product is not intended for use by children without direct adult supervision. Do not use with incompatible components or alter this product in any way outside of the instructions provided by Horizon Hobby, LLC. This manual contains instructions for safety, operation and maintenance. It is essential to read and follow all the instructions and warnings in the manual, prior to assembly, setup or use, in order to operate correctly and avoid damage or serious injury.

**Age Recommendation: Not for children under 14 years. This is not a toy.**

**SAFETY PRECAUTIONS AND WARNINGS**

As the user of this product, you are solely responsible for operating in a manner that does not endanger yourself and others or result in damage to the product or property of others.

This model is controlled by a radio signal subject to interference from many sources outside your control. This interference can cause momentary loss of control, so it is advisable to always keep a safe distance in all directions around your model as this margin will help avoid collisions or injury.

- Never operate your model with low transmitter batteries.
- Always operate your model in open spaces away from full-size vehicles, traffic and people.
- Never operate the model in the street or in populated areas for any reason.
- Carefully follow the directions and warnings for this and any optional support equipment (chargers, rechargeable battery packs, etc.) you use.
- Keep all chemicals, small parts and anything electrical out of the reach of children.
- Never lick or place any portion of the model in your mouth as it could cause serious injury or even death.
- Exercise caution when using tools and sharp instruments.
- Take care during maintenance as some parts may have sharp edges.
- Immediately after using your model, do NOT touch equipment such as the motor, electronic speed control and battery, because they generate high temperatures. You may burn yourself seriously touching them.
- Do not put fingers or any objects inside rotating and moving parts, as this may cause damage or serious injury.
- Always turn on your transmitter before you turn on the receiver in the car. Always turn off the receiver before turning your transmitter off.
- Keep the wheels of the model off the ground when checking the operation of the radio equipment.

 **WARNING AGAINST COUNTERFEIT PRODUCTS:** Always purchase from a Horizon Hobby, LLC authorized dealer to ensure authentic high-quality Spektrum product. Horizon Hobby, LLC disclaims all support and warranty with regards, but not limited to, compatibility and performance of counterfeit products or products claiming compatibility with DSM® or Spektrum technology.

## TABLE OF CONTENTS

Water-resistant Vehicle with Waterproof Electronics .....	3	DYNS2213 Forward/reverse ESC with drag brake .....	10
box Contents.....	4	Gear Ratio.....	11
Required Equipment .....	4	Troubleshooting.....	11
recommended tools.....	4	Limited Warranty.....	11
Getting started checklist.....	4	Warranty and Service Contact Information .....	12
Vehicle parts.....	5	FCC Information.....	12
Charge the vehicle battery .....	6	IC Information .....	13
Install the transmitter batteries .....	6	Compliance Information for the European Union .....	13
Transmitter functions .....	6	Parts reference .....	47
Install the Vehicle Battery .....	7	Exploded views.....	55
Binding.....	8	Parts Lists.....	60
Range-checking the radio system .....	8	Optional Parts .....	63
MAINTAINING YOUR VEHICLE .....	9		

## WATER-RESISTANT VEHICLE WITH WATERPROOF ELECTRONICS

Your new Horizon Hobby vehicle has been designed and built with a combination of waterproof and water-resistant components to allow you to operate the product in many "wet conditions," including puddles, creeks, wet grass, snow and even rain.

While the entire vehicle is highly water-resistant, it is not completely waterproof and your vehicle should NOT be treated like a submarine. The various electronic components used in the vehicle, such as the Electronic Speed Control (ESC), servo(s) and receiver are waterproof, however, most of the mechanical components are water-resistant and should not be submerged.

Metal parts, including the bearings, hinge pins, screws and nuts, as well as the contacts in the electrical cables, will be susceptible to corrosion if additional maintenance is not performed after running in wet conditions. To maximize the long-term performance of your vehicle and to keep the warranty intact, the procedures described in the "Wet Conditions Maintenance" section below must be performed regularly if you choose to run in wet conditions. If you are not willing to perform the additional care and maintenance required, then you should not operate the vehicle in those conditions.

 **CAUTION:** Failure to exercise caution while using this product and complying with the following precautions could result in product malfunction and/or void the warranty.

### GENERAL PRECAUTIONS

- Read through the wet conditions maintenance procedures and make sure that you have all the tools you will need to properly maintain your vehicle.
- Not all batteries can be used in wet conditions. Consult the battery manufacturer before use. Caution should be taken when using Li-Po batteries in wet conditions.
- Most transmitters are not water-resistant. Consult your transmitter's manual or the manufacturer before operation.
- Never operate your transmitter or vehicle where lightning may be present.
- Do not operate your vehicle where it could come in contact with salt water (ocean water or water on salt-covered roads), contaminated or polluted water. Salt water is very conductive and highly corrosive, so use caution.
- Even minimal water contact can reduce the life of your motor if it has not been certified as water-resistant or waterproof. If the motor becomes excessively wet, apply very light throttle until the water is mostly removed from the motor. Running a wet motor at high speeds may rapidly damage the motor.
- Driving in wet conditions can reduce the life of the motor. The additional resistance of operating in water causes excess strain. Alter the gear ratio by using a smaller pinion or larger spur gear. This will increase torque (and motor life) when running in mud, deeper puddles, or any wet conditions that will increase the load on the motor for an extended period of time.

### WET CONDITIONS MAINTENANCE

- Drain any water that has collected in the tires by spinning them at high speed. With the body removed, place the vehicle upside down and pull full throttle for a few short bursts until the water has been removed.

 **CAUTION:** Always keep hands, fingers, tools and any loose or hanging objects away from rotating parts when performing the above drying technique.

- Remove the battery pack(s) and dry the contacts. If you have an air compressor or a can of compressed air, blow out any water that may be inside the recessed connector housing.
- Remove the tires/wheels from the vehicle and gently rinse the mud and dirt off with a garden hose. Avoid rinsing the bearings and transmission.


**NOTICE:** Never use a pressure washer to clean your vehicle.

- Use an air compressor or a can of compressed air to dry the vehicle and help remove any water that may have gotten into small crevices or corners.
- Spray the bearings, drive train, fasteners and other metal parts with a water-displacing light oil. Do not spray the motor.
- Let the vehicle air dry before you store it. Water (and oil) may continue to drip for a few hours.
- Increase the frequency of disassembly, inspection and lubrication of the following:
  - Front and rear axle hub assembly bearings.
  - All transmission cases, gears and differentials.
  - Motor—clean with an aerosol motor cleaner and re-oil the bushings with lightweight motor oil.




## BOX CONTENTS

- Spektrum™ DX3™ 2.4GHz Transmitter (SPMS2340T)
- KOH Special Edition RR10™ Bomber 1/10th 4WD RTR (AXI03013)
  - SR315 3CH Receiver (SPMSR315)
  - S614 15KG Servo (SPMS614)
  - 35T Brushed Motor (AX31312)
  - AE-5L ESC w/LED (DYN52213)

• Parts Bag




• Cross Wrench




## REQUIRED EQUIPMENT

- (4) AA Alkaline batteries




- 3s LiPo Battery




- 5-9 Cell NiMH/NiCd battery  
(IC3® Connector Required)


OR




- Battery charger compatible with the chosen vehicle battery type




## RECOMMENDED TOOLS



• Hex Drivers (1.5, 2.0, 2.5mm)




• Hobby Knife



• Curved Scissors



• Side Cutter




• Long-nose Plier

## GETTING STARTED CHECKLIST

Read the manual
Familiarize yourself with the vehicle and its components
Check all screws, especially the driveshaft setscrews, for tightness from the factory
Charge the vehicle battery
Install 4 AA batteries in the transmitter


Power on the transmitter
Install the vehicle battery in the vehicle
Check for proper function of the throttle and steering
Range check the radio system
Drive the vehicle, challenge yourself and have FUN!
Perform any necessary vehicle maintenance

**VEHICLE PARTS**

## CHARGE THE VEHICLE BATTERY

Follow the manufacturer's directions for your charger to properly charge the vehicle battery.

**CAUTION:** Only use chargers designed to charge the chosen battery type. Using an incorrect charger or incorrect charger settings could result in a fire causing personal injury or damage to property.



## INSTALL THE TRANSMITTER BATTERIES


This transmitter requires 4 AA batteries.

1. Remove the battery cover from the transmitter.
2. Install the batteries as shown.
3. Install the battery cover.

**CAUTION:** NEVER remove the transmitter batteries while the model is powered on. Loss of model control, damage, or injury may occur.

**CAUTION:** If using rechargeable batteries, charge only rechargeable batteries. Charging non-rechargeable batteries may cause the batteries to burst, resulting in injury to persons and/or damage to property.

**CAUTION:** Risk of explosion if battery is replaced by an incorrect type. Dispose of used batteries according to national regulations.



## TRANSMITTER FUNCTIONS

### A. Servo Reversing

To reverse the Throttle (TH) or Steering (ST) channel, switch the position of the correlating switch—"N" is for normal, "R" is for reverse.

### B. Throttle Trim

Adjusts the throttle neutral point

### C. Steering Trim

Adjusts the steering center point. Normally, the steering trim is adjusted until the vehicle tracks straight.

### D. Brake Rate

Adjust Brake rate.(For use with AVC Rx's)

### E. Steering Rate

Adjusts the end point of the steering

### F. Indicator Lights

- Solid red lights: Indicates radio connectivity and adequate battery power
  - Flashing red lights: Indicates the battery voltage is critically low.
- Replace batteries

### G. Throttle Limit

Limits throttle output to 50/75/100%



Select 50% or 75% for less experienced drivers or when you are driving the vehicle in a small area.

### H. Antenna

### I. Power Button


### J. Throttle/Brake

### K. Steering Wheel




## INSTALL THE VEHICLE BATTERY


1. Turn on the transmitter.




2. Connect the battery.



3. Install the battery.



4. Close the battery tray and hood.



Power to the vehicle is controlled by connecting/disconnecting the battery.


## BINDING

Binding is the process of programming the receiver to recognize the GUID (Globally Unique Identifier) code of a single specific transmitter. The SPM2340 transmitter and SR315 receiver are bound from the factory. If you need to rebind, follow the instructions below.

1. Connect a fully charged battery pack to the ESC.
2. Center ST Trim and TH TRIM dials on the transmitter.
3. Power on the ESC.
4. Press the button on the SR315 to start bind mode. LED on SR315 will flash.
5. While holding Bind button on the Transmitter, press Power Button to power on the Transmitter. Release bind button when LED on SR315 stops flashing.
6. Vehicle is ready to operate.

You must rebind when:

- Different failsafe positions are desired e.g., when throttle or steering reversing has been changed.
- Binding the receiver to a different transmitter.



## RANGE-CHECKING THE RADIO SYSTEM





The radio system should be checked before operating the vehicle to ensure proper operation and adequate range.

1. Turn on the transmitter.
2. Connect the battery in the vehicle.
3. Have a friend hold the vehicle while keeping hands and loose clothing away from moving parts.
4. Walk away until you are at the maximum planned operating distance from the vehicle.
5. Turn the steering wheel side to side and operate the throttle, both forward and reverse, checking for any erratic behavior.
6. If any erratic behavior is exhibited, DO NOT operate the vehicle. Call customer service for assistance.




## MAINTAINING YOUR VEHICLE


Just like a full size car or truck your RC vehicle must undergo periodic maintenance in order to ensure peak performance. Preventative maintenance will also help avoid needless breakages which could result in costly repairs. Below are some suggestions to properly maintain your vehicle.




Replace any noticeable bent or broken parts




Check for wear on the ball joints in the steering and suspension links (replace if necessary)




Check driveshaft set screws and apply thread locking compound if necessary




Inspect shock absorbers for smooth damped operation




Check for any loose connections or frayed wiring




Check the wheel nuts for tightness




Ensure the wheel beads are still firmly bonded around the entire circumference of the rim




Keep the chassis free of dirt and debris




Check for loose screws on the chassis, especially the knuckle, C-hub and axle lockout screws




Check the driveline for smooth, bind free operation




If applicable, check the slipper clutch for proper operation




Check the receiver antenna for damage



Check the steering operation for any binding





Inspect the spur and pinion gears for damage



Replace the transmitter batteries when indicated by the transmitter, as described in the Transmitter Functions section

# DYNS2213 FORWARD/REVERSE ESC WITH DRAG BRAKE



## SETUP

Throttle calibration should not be needed out of the box. However, in order to make the throttle range of different transmitters, the calibration of the ESC is necessary:

- Mount the ESC in an area that is well ventilated and isolated from vibration and shock.
- Connect the ESC motor wires to the motor red-to-red and black-to-black.
- Plug the receiver into the throttle channel of the receiver.
- Before plugging the battery into the ESC, make sure your transmitter is on and the throttle trim is set to zero.
- Connect the battery to the ESC. The vehicle will be powered on when the battery is connected.



**CAUTION:** Keep all body parts and loose clothing away from any moving parts while the battery is connected to the ESC.



**CAUTION:** Always connect the ESC only to a proper power source that has the correct voltage and polarity. Incorrect voltages or reversed polarity will damage the ESC. Damage to the ESC caused by improper voltage or polarity is not covered under warranty.

- Test forward and reverse control using the transmitter.

To calibrate the ESC:

- Power the transmitter on and set the throttle control to neutral.
- Connect the battery to the ESC and wait 3 seconds to let the ESC initiate a self-test and automatic throttle calibration.
- The ESC is ready to run when a long beep sound is emitted from the motor.
- Always disconnect the battery when the vehicle is not in use.

**IMPORTANT:** The LiPo cut-off is set to "ON" from the factory.

## SPECIFICATIONS

Type	Brushed
Constant/Peak	60A/360A
Resistance	0.0008 Ohms
Function	Forward/Brake/Reverse, Forward/Brake, Forward/Reverse (Crawler Mode)
Vehicle Type	1/10 on-road and off-road; 1/10 rock crawler
Operation	Proportional forward, proportional reverse with braking delay, Crawler Mode
Battery Type/Input Voltage	2-3 cell Li-Po/Li-Fe; 5-7 cell Ni-MH/Ni-Cd
Motor Type	540-/550-size closed endbell motors: 2S Li-Po down to 12T; 3S Li-Po down to 35T
BEC Output	6V/3A
Overload Protection	Thermal
Dimensions	35.6mm x 34mm x 18mm (1.40 in x 1.34 in x 0.71 in)
Weight	40 g(1.41 oz) with wires
Battery Connector	EC3™ connector
Motor Connector	3.5mm Tamiya-style Bullet

## LED INDICATOR

OPERATION	LED STATUS	SOUND
Stop	OFF	
Forward partial throttle	Blinks	
Full Throttle	Solid	
Reverse	Blinks	
Partial Brake	Blinks	
Full Brake	Blinks	
Ni-MH/Ni-CD Battery		1 Short Beep
2S Li-Po Battery		2 Short Beeps
3S Li-Po Battery		3 Short Beeps
ESC Ready		1 Long Beep
Battery Low Voltage	Blinks	
Overheat	Blinks	

## GEAR RATIO

Use this equation to calculate the final drive ratio:

$$\text{Final Drive Gear Ratio} = \left( \frac{\text{Spur}}{\text{Pinion}} \right) \times 5.67$$

**Slower - More Torque**



32 Pitch 38T/13T (Stock Gearing AX30392 or HD AX30395)				
	Spur Gear			
Pinion	56	60	64	68
11	28.85	30.91	32.97	35.03
12	26.44	28.33	30.22	32.11
13	24.41	26.15	27.90	29.64
14	22.67	24.88	25.90	27.52
15	21.15	22.67	24.18	25.69
16	19.83	21.25	22.67	24.08
17	18.67	20.00	21.33	22.67

## TROUBLESHOOTING

PROBLEM	POSSIBLE CAUSE	SOLUTION
Vehicle does not move	Batteries are not installed properly in the transmitter	Ensure the transmitter batteries are properly installed
	Weak or no battery in the vehicle	Install a freshly charged vehicle battery
	Damaged motor	Replace the motor
	Frayed or broken wiring	Replace any damaged wiring
	ESC is shut down by heat protection circuit	Allow the ESC to cool down completely
Loss of vehicle control	Improper antenna placement	Ensure the transmitter antenna is not blocked and the receiver antenna is located properly
	Weak or no batteries in the transmitter or vehicle	Install a freshly charged vehicle battery and new transmitter batteries
	Neutral or trim position is incorrect	Adjust the steering trim
	Receiver and/or battery not connected properly	Check all receiver and battery connections
Steering and/or throttle function is reversed	Servo travel is reversed at the transmitter	Set the transmitter servo reversing switch to the correct position
	Motor wires are not connected properly	Check all motor wires for correct polarity and secure connection

## LIMITED WARRANTY

### What this Warranty Covers

Horizon Hobby, LLC, (Horizon) warrants to the original purchaser that the product purchased (the "Product") will be free from defects in materials and workmanship for a period of 2 years from the date of purchase.

### What is Not Covered

This warranty is not transferable and does not cover (i) cosmetic damage, (ii) damage due to acts of God, accident, misuse, abuse, negligence, commercial use, or due to improper use, installation, operation or maintenance, (iii) modification of or to any part of the Product, (iv) attempted service by anyone other than a Horizon Hobby authorized service center, (v) Product not purchased from an authorized Horizon dealer, or (vi) Product not compliant with applicable technical regulations or (vii) use that violates any applicable laws, rules, or regulations.

OTHER THAN THE EXPRESS WARRANTY ABOVE, HORIZON MAKES NO OTHER WARRANTY OR REPRESENTATION, AND HEREBY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE PURCHASER ACKNOWLEDGES THAT THEY ALONE HAVE DETERMINED THAT THE PRODUCT WILL SUITABLY MEET THE REQUIREMENTS OF THE PURCHASER'S INTENDED USE.

### Purchaser's Remedy

Horizon's sole obligation and purchaser's sole and exclusive remedy shall be that Horizon will, at its option, either (i) service, or (ii) replace, any Product determined by Horizon to be defective. Horizon reserves the right to inspect any and all Product(s) involved in a warranty claim. Service or replacement decisions are at the sole discretion of Horizon. Proof of purchase is required for all warranty claims. SERVICE OR REPLACEMENT AS PROVIDED UNDER THIS WARRANTY IS THE PURCHASER'S SOLE AND EXCLUSIVE REMEDY.

### Limitation of Liability

HORIZON SHALL NOT BE LIABLE FOR SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES, LOSS OF PROFITS OR PRODUCTION OR COMMERCIAL LOSS IN ANY WAY, REGARDLESS OF WHETHER SUCH CLAIM IS BASED IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR ANY OTHER THEORY OF LIABILITY, EVEN IF HORIZON HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Further, in no event shall the liability of Horizon exceed the individual price of the Product on which liability is asserted. As Horizon has no control over use, setup, final assembly, modification or misuse, no liability shall be assumed nor accepted for any resulting damage or injury. By the act of use, setup or assembly, the user accepts all resulting liability. If you as the purchaser or user are not prepared to accept the liability associated with the use of the Product, purchaser is advised to return the Product immediately in new and unused condition to the place of purchase.

### Law

These terms are governed by Illinois law (without regard to conflict of law principals). This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. Horizon reserves the right to change or modify this warranty at any time without notice.

### WARRANTY SERVICES

#### Questions, Assistance, and Services

Your local hobby store and/or place of purchase cannot provide warranty support or service. Once assembly, setup or use of the Product has been started, you must contact your local distributor or Horizon directly. This will enable Horizon to better answer your questions and service you in the event that you may need any assistance. For questions or assistance, please visit our website at [www.horizonhobby.com](http://www.horizonhobby.com), submit a Product Support Inquiry, or call the toll free telephone number referenced in the Warranty and Service Contact Information section to speak with a Product Support representative.

**Inspection or Services**

If this Product needs to be inspected or serviced and is compliant in the country you live and use the Product in, please use the Horizon Online Service Request submission process found on our website or call Horizon to obtain a Return Merchandise Authorization (RMA) number. Pack the Product securely using a shipping carton. Please note that original boxes may be included, but are not designed to withstand the rigors of shipping without additional protection. Ship via a carrier that provides tracking and insurance for lost or damaged parcels, as Horizon is not responsible for merchandise until it arrives and is accepted at our facility. An Online Service Request is available at [http://www.horizonhobby.com/content/service-center\\_render-service-center](http://www.horizonhobby.com/content/service-center_render-service-center). If you do not have internet access, please contact Horizon Product Support to obtain a RMA number along with instructions for submitting your product for service. When calling Horizon, you will be asked to provide your complete name, street address, email address and phone number where you can be reached during business hours. When sending product into Horizon, please include your RMA number, a list of the included items, and a brief summary of the problem. A copy of your original sales receipt must be included for warranty consideration. Be sure your name, address, and RMA number are clearly written on the outside of the shipping carton.

**NOTICE:** Do not ship Li-Po batteries to Horizon. If you have any issue with a Li-Po battery, please contact the appropriate Horizon Product Support office.

**Warranty Requirements**

For Warranty consideration, you must include your original sales receipt verifying the proof-of-purchase date. Provided warranty conditions have been met, your Product will be serviced or replaced free of charge. Service or replacement decisions are at the sole discretion of Horizon.

**Non-Warranty Service**

Should your service not be covered by warranty, service will be completed and payment will be required without notification or estimate of the expense unless the expense exceeds 50% of the retail purchase cost. By submitting the item for service you are agreeing to payment of the service without notification. Service estimates are available upon request. You must include this request with your item submitted for service. Non-warranty service estimates will be billed a minimum of 1/2 hour of labor. In addition you will be billed for return freight. Horizon accepts money orders and cashier's checks, as well as Visa, MasterCard, American Express, and Discover cards. By submitting any item to Horizon for service, you are agreeing to Horizon's Terms and Conditions found on our website [http://www.horizonhobby.com/content/service-center\\_render-service-center](http://www.horizonhobby.com/content/service-center_render-service-center).

**ATTENTION:** Horizon service is limited to Product compliant in the country of use and ownership. If received, a non-compliant Product will not be serviced. Further, the sender will be responsible for arranging return shipment of the un-serviced Product, through a carrier of the sender's choice and at the sender's expense. Horizon will hold non-compliant Product for a period of 60 days from notification, after which it will be discarded.

10/15

**WARRANTY AND SERVICE CONTACT INFORMATION**

Country of Purchase	Horizon Hobby	Contact Information	Address
United States of America	Horizon Service Center (Repairs and Repair Requests)	servicecenter.horizonhobby.com/RequestForm/	2904 Research Rd Champaign, IL 61822
	Horizon Product Support (Product Technical Assistance)	productsupport@horizonhobby.com 877-504-0233	
	Sales	websales@horizonhobby.com 800-338-4639	
European Union	Horizon Technischer Service Sales: Horizon Hobby GmbH	service@horizonhobby.eu +49 (0) 4121 2655 100	Hanskampring 9 D 22885 Barsbüttel, Germany

**FCC INFORMATION**

**CONTAINS FCC ID: BRWKATY1**

**FCC ID: BRWSRIRVINGV1**

This equipment complies with FCC and IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and/or antenna and your body (excluding fingers, hands, wrists, ankles and feet). This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

**SUPPLIER'S DECLARATION OF CONFORMITY**

**Axial KOH Special Edition RR10 Bomber 1/10th 4WD RTR (AXI03013)**

 This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Horizon Hobby, LLC  
2904 Research Rd.,  
Champaign, IL 61822  
Email: compliance@horizonhobby.com  
Web: HorizonHobby.com

**NOTE:** This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against

## IC INFORMATION

CAN ICES-3 (B)/NMB-3(B)

Contains IC: 6157A-KATY1T

IC: 6157A-SRIRVINGV1

This device contains license-exempt transmitter(s)/receivers(s) that comply with Innovation, Science, and Economic Development Canada's license-exempt RSS(s). Operation is subject to the following 2 conditions:

1. This device may not cause interference.
2. This device must accept any interference, including interference that may cause undesired operation of the device.

## COMPLIANCE INFORMATION FOR THE EUROPEAN UNION



### EU COMPLIANCE STATEMENT:

Axial KOH Special Edition RR10 Bomber 1/10th 4WD RTR  
(AXI03013)

Hereby, Horizon Hobby, LLC declares that the device is in compliance with the following: EU Radio Equipment Directive 2014/53/EU; RoHS 2 Directive 2011/65/EU; RoHS 3 Directive - Amending 2011/65/EU Annex II 2015/863.

The full text of the EU declaration of conformity is available at the following internet address: <https://www.horizonhobby.com/content/support-render-compliance>.

### Wireless Frequency Range and Wireless Output Power

#### Transmitter

2402.0 - 2478.0 MHz  
17.7 dBm

#### Receiver

2404-2476 MHz  
-1.33 dBm

### EU Manufacturer of Record:

Horizon Hobby, LLC  
2904 Research Road  
Champaign, IL 61822 USA

### EU Importer of Record:

Horizon Hobby, GmbH  
Hanskampring 9  
22885 Barsbüttel Germany


### WEEE NOTICE:




This appliance is labeled in accordance with European Directive 2012/19/EU concerning waste of electrical and electronic equipment (WEEE). This label indicates that this product should not be disposed of with household waste. It should be deposited at an appropriate facility to enable recovery and recycling.




## PARTS REFERENCE // TEILEREFERENZ // RÉFÉRENCES DES PIÈCES // RIFERIMENTO COMPONENTI




**AX80018 (x3)**  
Hardware parts tree  
Hardware-Teilebaum  
Arbre des pièces de quincaillerie  
Set bulloneria




**AX80035 (x2) / AX31301 (Blue) (x2)**  
10mm Shock Caps Parts Tree  
10 mm Stoßdämpfer-Teilebaum  
Arbre des pièces d'amortisseurs 10 mm  
Set ricambi ammortizzatore 10 mm




**AX80034 (x2) / AX31300 (Blue) (x2)**  
10mm Shock Parts Tree 2  
10 mm Stoßdämpfer-Teilebaum  
Arbre des pièces d'amortisseurs 10 mm  
Set ricambi ammortizzatore 10 mm




**AX80033 (x2)**  
10mm shock parts tree  
10 mm Stoßdämpfer-Teilebaum  
Arbre des pièces d'amortisseurs 10 mm  
Set ricambi ammortizzatore 10 mm




**AX31114 (x2)**  
WB8-HD Standard driveshaft  
WB8-HD Standard-Antriebswelle  
Arbre de transmission standard WB8-HD  
Albero di trasmissione standard WB8-HD




**AX31108 (x1)**  
2-Speed Hi/Lo Transmission Case  
2-Geschwindigkeiten Hi/Lo Getriebeabdeckung  
Boîtier de la transmission élevé/faible 2 vitesses  
Scatola trasmissione 2 velocità alta/bassa (HI/LO)




**AX31317 (x2)**  
AR66 Differential Covers  
AR66 Differenzialgehäuse  
Couvercles de différentiel AR66  
Carter differenziale AR66




**AX31316 (x1)**  
AR60 Steering knuckles  
AR60 Lenkrollen  
Rotules de direction AR60  
Fusi a snodo AR60




**AX31323 (x1)**  
RR10 Electronics Box  
RR10 Elektronikbox  
Boîtier des composants électroniques RR10  
Scatola elettronica RR10




**AX31049 (x2)**  
Helmet Set (Black)  
Helm-Set (schwarz)  
Ensemble de casque (noir)  
Set elmetti (nero)




**AX31333 (x1)**  
RR10 Skid Plate  
RR10 Gleitbrett  
Plaque de protection RR10  
Piastra di protezione RR10




**AX31324 (x1)**  
RR10 Transfer Case  
RR10 Transferegehäuse  
Boîte de transfert RR10  
Custodia di trasferimento RR10




**AX31332 (x1)**  
RR10 Battery Tray Chassis Components 2  
RR10 Akkufach Karosseriebauteile 2  
Composants du châssis du support de batterie RR10 2  
2 componenti telaio supporto batteria RR10




**AX31109 (x1)**  
Yeti™ Rear 4 Link Set  
Yeti™ 4-gliedriger Gelenksatz hinten  
Ensemble de 4 bras arrière Yeti™  
Set 4 bracci Yeti™ posteriore



**AX31318 (x1)**  
RR10 Battery Tray Chassis Components  
RR10 Akkufach Karosseriebauteile  
Composants du châssis du support de batterie RR10  
Componenti telaio supporto batteria RR10



**AX80083 (x1)**  
Wraith Links Set  
Wraith-Gestängesatz  
Ensemble de bras Wraith  
Set leveraggi Wraith




**AX80073 (x1)**  
AR60 OCP Steering Link  
AR60 OCP-Lenkstange  
Tringlerie de direction AR60 OCP  
Braccetto sterzo AR60 OCP




**AX31354 (x1)**  
AR60 Heavy Duty C-Hub Carrier  
AR60 robuster C-Nabenträger  
Support de moyeu en C haute résistance AR60  
Supporto caster block Heavy Duty AR60




**AX80002 (x2)**  
Diff Case - Small  
Differentialgehäuse – Klein  
Boîtier de différentiel - Petit  
Scatola diff. - Piccola




**AX80072 (x1)**  
Offset Axle 4 Link Mount  
Achse mit viergliedrigem Gestänge und Versatz  
Support d'essieu déporté à 4 bras  
Supporto braccetti 4-link offset assale




**AX31107 (x1)**  
2-Speed Hi/Lo Transmission Spur Gear Cover  
2-Geschwindigkeiten Hi/Lo Getriebe Stirnradabdeckung  
Cache de l'engrenage cylindrique de la transmission élevé/faible 2 vitesses  
Carter ingranaggi trasmissione 2 velocità alta/bassa (HI/LO)











**AX80069 (x2)**  
Offset Axle Housing  
Achshäuse mit Versatz  
Carter d'essieu déporté  
Carcassa assale offset





**AXI43006 (x4)**  
2.2 Trail Ready HD Beadlock Wheel (Satin)  
2.2 Trail Ready HD Beadlock-Rad (Satin)  
Roue à verrou de talon 2,2 Trail Ready HD (satinée)  
Cerchione Beadlock Trail Ready HD 2.2 (Satinato)





**AXI43007 (x4)**  
2.2 Raceline Monster Beadlock Wheel (Satin)  
2.2 Raceline Monster Beadlock-Rad (Satin)  
Roue à verrou de talon 2,2 Raceline Monster (satinée)  
Cerchione Beadlock Raceline Monster 2.2 (Satinato)







**AX31322(x1)**  
RR10 Cage Sides (Left and Right)  
RR10 Gehäuseseiten (Links und Rechts)  
Côtés de la cage RR10 (gauche et droite)  
Scocca di protezione laterale (dx e sx) RR10



**AX31321(x1)**  
RR10 Cage Lower Rails  
RR10 Gehäuse untere Schienen  
Rails inférieurs de la cage RR10  
Guide inferiore custodia RR10




**AX31148 (x4)**  
WB8-HD Driveshaft coupler set  
WB8-HD-Antriebswellenkupplungssatz  
Ensemble de couplage d'arbre de transmission WB8-HD  
Set accoppiamento albero trasmissione WB8-HD




**AX30392 (x2)**  
Bevel Gear Set - 38T/13T  
Kegelradgetriebesatz – 38T/13T  
Ensemble d'engrenages coniques - 38T/13T  
Set ingranaggi conici - 38T/13T




**AX31314 (x4)**  
Aluminum Shock Body 12x47.5mm  
Aluminium Stoßdämpfergehäuse 12 x 47,5 mm  
Carrosserie d'amortisseurs en aluminium 12 x 47,5 mm  
Corpo ammortizzatore in alluminio 12x47,5 mm



**AX30500 (x2)**  
Heavy Duty Locker  
Robuste Sicherung  
Blocage haute résistance  
Blocco differenziale Heavy Duty




**AX31083 (x1)**  
Radio box seals  
Funkbox-Dichtungen  
Joints du boîtier de radio  
Guarnizioni vano radiocomando



**AX30723 (x1)**  
Pinion 32DP 12T  
Zahnradgetriebe, 32DP, 12T  
Engrenage à pignons., 32DP, 12T  
Pignone 32DP, 12T



**AX30429 (x4)**  
Narrow 12mm aluminum hub  
Schmale Aluminium-Nabe, 12 mm  
Moyeu étroit en aluminium de 12 mm  
Mozzo stretto in alluminio, 12 mm



**AX31130 (x1)**  
High Speed Transmission Gear Set (48P 26T, 48P 28T)  
Hochgeschwindigkeits-Getriebe (48P 26T, 48P 28T)  
Ensemble d'engrenages de transmission grande vitesse (48P 26T, 48P 28T)  
Set ingranaggi trasmissione alta velocità (48P 26T, 48P 28T)



**AXI231007 (x1)**  
Metal Servo Horn (23T)  
Metallgetriebehorn (23T)  
Renvoi du servo métallique (23T)  
Servo squadretta in metallo (23 T)




**AX30408 (x2)**  
Steel Input Shaft 5x29mm  
Stahl-Eingangswelle 5 x 29 mm  
Arbre d'entrée en acier 5 x 29 mm  
Albero di entrata in acciaio 5x29 mm



**AX30112 (x4)**  
Shock Diaphragm 13x4.5mm  
Stoßdämpfermembran 13 x 4,5 mm  
Membrane d'amortisseur 13 x 4,5 mm  
Diaframma ammortizzatore 13x4,5 mm




**AX30413 (x1)**  
Slipper spring, 8.5 x 12  
Gleitfeder, 8,5 x 12  
Ressort de sabot, 8,5 x 12  
Molla pattino, 8,5x12




**AX31131 (x1)**  
T-Case Gear Set  
T-Case-Getriebe (x1)  
Ensemble d'engrenages de boîte de transfert  
Set ingranaggi scatola a T



**AX30113 (x4)**  
Rubber Bump Stop 3.6x7x4mm  
Gummianschlag 3,6 x 7 x 4 mm  
Butée en caoutchouc 3,6 x 7 x 4 mm  
Fine corsa in gomma 3,6x7x4 mm



**AX30385 (x2)**  
Diff Gasket 16x25x0.5mm  
Differentialdichtung 16 x 25 x 0,5 mm  
Joint de différentiel 16 x 25 x 0,5 mm  
Guarnizione differenziale 16x25x0,5 mm

**AX30368 (x2)**


Axle, 6 x 39mm  
Achse, 6 x 39 mm  
Essieu, 6 x 39 mm  
Assale ,6 x 39 mm

**AX31313 (x1)**

Transfer Case Output Shaft (5x69mm)  
Transfergehäuse Antriebswelle (5 x 69 mm)  
Arbre de sortie de la boîte de transfert (5 x 69 mm)  
Albero uscita scatola di trasferimento (5x69 mm)

**AX30155 (x4)**


Shock Shaft 3x59.5mm  
Kolbenstange, 3 x 59.5 mm  
Bras d'amortisseur, 3 x 59.5 mm  
Albero ammortizzatore, 3x59.5 mm

**AX31129 (x1)**

2-Speed Hi/Lo Transmission Bottom Shaft (5x75mm)  
2-Geschwindigkeiten Hi/Lo untere Getriebewelle (5 x 75 mm)  
Arbre inférieur de la transmission élevé/faible 2 vitesses (5 x 75 mm)  
Albero inferiore trasmissione 2 velocità alta/bassa (HI/LO) (5x75 mm)

**AX31127 (x1)**


2-Speed Hi/Lo Transmission Top Shaft (5x91mm)  
2-Geschwindigkeiten Hi/Lo obere Getriebewelle (5 x 91 mm)  
Arbre supérieur de la transmission élevé/faible 2 vitesses (5 x 91 mm)  
Albero superiore trasmissione 2 velocità alta/bassa (HI/LO) (5x91 mm)

**AX30419 (x1)**

AR60 OCP Front Dogbone 7x69mm  
AR60 OCP Vorderes Dogbone 7 x 69 mm  
Dogbone avant AR60 OCP 7 x 69 mm  
Cardano anteriore AR60 OCP 7x69 mm

**AX30419 (x1)**


AR60 OCP Front Dogbone 7x125mm  
AR60 OCP Vorderes Dogbone 7 x 125 mm  
Dogbone avant AR60 OCP 7 x 125 mm  
Cardano anteriore AR60 OCP 7x125 mm

**AX30776 (x1)**


AR60 OCP Rear Axle 6x104.2mm  
AR60 OCP Hinterachse 6 x 104,2 mm  
Essieu arrière AR60 OCP 6 x 104,2 mm  
Assale posteriore AR60 OCP 6x104,2 mm

**AX30776 (x1)**


AR60 OCP Rear Axle 6x160.2mm  
AR60 OCP Hinterachse 6 x 160,2 mm  
Essieu arrière AR60 OCP 6 x 160,2 mm  
Assale posteriore AR60 OCP 6x160,2 mm

**AX30224 (x2) / AX31315 (Blue) (x2)**


Spring 14x70mm 1.43 lbs/in  
Feder 14 x 70 mm 1,43 lbs/in  
Ressort 14 x 70 mm 1,43 lb/po  
Molla 14x70 mm 1,43 lbs/in

**AX30221 (x2) / AX31336 (Blue) (x2)**


Spring 14x70mm 3.27 lbs/in  
Feder 14 x 70 mm 3,27 lbs/in  
Ressort 14 x 70 mm 3,27 lb/po  
Molla 14x70 mm 3,27 lbs/in

**AX31067 (x1)**




Slipper Plate  
Gleitplatte  
Plaque de sabot  
Piastra pattino

**AX31059 (x2)**

Slipper plate washer, 33 x 1mm  
Gleitplattenunterlegscheibe, 33 x 1 mm  
Rondelle de plaque de sabot, 33 x 1 mm  
Rondella piastra pattino, 33x1 mm

**AX31068 (x2)**

Slipper pad, 32.8 x 15.2 x 1 mm  
Gleitkissen 32,8 x 15,2 x 1 mm  
Sabot de piston, 32,8 x 15,2 x 1 mm  
Piastra guida, 32,8x15,2x1 mm

	<b>AX30163</b> (x5) Pin 2x10mm Stift 2 x 10 mm Goupille 2 x 10 mm Perno 2 x 10 mm		<b>AXA1184</b> (x4) O-Ring 7.5 x 1.5mm O-Ring 7,5 x 1,5mm Joint torique 7,5 x 1,5mm O-Ring 7,5 x 1,5mm
	<b>AX31028</b> (x8) Pin 2x11mm Stift 2 x 11 mm Goupille 2 x 11 mm Perno 2 x 11 mm		<b>AXA1221</b> (x20) Bearing 5x11x4mm Lager 5 x 11 x 4 mm Roulement 5 x 11 x 4 mm Cuscinetto 5x11x4 mm
	<b>AXA1393</b> (x2) E2.5 e-clip E2.5 E-Clip E-clip E2.5 E-clip E2.5		<b>AXA1230</b> (x6) Bearing 10x15x4mm Lager 10 x 15 x 4 mm Roulement 10 x 15 x 4 mm Cuscinetto 10x15x4 mm
	<b>AXA1391</b> (x2) E4 e-clip E4 E-Clip E-clip E4 E-clip E4		<b>AXA180</b> (x12) M3x3mm Set Screw M3 x 3 mm Schraubensatz Vis de fixation M3 x 3 mm Vite di arresto M3x3 mm
	<b>AXA1045</b> (x1) M4 Nylon Lock Nut M4 Nylon-Feststellmutter Contre-érou en nylon M4 Controdado nylon M4		<b>AXA291</b> (x1) M4x4mm Set Screw M4 x 4 mm Schraubensatz Vis de fixation M4 x 4 mm Vite di arresto M4x4 mm
	<b>AX31250</b> (x4) M4 Serrated Nylon Lock Nut Feststellflanschmutter (schwarz) Contre-érou en nylon strié (noir) M4 Controdado dentato nylon (nero) M4		<b>AXA186</b> (x8) M3x16mm Set Screw M3 x 16 mm Schraubensatz Vis de fixation M3 x 16 mm Vite di arresto M3x16 mm
	<b>AXA1041</b> (x4) M2.5 Nylon Lock Nut M2.5 Nylon-Feststellmutter Contre-érou en nylon M2.5 Controdado nylon M2.5		<b>AXA0187</b> (x4) M3x20mm Set Screw M3 x 20 mm Schraubensatz Vis de fixation M3 x 20 mm Vite di arresto M3x20 mm
	<b>AXA1052</b> (x6) M3 Thin Nylon Locking Hex Nut M3 dünne Nylon-Feststellmutter Contre-érou à six pans fin en nylon M3 Controdado esagonale nylon sottile M3		<b>AXA0286</b> (x4) Screw Shaft M4x2.5x12mm Gewindeschafft M4 x 2,5 x 12 mm Tige de vis M4 x 2,5 x 12 mm Albero filettato M4 x 2,5 x 12 mm
	<b>AXA1053</b> (x3) M3 Nylon Lock Nut M3 Nylon-Feststellmutter Contre-érou en nylon M3 Controdado nylon M3		<b>AXA013</b> (x5) M2x6mm Hex Socket Cap Head M2 x 6 mm Sechskant-Inbusschraube Douille à six pans d'assemblage creuse M2 x 6 mm Vite testa cilindrica con esagono incassato M2x6 mm
	<b>AXA1070</b> (x1) Washer 3 x 6 x 0.5mm Unterlegscheibe 3 x 6 x 0,5mm Rondelle 3 x 6 x 0,5mm Rondella 3 x 6 x 0,5mm		<b>AXA015</b> (x16) M2x10mm Hex Socket Cap Head M2 x 10 mm Sechskant-Inbusschraube Douille à six pans d'assemblage creuse M2 x 10 mm Vite testa cilindrica con esagono incassato M2x10 mm
	<b>AXA1069</b> (x8) Washer 2.7x6.7x0.5mm Unterlegscheibe 2.7x 6.7 x 0,5mm Rondelle 2.7x6.7x0,5mm Rondella 2.7x 6.7 x 0,5mm		<b>AXA0023</b> (x28) M2.6x8mm Cap Head M2.6 x 8 mm Sechskant-Inbusschraube Douille à six pans d'assemblage creuse M2.6 x 8 mm Vite testa cilindrica con esagono incassato M2.6x8 mm
	<b>AXA1071</b> (x2) Washer 4x8x0.5mm Unterlegscheibe 4 x 8 x 0,5mm Rondelle 4x8x0,5mm Rondella 4 x 8 x 0,5mm		<b>AXA087</b> (x8) M3x16mm Hex Socket Cap Head M3 x 16 mm Sechskant-Inbusschraube Douille à six pans d'assemblage creuse M3 x16 mm Vite testa cilindrica con esagono incassato M3x16 mm
	<b>AXA1202</b> (x8) O-Ring 3.5 x 2mm O-Ring 3,5 x 2mm Joint torique 3,5 x 2mm O-Ring 3,5 x 2mm		<b>AXA091</b> (x2) M3x30mm Hex Socket Cap Head M3 x 30 mm Sechskant-Inbusschraube Douille à six pans d'assemblage creuse M3 x30 mm Vite testa cilindrica con esagono incassato M3x30 mm
			<b>AX31121</b> (x2) M4x12mm Cap Head M4 x 12 mm Sechskant-Inbusschraube Douille à six pans d'assemblage creuse M4 x12 mm Vite testa cilindrica con esagono incassato M4x12 mm

**AXA3120 (x16)**  
M2.6x6mm Hex Socket Button Head  
M2.6x6mm Sechskant-Rundkopf  
Douille à six pans à tête bombée M2.6x6mm  
Vite testa tonda con esagono incassato M2.6x6mm



**AXA0113 (x11)**  
M3x6mm Hex Socket Button Head  
M3 x 6 mm Sechskant-Rundkopf  
Douille à six pans à tête bombée M3 x 6 mm  
Vite testa tonda con esagono incassato M3x6 mm



**AXA114 (x6)**  
M3x8mm Hex Socket Button Head  
M3 x 8 mm Sechskant-Rundkopf  
Douille à six pans à tête bombée M3 x 8 mm  
Vite testa tonda con esagono incassato M3x8 mm



**AXA115 (x22)**  
M3x10mm Hex Socket Button Head  
M3 x 10 mm Sechskant-Rundkopf  
Douille à six pans à tête bombée M3 x 10 mm  
Vite testa tonda con esagono incassato M3x10 mm



**AXA116 (x49)**  
M3x12mm Hex Socket Button Head  
M3 x 12 mm Sechskant-Rundkopf  
Douille à six pans à tête bombée M3 x 12 mm  
Vite testa tonda con esagono incassato M3x12 mm



**AXA117 (x17)**  
M3x15mm Hex Socket Button Head  
M3 x 15 mm Sechskant-Rundkopf  
Douille à six pans à tête bombée M3 x 15 mm  
Vite testa tonda con esagono incassato M3x15 mm



**AXA118 (x46)**  
M3x18mm Hex Socket Button Head  
M3 x 18 mm Sechskant-Rundkopf  
Douille à six pans à tête bombée M3 x 18 mm  
Vite testa tonda con esagono incassato M3x18 mm



**AXA119 (x1)**  
M3x20mm Hex Socket Button Head  
M3 x 20 mm Sechskant-Rundkopf  
Douille à six pans à tête bombée M3 x 20 mm  
Vite testa tonda con esagono incassato M3x20 mm



**AXA121 (x4)**  
M3x30mm Hex Socket Button Head  
M3 x 30 mm Sechskant-Rundkopf  
Douille à six pans à tête bombée M3 x 30 mm  
Vite testa tonda con esagono incassato M3x30 mm



**AXA144 (x10)**  
M3x8mm Hex Socket Flat Head  
M3 x 8 mm Sechskant-Flachkopf  
Douille à six pans à tête plate M3 x 8 mm  
Vite testa piana con esagono incassato M3x8 mm



**AX31185 (x2)**  
M3x10mm Hex Socket Flat Head  
M3 x 10 mm Sechskant-Flachkopf  
Douille à six pans à tête plate M3 x 10 mm  
Vite testa piana con esagono incassato M3x10 mm



**AXA146 (x17)**  
M3x12mm Hex Socket Flat Head  
M3 x 12 mm Sechskant-Flachkopf  
Douille à six pans à tête plate M3 x 12 mm  
Vite testa piana con esagono incassato M3x12 mm



**AXA0147 (x1)**  
M3x16mm Hex Socket Flat Head  
M3 x 16 mm Sechskant-Flachkopf  
Douille à six pans à tête plate M3 x 16 mm  
Vite testa piana con esagono incassato M3x16 mm




**AXA148 (x8)**  
M3x18mm Hex Socket Flat Head  
M3 x 18 mm Sechskant-Flachkopf  
Douille à six pans à tête plate M3 x 18 mm  
Vite testa piana con esagono incassato M3x18 mm



**AXA150 (x3)**  
M3x25mm Hex Socket Flat Head  
M3 x 25 mm Sechskant-Flachkopf  
Douille à six pans à tête plate M3 x 25 mm  
Vite testa piana con esagono incassato M3x25 mm



**AXA0413 (x2)**  
M2.6x8mm Hex Socket Tapping Flat Head  
M2.6 x 8 mm Sechskant-Flachkopf-Blechscrew  
Douille à six pans à tête plate autotaraudeuse M2.6 x 8 mm  
Vite autofilettante testa piana con esagono incassato M2.6x8 mm



**AXA436 (x1)**  
M3x12mm Button Head Tapping  
M3 x 12 mm Rundkopf-Blechscrew  
Vis autotaraudeuse à tête bombée M3 x 12 mm  
Vite autofilettante testa tonda M3x12 mm



**AXA0439 (x2)**  
M3x20mm Button Head Tapping  
M3 x 20 mm Rundkopf-Blechscrew  
Vis autotaraudeuse à tête bombée M3 x 20 mm  
Vite autofilettante testa tonda M3x20 mm



**AXA441 (x4)**  
M3x30mm Hex Socket Tapping Button Head  
M3 x 30 mm Rundkopf-Blechscrew  
Vis autotaraudeuse à tête bombée M3 x 30 mm  
Vite autofilettante testa tonda M3x30 mm



**AXA109 (x4)**  
M3x10mm Oversized Flat Hex Socket  
M3 x 10 mm übergroßer Sechskant-Flachkopf  
Douille à six pans à tête plate surdimensionnée M3 x 10 mm  
Vite testa piana con esagono incassato sovramisura M3x10 mm



**AX30450 (x4)**  
Flange Pipe 3x4.5x5.5  
Flanschrohr 3 x 4,5 x 5,5  
Tubulure bridée 3 x 4,5 x 5,5  
Tubo flangiato 3x4,5x5,5



**AXA1059 (x2)**  
6mm Body Clip  
6 mm Gehäuseklemme  
Clip de carrosserie 6 mm  
Clip 6 mm











**TRANSMISSION  
GETRIEBE  
TRANSMISSION  
TRANSMISSION**



**WHEELS AND TIRES**  
**REIFEN UND RÄDER**  
**ROUES ET PNEUS**  
**RUOTE E PNEUMATICI**



AX31301 AX80035	
AX30112	
AXA1041	
AXA1069	
AX80033	
AXA1069	
AX31055	
AX31314	
AX31301 AX80035	
AXA1202	
AX31301 AX80035	
AXA1202	
AXA1184	
AX31301 AX80035	
AX31301 AX80035	
AX31336 AX31315 AX30221 AX30224	
AX30113	
AX31300 AX80034	
AX31300 AX80034	

## PARTS LISTS // TEILELISTEN // LISTE DES PIÈCES // ELENCO COMPONENTI

Part #	Description	Beschreibung	Description	Descrizione
AXI230014	RR10 Rear Light Bar Mount Set	RR10 Hintere Leuchtbalkenhalterung	Support de rampe d'éclairage arrière RR10	Supporto barra luminosa posteriore RR10
AXI231007	23T Metal Servo Horn	23T Metall-Servohorn	Renvoi de commande de servo métallique 23T	Squadretta servo in metallo 23T
AXIC0005	AXA0113 Hex Skt Butn Hd M3x6mm	M3 x 6 mm Sechskant-Rundkopf	Douille à six pans à tête bombée M3 x 6 mm	Vite testa tonda con esagono incassato M3x6 mm
AXIC0006	AXA1202 O-ring 3.5x2mm	O-Ring 3,5 x 2mm	Joint torique 3,5 x 2mm	O-Ring 3.5 x 2mm
AXIC0008	AXA0413 Hex Skt Tap M2.6x8mm	M2.6 x 8 mm Sechskant-Flachkopf-Blechschaube	Douille à six pans à tête plate autotaraudeuse M2.6 x 8 mm	Vite autofilettante testa piana con esagono incassato M2.6x8 mm
AXIC0013	AXA013 Cap Hd M2x6mm Blk Oxide	M2x6 mm Sechskant-Inbusschraube	Douille à six pans d'assemblage creuse M2x6 mm	Vite testa cilindrica con esagono incassato M2x6 mm
AXIC0014	AXA121 Hex Socket Btn Hd M3x30	M3 x 30 mm Sechskant-Rundkopf	Douille à six pans à tête bombée M3 x 30 mm	Vite testa tonda con esagono incassato M3x30 mm
AXIC0015	AXA015 Cap Hd M2x10mm Blk Oxid	M2x10 mm Sechskant-Inbusschraube	Douille à six pans d'assemblage creuse M2x10 mm	Vite testa cilindrica con esagono incassato M2x10 mm
AXIC0023	AXA0023 Cap Head 2.6x8mm (10)	M2.6 x 8 mm Sechskant-Inbusschraube	Douille à six pans d'assemblage creuse M2.6 x 8 mm	Vite testa cilindrica con esagono incassato M2.6x8 mm
AXIC0033	AX80033 10mm Shck Parts Tree 1	10 mm Stoßdämpfer-Teilebaum	Arbre des pièces d'amortisseurs 10 mm	Set ricambi ammortizzatore 10 mm
AXIC0034	AX80034 10mm Shck Parts Tree 2	10 mm Stoßdämpfer-Teilebaum	Arbre des pièces d'amortisseurs 10 mm	Set ricambi ammortizzatore 10 mm
AXIC0035	AX80035 10mm Shk Cps Prts Tree	10 mm Stoßdämpfer-Teilebaum	Arbre des pièces d'amortisseurs 10 mm	Set ricambi ammortizzatore 10 mm
AXIC0045	AXA091 Cap Head M3x30mm Blk(10)	M3 x 30 mm Sechskant-Inbusschraube	Douille à six pans d'assemblage creuse M3 x30 mm	Vite testa cilindrica con esagono incassato M3x30 mm
AXIC0069	AX80069 AR60 OCP Axle Housing	Achsgehäuse mit Versatz	Carter d'essieu déporté	Carcassa assale offset
AXIC0071	AX80071 Ar60 Ocp Strght Axl Ad	Gerader Achsadapter hinten	Adaptateur d'essieu droit arrière	Adattatore assale dritto posteriore
AXIC0072	AX80072 Ar60 Ocp 4-link Mount	Achse mit viergliedrigem Gestänge und Versatz	Support d'essieu déporté à 4 bras	Supporto braccielli 4-link offset assale
AXIC0073	AX80073 Ar60 Ocp Steering Link	AR60 OCP-Lenkstange	Tringlerie de direction AR60 OCP	Braccetto sterzo AR60 OCP
AXIC0083	AX80083 Links Set Wraith	Wraith-Gestängesatz	Ensemble de bras Wraith	Set leveraggi Wraith
AXIC0087	AXA087 Cap Hd M3x16mm Blk Oxid	M3 x 16 mm Sechskant-Inbusschraube	Douille à six pans d'assemblage creuse M3 x16 mm	Vite testa cilindrica con esagono incassato M3x16 mm
AXIC0112	AX30112 Shock Diaphragm 13x4.5	Stoßdämpfermembran 13 x 4,5 mm	Membrane d'amortisseur 13 x 4,5 mm	Diaphragma ammortizzatore 13x4,5 mm
AXIC0113	AX30113 Rubber Bump Stop 3.6x7	Gummianschlag 3,6 x 7 x 4 mm	Butée en caoutchouc 3,6 x 7 x 4 mm	Fine corsa in gomma 3,6x7x4 mm
AXIC0114	AXA114 Hex Skt Butn Hd M3x8mm	M3 x 8 mm Sechskant-Rundkopf	Douille à six pans à tête bombée M3 x 8 mm	Vite testa tonda con esagono incassato M3x8 mm
AXIC0115	AXA115 Hex Skt Butn Head M3x10	M3 x 10 mm Sechskant-Rundkopf	Douille à six pans à tête bombée M3 x 10 mm	Vite testa tonda con esagono incassato M3x10 mm
AXIC0116	AXA116 Hex Skt Butn Hd M3x12mm	M3 x 12 mm Sechskant-Rundkopf	Douille à six pans à tête bombée M3 x 12 mm	Vite testa tonda con esagono incassato M3x12 mm
AXIC0117	AXA117 Hex Skt Butn Head M3x15	M3 x 15 mm Sechskant-Rundkopf	Douille à six pans à tête bombée M3 x 15 mm	Vite testa tonda con esagono incassato M3x15 mm
AXIC0118	AXA144 Hex Flt Hd M3x8mm Blk10	M3 x 18 mm Sechskant-Rundkopf	Douille à six pans à tête bombée M3 x 18 mm	Vite testa tonda con esagono incassato M3x18 mm
AXIC0123	AXA436 Hex Tap Butn Hd M3x12mm	M3 x 12 mm Rundkopf-Blechschaube	Vis autotaraudeuse à tête bombée M3 x 12 mm	Vite autofilettante testa tonda M3x12 mm
AXIC0125	AXA441 Hex Tap Butn Hd M3x30mm	M3 x 30 mm Rundkopf-Blechschaube	Vis autotaraudeuse à tête bombée M3 x 30 mm	Vite autofilettante testa tonda M3x30 mm
AXIC0146	AXA146 Hex Skt Flat Hd M3x12mm	M3 x 12 mm Sechskant-Flachkopf	Douille à six pans à tête plate M3 x 12 mm	Vite testa piana con esagono incassato M3x12 mm
AXIC0147	AXA0147 Hex Skt Flt Hd M3x16mm	M3 x 16 mm Sechskant-Flachkopf	Douille à six pans à tête plate M3 x 16 mm	Vite testa piana con esagono incassato M3x16 mm
AXIC0148	AXA148 Hex Skt Flat Hd M3x18mm	M3 x 18 mm Sechskant-Flachkopf	Douille à six pans à tête plate M3 x 18 mm	Vite testa piana con esagono incassato M3x18 mm
AXIC0155	AX30155 Shock Shaft 3x59.5 (2)	Kolbenstange, 3 x 59.5 mm	Bras d'amortisseur, 3 x 59.5 mm	Albero ammortizzatore, 3x59.5 mm
AXIC0180	AXA180 Set Screw M3x3mm Blk Ox	M3 x 3 mm Schraubensatz	Vis de fixation M3 x 3 mm	Vite di arresto M3x3 mm
AXIC0186	AXA186 Set Screw M3x16mm	M3 x 16 mm Schraubensatz	Vis de fixation M3 x 16 mm	Vite di arresto M3x16 mm
AXIC0187	AXA0187 Set Screw M3x20mm (10)	M3 x 20 mm Schraubensatz	Vis de fixation M3 x 20 mm	Vite di arresto M3x20 mm
AXIC0221	AXA1221 Bearing 5x11x4mm	Lager 5 x 11 x 4 mm	Roulement 5 x 11 x 4 mm	Cuscinetto 5x11x4 mm
AXIC0224	AX30224 Spring 14x70mm 1.43#	Feder 14 x 70 mm 0,25 N/mm (1,43 lbs/in), Firm Yellow (2)	Ressort 14 x 70 mm 0,25 N/mm (1,43 lbs/po), Ferme (gialla) (2)	Molla 14x70 mm 0,25 N/mm (1.43lbs/in) Dura, Gialla (2)
AXIC0230	AXA1230 Bearing 10x15x4mm	Lager 10 x 15 x 4 mm	Roulement 10 x 15 x 4 mm	Cuscinetto 10x15x4 mm
AXIC0286	AXA0286 Screw Shaft M4x2.5x12	Gewindeschafft M4 x 2,5 x 12 mm	Tige de vis M4 x 2,5 x 12 mm	Albero filettato M4 x 2,5 x 12 mm

Part #	Description	Beschreibung	Description	Descrizione
AXIC0291	AXA291 Set Scr M4x4mm Blk Ox(6)	M4 x 4 mm Schraubensatz	Vis de fixation M4 x 4 mm	Vite di arresto M4x4 mm
AXIC0368	AX30368 Axle 6x39mm (2)	Achse, 6 x 39 mm	Essieu, 6 x 39 mm	Assale ,6 x 39 mm
AXIC0393	AXA1393 E-clip E2.5 (10)	E2.5 E-Clip	E-clip E2.5	E-clip E2.5
AXIC0408	AX30408 Input Shaft 5x29mm (2)	Stahl-Eingangswelle 5 x 29 mm	Arbre d'entrée en acier 5 x 29 mm	Albero di entrata in acciaio 5x29 mm
AXIC0413	AX30413 Slipper Spring Black	Gleitfeder, 8,5 x 12	Ressort de sabot, 8,5 x 12	Molla pattino, 8,5x12
AXIC0419	AX30419 Ar60 Ocp Fr Dogbone St	AR60 OCP Vorderes Dogbone	Dogbone avant AR60 OCP	Cardano anteriore AR60 OCP
AXIC0429	AX30429 Alum Hex Hub 12mm Blk	Schmale Aluminium-Nabe, 12 mm	Moyeu étroit en aluminium de 12 mm	Mozzo stretto in alluminio, 12 mm
AXIC0439	AXA0439 Hex Skt Tap M3x20mm	M3 x 20 mm Rundkopf-Blechschaube	Vis autotaraudeuse à tête bombée M3 x 20 mm	Vite autofilettante testa tonda M3x20 mm
AXIC0500	AX30500 Hd Differential Locker	Robuste Sicherung	Blocage haute résistance	Blocco differenziale Heavy Duty
AXIC0723	AX30723 Pinion Gear 32p 12t	Zahnradgetriebe, 32DP, 12T	Engrenage à pignons,, 32DP 12T	Pignone 32DP, 12T,
AXIC0776	AX30776 AR60 OCP Rear Axle Set(2)	AR60 OCP Hinterachse	Essieu arrière AR60 OCP	Assale posteriore AR60 OCP
AXIC1009	AXA0109 Hex Skt Oversize M3x10mm	M3 x 10 mm übergroßer Sechskant-Flachkopf	Douille à six pans à tête plate surdimensionnée M3 x 10 mm	Vite testa piana con esagono incassato sovraccarico M3x10 mm
AXIC1020	AX31059 Slpr Plt Wshr 33x1mm(2)	Gleitplattenunterlegscheibe 33x1mm (2)	Rondelle de plaque de sabot 33x1mm (2)	Rondella piastra pattino 33x1mm (2)
AXIC1028	AX31028 Pin 2.0x11mm (6)	Stift 2 x 11 mm	Goupille 2 x 11 mm	Perno 2 x 11 mm
AXIC1041	AXA1041 Nylon Locknut 2.5 (10)	M2.5 Nylon-Feststellmutter	Contre-écrou en nylon M2.5	Controdado nylon M2.5
AXIC1045	AXA1045 Nylon Locknut M4 Black(10)	M4 Nylon-Feststellmutter	Contre-écrou en nylon M4	Controdado nylon M4
AXIC1049	AX31049 Helmet Set Black Yeti	Helm-Set (schwarz)	Ensemble de casque (noir)	Set elmetti (nero)
AXIC1050	AXA150 Hex Skt Flt Hd M3x25mm (10)	M3 x 25 mm Sechskant-Flachkopf	Douille à six pans à tête plate M3 x 25 mm	Vite testa piana con esagono incassato M3x25 mm
AXIC1052	AXA1052 Thin Nylon Lock Hex M3(10)	M3 dünne Nylon-Feststellmutter	Contre-écrou à six pans fin en nylon M3	Controdado esagonale nylon sottile M3
AXIC1053	AXA1053 Nylon Lock Hex Nut M3 (10)	M3 Nylon-Feststellmutter	Contre-écrou en nylon M3	Controdado nylon M3
AXIC1059	AXA1059 Body Clip 6mm Black(10)	6 mm Gehäuseklemme	Clip de carrosserie 6 mm	Clip 6 mm
AXIC1065	AX31065 Spur Gear 32P 64T Yeti	Stirnrad 32P 64T	Engrenage cylindrique 32P 64T	Corona 32P 64T
AXIC1067	AX31067 Slipper Plate Yeti (2)	Gleitplatte	Plaque de sabot	Piastra pattino
AXIC1068	AX31068 Slpr Pad 32.8x15.2x1mm	Gleitkissen 32,8 x 15,2 x 1 mm	Sabot de piston, 32,8 x 15,2 x 1 mm	Piastra guida, 32,8x15,2x1 mm
AXIC1069	AXA1069 Washer 2.7x6.7x0.5(10)	Unterlegscheibe 2.7x 6.7 x 0,5mm	Rondelle 2.7x6.7x0,5mm	Rondella 2.7x 6.7 x 0,5mm
AXIC1070	AXA1070 Washer 3x6x0.5 (10)	Unterlegscheibe 3 x 6 x 0,5mm	Rondelle 3 x 6 x 0,5mm	Rondella 3x 6 x 0,5mm
AXIC1071	AXA1071 Washer 4x8x0.5mm (10)	Unterlegscheibe 4x 8 x 0,5mm	Rondelle 4x8x0,5mm	Rondella 4x 8 x 0,5mm
AXIC1083	AX31083 Radio Box Seal Yeti	Funkbox-Dichtungen	Joints du boîtier de radio	Guarnizioni vano radiocomando
AXIC1106	AX31106 2-speed Trans Mnt Yeti	2-Geschwindigkeiten Hi/Lo Getriebe Motorhalterung	Support moteur de la transmission élevé/faible 2 vitesses	Supporto motore trasmissione 2 velocità alta/bassa (HI/LO)
AXIC1107	AX31107 2-spd Spur Gear Cover Yeti	2-Geschwindigkeiten Hi/Lo Getriebe Stirnradabdeckung	Cache de l'engrenage cylindrique de la transmission élevé/faible 2 vitesses	Carter ingranaggi trasmissione 2 velocità alta/bassa (HI/LO)
AXIC1108	AX31108 2-spd Trans Case Yeti	2-Geschwindigkeiten Hi/Lo Getriebekleidung	Boîtier de la transmission élevé/faible 2 vitesses	Scatola trasmissione 2 velocità alta/bassa (HI/LO)
AXIC1109	AX31109 Rear 4-link Set Yeti	Yeti 4-gliedriger Gelenksatz hinten	Ensemble de 4 bras arrière Yeti	Set 4 bracci Yeti posteriore
AXIC1121	AX31121 Cap Hd Screw 4x12mm(10)	M4 x 12 mm Sechskant-Inbusschraube	Douille à six pans d'assemblage creuse M4 x12 mm	Vite testa cilindrica con esagono incassato M4x12 mm
AXIC1125	AX31125 Fuel Cell Yeti	Yeti Treibstofftank	Réervoir de carburant Yeti	Cella carburante Yeti
AXIC1127	2-Speed Hi/Lo Transmission Top Shaft (5x91mm)	2-Geschwindigkeiten Hi/Lo obere Getriebewelle (5 x 91 mm)	Arbre supérieur de la transmission élevé/faible 2 vitesses (5 x 91 mm)	Albero superiore trasmissione 2 velocità alta/bassa (HI/LO) (5x91 mm)
AXIC1129	AX31129 2-speed Btm Shaft Yeti	2-Geschwindigkeiten Hi/Lo untere Getriebewelle (5 x 75 mm)	Arbre inférieur de la transmission élevé/faible 2 vitesses (5 x 75 mm)	Albero inferiore trasmissione 2 velocità alta/bassa (HI/LO) (5x75 mm)
AXIC1130	AX31130 Hi Speed Gear Set Yeti	Hochgeschwindigkeits-Getriebe-satz (48P 26T, 48P 28T)	Ensemble d'engrenages de transmission grande vitesse (48P 26T, 48P 28T)	Set ingranaggi trasmissione alta velocità (48P 26T, 48P 28T)
AXIC1131	AX31131 T-case Gear Set Yeti	Transfergehäuse Getriebesatz	Ensemble d'engrenages de la boîte de transfer	Set ingranaggi di trasferimento
AXIC1148	AX31148 Wb8-hd Drvshft Coupler	WB8-HD-Antriebswellenkupplungssatz	Ensemble de couplage d'arbre de transmission WB8-HD	Set accoppiamento albero trasmissione WB8-HD
AXIC1152	AX31152 Univ Light Bar Set	LED-Beleuchtungssatz	Ensemble d'éclairage DEL	Set luci LED
AXIC1180	AXA118 Hex Socket BtnHd M3x18mm(10)	M3 x 18 mm Sechskant-Rundkopf	Douille à six pans à tête bombée M3 x 18 mm	Vite testa tonda con esagono incassato M3x18 mm
AXIC1181	AXA119 Hex Socket Btn Hd M3x20 (10)	M3 x 20 mm Sechskant-Rundkopf	Douille à six pans à tête bombée M3 x 20 mm	Vite testa tonda con esagono incassato M3x20 mm
AXIC1184	AXA1184 O-Ring 7.5x1.5mm (S8)	O-Ring 7,5 x 1.5mm	Joint torique 7,5 x 1.5mm	O-Ring 7.5 x 1.5mm
AXIC1185	AX31185 Sckt Flt Hd M3x10mm (10)	M3 x 10 mm Sechskant-Flachkopf	Douille à six pans à tête plate M3 x 10 mm	Vite testa piana con esagono incassato M3x10 mm

<b>Part #</b>	<b>Description</b>	<b>Beschreibung</b>	<b>Description</b>	<b>Descrizione</b>
AXIC1280	AX31280 Hex Button M2.6x6mm(10)	M2.6 x 6 mm Sechskant-Rundkopf	Douille à six pans à tête bombée M2.6 x 6 mm	Vite testa tonda con esagono incassato M2.6 x 6 mm
AXIC1291	AX31315 Spring 14x70mm 1.43lbs (2)	Feder 14 x 70 mm 1,43 lbs/in	Ressort 14 x 70 mm 1,43 lb/po	Molla 14x70 mm 1,43 lbs/in
AXIC1292	AX31336 Spring 14x70mm 3.27lbs(2)	Feder 14 x 70 mm 3,27 lbs/in	Ressort 14 x 70 mm 3,27 lb/po	Molla 14x70 mm 3,27 lbs/in
AXIC1391	AXA1391 E-Clip E4 (10)	E4 E-Clip	E-clip E4	E-clip E4
AXIC1481	AX31481 AE-5L LED Light Set Only	Nur AE-5L LED-Beleuchtungssatz	Ensemble d'éclairage DEL, AE-5L uniquement	Solo set luci LED AE-5L
AXIC2398	AX31312 35T Electric Motor	35T Elektromotor	Moteur électrique 35T	Motore elettrico 35T
AXIC3150	AX31250 Ser Nyl Nut Blk 4mm(10)	Feststellflanschmutter (schwarz)	Contre-écrou en nylon strié (noir) M4	Controdado dentato nylon (nero) M4
AXIC3163	AX30163 Pin 2.0x10 (6)	Stift 2 x 10 mm	Goupille 2 x 10 mm	Perno 2 x 10 mm
AXIC3221	AX30221 Spring 14x70mm 3.27lbs	Feder 14 x 70 mm 0,57 N/mm (3,27 lbs/in), Firm Yellow (2)	Ressort 14 x 70 mm 0,57 N/mm (3,27 lbs/po), Ferme (jaune) (2)	Molla 14x70 mm 0,57 N/mm (3,27lbs/in) Dura, Gialla (2)
AXIC3300	AX31300 10mm Shk Parts Tree 2	10 mm Stoßdämpfer-Teilebaum	Arbre des pièces d'amortisseurs 10 mm	Set ricambi ammortizzatore 10 mm
AXIC3301	AX31301 10mm Shock Caps Tree	10 mm Stoßdämpfer-Teilebaum	Arbre des pièces d'amortisseurs 10 mm	Set ricambi ammortizzatore 10 mm
AXIC3313	AX31313 Trnsfr Cs Output 5x69	Transfergehäuse Antriebswelle (5 x 69 mm)	Arbre de sortie de la boîte de transfert (5 x 69 mm)	Albero uscita scatola di trasferimento (5x69 mm)
AXIC3314	AX31314 Alum Shk Bdy 12x47.5mm	Aluminium Stoßdämpfergehäuse 12 x 47,5 mm	Carrosserie d'amortisseurs en aluminium 12 x 47,5 mm	Corpo ammortizzatore in alluminio 12x47,5 mm
AXIC3316	AX31316 AR60 Dbl Steer Knuckle	AR60 Lenkrollen	Rotules de direction AR60	Fusi a snodo AR60
AXIC3317	AX31317 Axle Comp Set RR10	AR66 Differentialgehäuse	Couvercles de différentiel AR66	Carter differenziale AR66
AXIC3318	AX31318 Batt Tray Chassis RR10	RR10 Akkufach Karosseriebauteile	Composants du châssis du support de batterie RR10	Componenti telaio supporto batteria RR10
AXIC3319	AX31319 Center Cage RR10	RR10 Zentrales Gehäuse	Cage centrale RR10	Custodia centrale RR10
AXIC3320	AX31320 Rear Cage Comp RR10	RR10 Hintere Gehäusebauteile	Composants de la cage arrière RR10	Componenti custodia posteriore RR10
AXIC3321	AX31321 Cage Lower Rails RR10	RR10 Gehäuse untere Schienen	Rails inférieurs de la cage RR10	Guide inferiori custodia RR10
AXIC3322	AX31322 Cage Sides R/I RR10	RR10 Gehäuseseiten (Links und Rechts)	Côtés de la cage RR10 (gauche et droite)	Scocca di protezione laterale (dx e sx) RR10
AXIC3323	AX31323 Electronics Box RR10	RR10 Elektronikbox	Boîtier des composants électroniques RR10	Scatola elettronica RR10
AXIC3324	AX31324 Transfer Case RR10	RR10 Transfergehäuse	Boîte de transfert RR10	Custodia di trasferimento RR10
AXIC3327	AX31327 Bomber Body Clear RR10	Carrosserie du Bomber 0,040 clair RR10	Bomber-Karosserie 0,040 Transparent RR10	Scocca Bomber .040 trasparente RR10
AXIC3328	AX31328 Interior St Clear RR10	Ensemble d'intérieur 0,040 clair RR10	Innenausstattungssatz 0,040 Transparent RR10	Set interno .040 trasparente RR10
AXIC3332	AX31332 Batt Tray Comp 2 RR10	RR10 Akkufach Karosseriebauteile 2	Composants du châssis du support de batterie RR10 2	2 componenti telaio supporto batteria RR10
AXIC3333	AX31333 Skid Plate RR10	RR10 Gleitbrett	Plaque de protection RR10	Piastra di protezione RR10
AXIC3354	AX31354 AR60 Hd C-Hub Carrier	AR60 C-Hub	AR60 Moyeu de support	AR60 Supporto mozzo
AXIC3385	AX30385 Diff Gasket 16x25x0.5mm	Differentialdichtung 16 x 25 x 0,5 mm	Joint de différentiel 16 x 25 x 0,5 mm	Guarnizione differenziale 16x25x0,5 mm
AXIC3392	AX30392 Bevel Gear Set (38/13)	Kegelradgetriebesatz - 38T/13T	Ensemble d'engrenages coniques - 38T/13T	Set ingranaggi conici - 38T/13T
AXIC3450	AX30450 Flng Pipe 3x4.5x5.5(4)	Flanschrohr 3 x 4,5 x 5,5	Tubulure bridée 3 x 4,5 x 5,5	Tubo flangiato 3x4,5x5,5
AXIC3802	AX80002 Diff Case Small	Differentialgehäuse – Klein	Boîtier de différentiel - Petit	Scatola diff. - Piccola
AXIC3818	AX80018 HardwareParts Tree Scorpion	Hardware-Teilebaum	Arbre des pièces de quincaillerie	Set bulloneria
AXIC8075	AX31077 2.2 Flkn Wldpek R35(2)	2.2 Falken Wildpeak M/T Reifen – R35 Compound (2 Stck.)	2.2 Pneus M/T Falken Wildpeak - composé R35 (2 pièces)	Pneumatici 2.2 Falken Wildpeak M/T - Mescola R35 (2 pz)
AXIC8083	AX31114 Wb8-hd Driveshaft Yeti	WB8-HD Standard-Antriebswelle	Arbre de transmission standard WB8-HD	Albero di trasmissione standard WB8-HD
DYNS2213	WPAE-5L Brshd ESC LED Port w/IC	WPAE-5L Geschwindigkeitsregler	WPAE-5L ESC	WPAE-5L ESC
SPM2340	DX3 SMART DSMR 3CH TX w/SR315	DX3 SMART 3CH Sender	DX3 Smart 3CH Émetteur	DX3 Smart 3CH Trasmettitore
SPMS614	S614 Metal Gear Servo 23T WP	SS614 Stahlgetriebeservo 23T WP	Servo étanche à engrenages métalliques S614	S614, servo ingr metallo imp, 23T
SPMSR315	SR315 DSMR 3 CH Receiver	SR315 DSMR 3 CH Empfänger	le récepteur SR315 DSMR 3 CH	SR315 DSMR 3 CH ricevitore
SPMX22003S30	2200mAh 3S 11.1V Smart 30C; IC3	2200mAh 3S 11.1V Smart 30C; IC3	2200mAh 3S 11.1V Smart 30C; IC3	2200mAh 3S 11.1V Smart 30C; IC3
SPMXC1020	Smart S120 USB-C Charger, 1x20	Smart S120 Gleichstrom-Ladegerät, 1x20 W	Chargeur CC Smart S120, 1x20 W	Caricabatterie Smart S120 CC, 1x20 W

## OPTIONAL PARTS // OPTIONALE TEILE // PIÈCES EN OPTION // PARTI OPZIONALI

Part #	Description	Beschreibung	Description	Descrizione
AXI43006	2.2 Trail Rdý HD Bdлck Satin 2p	2.2 TrailReady HD Beadlock, matt, 2 St.	Verrou de talon haute résistance Trail Ready 2.2, satiné (2 pièces)	Crch 2.2 Trail Rdý HD Bdлck Stn (2)
AXI43007	2.2 Raceline Mnstr Bdлck Stn 2p	2.2 Raceline Monster Beadlock, matt, 2 St.	Stn verrou de talon Raceline Monster (2 pièces)	Crch 2.2 Racln Mnstr Bdлck Stn (2)
AXI43008	2.2 BFG Baja T/A KR3 Tire (2pcs	2.2 BFG Baja T/A KR3 Reifen (2 St.)	Pneu T/A KR3 2.2 BFG Baja (2 pièces)	Ruote 2.2 BFG Baja T/A KR3 (2)
AXIC0062	AX80062 C Hub Carrier Set Xr10	AX80062 C-Nabenträger-Satz Xr10	Ensemble de supports de moyeux en C Xr10 AX80062	AX80062 Set sppt cstr block Xr10
AXIC0220	AX30220 Spring 14x70mm 2.85lbs	AX30220 Feder 14 x 70 mm 2,85 lbs	Ressort 14 x 70 mm (2,85 lb) AX30220	AX30220 Molla 14x70 mm 2,85 lb
AXIC0222	AX30222 Spring 14x70mm 3.55lbs	AX30222 Feder 14 x 70 mm 3,55 lbs	Ressort 14 x 70 mm (3,55 lb) AX30222	AX30222 Molla 14x70 mm 3,55 lb
AXIC0223	AX30223 Spring 14x70mm 1.04#	AX30223 Feder 14 x 70 mm 1,04#	Ressort 14 x 70 mm (1,04#) AX30223	AX30223 Molla 14x70 mm 1,04#
AXIC0331	AXA1331 Flanged Ball 3x5.8x7mm	AXA1331 Kugel mit Flansch 3 x 5,8 x 7 mm	Bille bridée 3 x 5,8 x 7 mm AXA1331	AXA1331 Sfera flang 3x5,8x7 mm
AXIC0395	AX30395 HD Bevel Gear 38T/13T	AX30395 Robustes Kegelradgetriebe 38T/13T	Engrenage conique haute résistance 38T/13T AX30395	AX30395 Ingr conico HD 38T/13T
AXIC0545	AX30545 2.2 Internal Whl Wt Ring	AX30545 2.2 Interner Radgewichtsring	Anneau de pondération de la roue interne 2.2 AX30545	AX30545 Peso int ruota 2.2, anello
AXIC0546	AX30546 2.2 Internal Whl Wt In	AX30546 2.2 Interner Radgewichtseinsatz	Anneau de pondération de la roue interne 2.2 AX30546	AX30546 Peso int ruota 2.2, insrt
AXIC0722	AX30722 Pinion Gear 32p 11t	AX30722 Zahnradgetriebe 32p 11t	Engrenage à pignons 32p 11t AX30722	AX30722 Pignone 32P 11T
AXIC0724	AX30724 Pinion Gear 32p 13t	AX30724 Zahnradgetriebe 32p 13t	Engrenage à pignons 32p 13t AX30724	AX30724 Pignone 32P 13T
AXIC0725	AX30725 Pinion Gear 32p 14t	AX30725 Zahnradgetriebe 32p 14t	Engrenage à pignons 32p 14t AX30725	AX30725 Pignone 32P 14T
AXIC0726	AX30726 Pinion Gr 32p 15t 3mm	AX30726 Zahnradgetriebe 32p 15t 3 mm	Engrenage à pignons 32p 15t 3 mm AX30726	AX30726 Pignone 32P 15T 3 mm
AXIC0727	AX30727 Pinion Gear 32p 16t	AX30727 Zahnradgetriebe 32p 16t	Engrenage à pignons 32p 16t AX30727	AX30727 Pignone 32P 16T
AXIC0762	AX30762 Alum C-hub Carr Xr10	AX30762 C-Nabenträger, Aluminium, Xr10	Support de moyeu en C en aluminium Xr10 AX30762	AX30762 Sppt cstr block alu Xr10
AXIC0789	AX30789 Alum Strght Ax Hub Car	AX30789 Gerader Achsträger, Aluminium	Support de moyeu axial droit en aluminium AX30789	AX30789 Spt moz assale dritto alu
AXIC0790	AX30790 Alum Strght Link 101mm	AX30790 Gerade Stange, Aluminium, 101 mm	Liaison droite en aluminium 101 mm AX30790	AX30790 Lvrq dritto alu 101 mm
AXIC0791	AX30791 Thread Alum Link 7x85	AX30791 Aluminiumstangen mit Gewinde 7x85	Liaison en aluminium vissée 7 x 85 AX30791	AX30791 Lvrq filettato alu 7x85
AXIC0829	AX30829 Low-profile Diff Cover	AX30829 Flache Differential-Abdeckung	Cache de différentiel profil bas AX30829	AX30829 Carter diff basso profilo
AXIC0831	AX30831 AR60 OCP Fr Axle Set	AX30831 AR60 OCP Vorderachsensatz	Ensemble d'essieux avant AR60 OCP AX30831	AX30831 Set assl ant AR60 OCP
AXIC0834	AX30834 Alum Servo Horn 23T	AX30834 Aluminium-Servohorn 23T	Renvoi de commande du servo en aluminium 23T AX30834	AX30834 Squad servo alu 23T
AXIC0835	AX30835 Alum Servo Horn 24T	AX30835 Aluminium-Servohorn 24T	Renvoi de commande du servo en aluminium 24T AX30835	AX30835 Squad servo alu 24T
AXIC0836	AX30836 Alum Servo Horn 25T	AX30836 Aluminium-Servohorn 25T	Renvoi de commande du servo en aluminium 25T AX30836	AX30836 Squad servo alu 25T
AXIC0845	AX31160 Stl Spur Gear 32P 68T	AX31160 Stahl-Stirnrad 32P 68T	Engrenage cylindrique en acier 32P 68T AX31160	AX31160 Corona acciaio 32P 68T
AXIC0846	AX31161 Stl Spur Gear 32P 64T	AX31161 Stahl-Stirnrad 32P 64T	Engrenage cylindrique en acier 32P 64T AX31161	AX31161 Corona acciaio 32P 64T
AXIC0847	AX31162 Stl Spur Gear 32P 60T	AX31162 Stahl-Stirnrad 32P 60T	Engrenage cylindrique en acier 32P 60T AX31162	AX31162 Corona acciaio 32P 60T
AXIC0999	AX31181 Yeti Trans 2 Spd Parts	AX31181 Yeti 2-Gang-Übertragung, Teile	AX31181 Yeti Trans 2 Spd Parts	AX31181 Parti trsmiss Yeti 2 vel
AXIC1076	AXA1076 Cap Head Washer M3x10 (4)	AXA1076 Kappenkopf, Unterlegscheibe M3x10 (4)	Rondelle d'assemblage creuse M3 x 10 (4 pièces) AXA1076	AXA1076 Rondella testa clnd M3x10 (4)
AXIC1097	AX31097 3-port Led Controller	AX31097 LED-Controller mit 3 Anschlüssen	Contrôleur DEL 3 ports AX31097	AX31097 Controller LED 3 porte
AXIC1101	AXA1101 Cone Washer 3x6.9x2mm grn6)	AXA1101 Kegel-Unterlegscheibe 3 x 6,9 x 2 mm grün (6)	Rondelle conique 3 x 6,9 2 mm (6 pièces) AXA1101	AXA1101 Rond cnic 3x6,9x2 mm vrd(6)
AXIC1118	AX31118 2.2 Wlkr Evns Whls Blk (2)	AX31118 2.2 Walker Evans Rad, schwarz (2)	Roues Walker Evans 2.2 - noir (2 pièces) AX31118	AX31118 Cerchi 2.2 Wlkr Evns Ner (2)
AXIC1136	AX31136 Icon 87-125mm Alum Shk	AX31136 Icon 87-125 mm, Aluminium, Stoßdämpfer	Amortisseur en aluminium icône 87-125 mm AX31136	AX31136 Amm alu Icon 87-125 mm
AXIC1164	AX31164 Mach Slipper Plate (2)	AX31164 Gefräste Gleiterplatte (2)	Plaque de sabot usinée (2 pièces) AX31164	AX31164 Piastre scorrim lavorate (2)
AXIC1171	AX31171 Icon 72-103mm Alum Shk	AX31171 Icon 72-103 mm, Aluminium, Stoßdämpfer	Amortisseur en aluminium icône 72-103 mm AX31171	AX31171 Amm alu Icon 72-103 mm

<b>Part #</b>	<b>Description</b>	<b>Beschreibung</b>	<b>Description</b>	<b>Descrizione</b>
AXIC1172	AX31172 Icon 67-90mm Alum Shk	AX31172 Icon 67–90 mm, Aluminium, Stoßdämpfer	Amortisseur en aluminium icône 67-90 mm AX31172	AX31172 Amm alu Icon 67-90 mm
AXIC1173	AX31173 Icon 93-137 Shock Set	AX31173 Icon 93–137, Stoßdämpfersatz	Ensemble d'amortisseurs icône 93-137 AX31173	AX31173 Set amm Icon 93-137
AXIC1191	AX31191 Icon Shock Cap 12mm(2)	AX31191 Icon Stoßdämpferkappe 12 mm (2)	Bouchon d'amortisseur icône 12 mm (2 pièces) AX31191	AX31191 Tappi amm Icon 12 mm(2)
AXIC1480	AX31480 AE-5L ESC W/LED Port/light	AX31480 AE-5L Geschwindigkeitsregler mit LED-Anschluss und -Leuchte	Variateur ESC AE-5L avec port et témoin DEL AX31480	AX31480 AE-5L ESC con porta luci LED
AXIC1484	AX31484 Alum Link 7x101mm (2)	AX31484 Aluminiumstange 7 x 101 mm (2)	Liaison en aluminium 7 x 101 mm (2 pièces) AX31484	AX31484 Lvrg alu 7x101 mm (2)
AXIC2002	AX12022 2.2 Maxxis Trepadr R35	AX12022 2.2 Maxxis Trepador R35	Maxxis Trepador 2.2 R35 AX12022	AX12022 2.2 Maxxis Trepador R35
AXIC2015	AX12015 2.2 Ripsaw Tires X-cmp	AX12015 2.2 Ripsaw-Räder X-compound	Pneus Ripsaw 2.2 X-cmp AX12015	AX12015 2.2 Ruote Ripsaw X-cmp
AXIC2021	AX12021 2.2 Krawler R35 Tire	AX12021 2.2 Krawler R35 Reifen	Pneu R35 Krawler R35 2.2 AX12021	AX12021 2.2 Ruota Krawler R35
AXIC2400	AX24004 AM27 540 Electric Motor	AX24004 AM27 540 Elektromotor	Moteur électrique AM27 540 AX24004	AX24004 AM27 540 motore elettrico
AXIC2407	AX24007 55T Electric Motor	AX24007 55T Elektromotor	Moteur électrique 55T AX24007	AX24007 55T motore elettrico
AXIC2425	AX24257 LED Controller W/light	AX24257 LED-Controller mit Leuchte	Contrôleur DEL avec éclairage AX24257	AX24257 Controller LED con luci
AXIC3018	AX30218 Spring 14x70mm 2.07lbs	AXAX30218 Feder 14 x 70 mm 2,07 lbs	Ressort 14 x 70 mm (2,07 lb) AX30218	AX30218 Molla 14x70 mm 2,07 lb
AXIC3091	AX30091 67-90mm Shock Set (2)	AX30091 67–90 mm Stoßdämpfersatz (2)	Ensemble d'amortisseurs 67-90 mm (2 pièces) AX30091	AX30091 Set amm 67-90 mm (2)
AXIC3103	AX30103 Icon Alum Shock Set (2)	AX30103 Icon Stoßdämpfersatz, Aluminium (2)	Ensemble d'amortisseurs en aluminium icône (2 pièces) AX30103	AX30103 Set amm alu Icon (2)
AXIC3120	AX30120 Alum Shock Bdy 12x47.5	AX30120 Aluminium-Stoßdämpfergehäuse 12x47,5	Corps d'amortisseur en aluminium 12 x 47,5 AX30120	AX30120 Corpo amm alu 12x47,5
AXIC3144	AX31244 Upper Link Plt Alum(4)	AX31244 Obere Verbindungsplatte, Aluminium (4)	Plaque de liaison supérieure en aluminium (4 pièces) AX31244	AX31244 Piastra bracc sup alu(4)
AXIC3145	AX31245 Lower Link Plt Alum(4)	AXAX31245 Untere Verbindungsplatte, Aluminium (4)	Plaque de liaison inférieure en aluminium (4 pièces) AX31245	AX31244 Piastra bracc inf alu(4)
AXIC3150	AX31250 Ser Nyl Nut Blk 4mm(10)	AX31250 Servo Nylon-Mutter, schwarz, 4 mm(10)	Contre-écrou en nylon strié 4 mm AX31250 (10 pièces)	AX31250 Cntrd dent nyl nero 4mm(10)
AXIC3225	AX30225 Spring 14x70mm 1.75#	AX30225 Feder 14x70 mm 1,75#	Ressort 14 x 70 mm (1,75#) AX30225	AX30225 Molla 14x70 mm 1,75#
AXIC3325	AX31325 Baja T/a Kr2 Tire R35	AX31325 Baja T/a Kr2 Reifen R35	Pneu T/A KR2 Baja R35 AX31325	AX31325 Ruota Baja T/a Kr2 R35
AXIC3326	AX31326 2.2 Walker Wheels Blk	AX31326 2.2 Walker-Rad, schwarz	Roues Walker 2.2 - noir AX31326	AX31326 Cerchi 2.2 Walker neri
AXIC3331	AX31331 Rear Sway Bar Set RR10	AX31331 Heck Schwingen-Set RR10	Ensemble barre stabilisatrice arrière RR10 AX31331	AX31331 Set barra antrll post RR10
AXIC3401	AX30401 HD Bevel Gear Set 36T/14T	AX30395 Robuster Kegelradgetriebesatz 36T/14T	Ensemble d'engrenages coniques haute résistance 36T/14T AX30401	AX30401 Set ingr conici HD 36T/14T
AXIC3402	AX30402 Hvy Dty Blv Gr Set 43T/13T	AX30402 Robuster Kegelradgetriebesatz 43T/13T	Ensemble d'engrenages coniques haute résistance 43T/13T AX30402	AX30402 Set ingr conici HD 43T/13T
AXIC3428	AX31428 AR60 Steering Upgrade	AX31428 AR60 Steuerungs-Upgrade	Amélioration de la direction AR60 AX31428	AX31428 Agg sterzo AR60
AXIC3429	AX31429 AR60 Diff Cover Alum	AX31429 AR60 Differentialabdeckung, Aluminium	Cache de différentiel en aluminium AR60 AX31429	AX31429 Carter diff AR60 alu
AXIC3430	AX31430 King Shock Cap/collar	AX31430 King Shock Schockdämpferkappe/Hülse	Bague/capuchon d'amortisseur King AX31430	AX31430 Collare/tappo amm King
AXIC3431	AX31431 Shock Spring Retainer	AX31431 Shock Stoßdämpferfeder-Halter	Bague de retenue du ressort d'amortisseur AX31431	AX31431 Reggi molla amm
AXIC3432	AX31432 AR60 Servo Plate/mount	AX31432 AR60 Servoplatte/Halterung	Support/Plaque du servo AR60 AX31432	AX31432 Sppt/piastra servo AR60
AXIC3433	AX31433 AR60 Machined Link Mnt	AX31433 AR60 Gefräste Gestängehalterung	Support de liaison usiné AR60 AX31433	AX31433 Sppt bracc lavorato AR60
AXIC3434	AX31434 Ar60 Steering Knuckles	AX31434 Ar60 Lenkrölle	Rotules de direction AR60 AX31434	AX31434 Fuso a snodo AR60
AXIC3435	AX31435 Shock Spring Retainer 12mm	AX31435 Shock Stoßdämpferfeder-Halter 12 mm	Bague de retenue du ressort d'amortisseur 12 mm AX31435	AX31431 Reggi molla amm 12 mm
AXIC3469	AX30469 Mchnd Hi-clr Lnk Gry(2)	AX30469 Gefräster Stange mit großer Bodenfreiheit, grau (2)	AX30469 Mchnd Hi-clr Lnk Gry(2)	AX30469 Lvrg Hi-clr lvrto grigio(2)
AXIC3806	AX80006 Servo Set Scorpioin Crawler	AX80006 Servo-Satz Scorpion Crawler	Crawler Scorpion - Ensemble de servo AX80006	AX80006 Set servo Scorpion Crawler
AXIC4003	AX24003 Axial 20T Electric Mtr	AX24003 Axial 20T Elektromotor	Moteur électrique axial 20T AX24003	AX24003 Motore elettrico Axial 20T
AXIC4251	AX24251 Nvs Night Visions Syst	AX24251 Nvs Nachtsichtsystem	Système de vision nocturne NVS AX24251	AX24251 Sistema luci notturne
AXIC7028	AX30728 Pinion Gear 32P 17T	AX30728 Zahnradgetriebe 32P 17T	Engrenage à pignons 32P 17T AX30728	AX30728 Pignone 32P 17T

<b>Part #</b>	<b>Description</b>	<b>Beschreibung</b>	<b>Description</b>	<b>Descrizione</b>
AXIC8031	AX80131 Skull Helmet Set	AX80131 Skull-Helmet-Satz	Ensemble casque tête de mort AX80131	AX80131 Kit casco Skull Helmet
AXIC8061	AX08061 2.2 Comp Bdlk Whl XR10	AX08061 2.2 Comp. Beadlock-Rad XR10	Roue de talon complète 2.2 XR10 AX08061	AX08061 Cerchi 2.2 Comp Bdlk XR10
AXIC8076	AX31178 2.2 Beadlk Whls Blk(2)	AX31178 2.2 Beadlock-Räder, schwarz (2)	Roues de talon 2.2 - noir (2 pièces) AX31178	AX31178 Cerchi 2.2 Beadlk nero(2)
AXIC8077	AX31363 2.2 Wheel lfd Green(2)	AX31363 2.2 Rad lfd, grün (2)	Roue IFD 2.2 - Vert (2 pièces) AX31363	AX31363 Cerchi 2.2 lfd verde(2)
AXIC8078	AX31364 2.2 Wheel lfd Orange(2)	AX31364 2.2 Rad lfd, orange (2)	Roue IFD 2.2 - Orange (2 pièces) AX31364	AX31364 Cerchi 2.2 lfd arancione(2)
AXIC8079	AX31365 2.2 Wheel lfd White(2)	AX31365 2.2 Rad lfd, weiß (2)	Roue IFD 2.2 - Blanc (2 pièces) AX31365	AX31365 Cerchi 2.2 lfd bianco(2)
AXIC8082	AX31133 Wb8-hd Driveshaft (2)	AX31133 WB8-HD Antriebswelle (2)	Arbre de transmission WB8-HD (2 pièces) AX31133	AX31133 Albero di trasm WB8-HD (2)
AXIC8085	AX80085 Univ Mnt 5 Bckt Lt Bar	AX80085 Universal-Befestigung 5-schaliger Leuchtbalkensatz	AX80085 Univ Mnt 5 Bckt Lt Bar	AX80085 Barra lum 5 luci mont univ
AXIC8092	AX8092 Rocksters Bdlock Chrm(2)	AX8092 Rocksters Beadlock, verchromt (2)	AX8092 Rocksters Bdlock Chrm(2)	AX8092 Rocksters Bdlock Crom(2)
AXIC8097	AX8097 2.2 Beadlock Black (2)	AX8097 2.2 Beadlock, schwarz (2)	Talon 2.2 - noir (2 pièces) AX8097	AX8097 2.2 Beadlock nero (2)
AXIC8132	AX08132 CNC 2.2 Comp Bdlk Ring (2)	AX08132 CNC 2.2 Comp. Beadlock-Ring (2)	Anneau de talon complet 2.2 CNC (2 pièces) AX08132	AX08132 Anello bdlk CNC 2.2 Comp (2)
AXIC8133	AX08133 2.2 VWS Mach Bdlck Rng (2)	AX08133 2.2 VWS Gefräster Beadlock-Ring (2)	Anneau de talon usiné 2.2 VWS (2 pièces) AX08133	AX08133 Anello bdlk 2.2 VWS Mach (2)
AXIC8141	AX08141 2.2 Trail Hd Whls Blk	AX08141 2.2 Trail Hd-Räder, schwarz	Roues haute résistance Trail 2.2 - noir AX08141	AX08141 Cerchi 2.2 Trail HD nero
AXIC8142	AX08142 2.2 Trail Hd Whls Chrm	AX08142 2.2 Trail Hd-Räder, verchromt	Roues haute résistance Trail 2.2 - Chrm AX08142	AX08141 Cerchi 2.2 Trail HD cromo
AXIM1144	AX31144 Ae-5 Waterpr Esc Star	AX31144 Ae-5 Wasserdichter Geschwindigkeitsregler Star	AX31144 Ae-5 Waterpr Esc Star	AX31144 ESC Ae-5 imp Star



## EXPLORE

[facebook.com/axialinc](https://facebook.com/axialinc) | [instagram.com/axialracing](https://instagram.com/axialracing) | [twitter.com/axialrc](https://twitter.com/axialrc)  
[youtube.com/axialvideos](https://youtube.com/axialvideos) | [flickr.com/axialrc](https://flickr.com/axialrc)



©2021 Horizon Hobby, LLC. Axial, the Axial logo, RR10, DX3, DSM, IC3, EC3, the Smart Technology logo, and the Horizon Hobby logo are trademarks or registered trademarks of Horizon Hobby, LLC. The Spektrum trademark is used with permission of Bachmann Industries, Inc. Bomber Fabrication and associated logos and designs are property of Randy Slawson, used under license. BFGoodrich Tires and Baja T/A KR3 Trademarks are used under License from Michelin. King of the Hammers, KOH, TrailReady, Savvy, King, Odyssey, Raceline, Baja Designs, Falken, PSC, Steinjager, Fox, and associated logos are property of their respective owners and are used under license.

All other trademarks, service marks and logos are property of their respective owners. US 9,930,567. US 10,419,970. US 10,849,013. Other patents pending.

Completed 9/21

AXI03013

144303