


STEP 3 Attaching rear axle
安裝後輪座

OPTIONAL PARTS




OPTIONAL PARTS



STEP 1


Wheel hubs assembly
(Brake disc shaped)

煞車碟盤型輪座組裝





ADJUST THE BUMP STEER VARIATION









後輪轉向變化量調整



※ Recommended Bump Steer range of action -2 ~ +1.
作動範圍建議 -2 ~ +1


The variation is larger for the bigger gap between connector A and B
A 點球頭與 B 點球頭位置高低落差越大，後輪轉向變化量越大




Soft coil spring 31mm ×2
(purple-red)
軟避震彈簧 31mm (紫紅)Hard coil spring 31mm ×2
(red)
硬避震彈簧 31mm (紅)Damper cylinder ×4
避震筒身Rod guide cap ×4
避震器下蓋12×1 O-ring ×4
O環Low pressure
damper seal ×4
避震器氣室(低內壓)Piston rod ×4
避震軸心Adjustable damper cap ×4
可調下座Adjustable shock end ×4
可調上球頭座Spring retainer ×4
避震調整環Damper cap ×4
避震器上蓋E-clip ×8
E扣Rod guide ×4
避震器下蓋墊片Damper O-ring P3 ×4
避震器O環6.5×2 Sponge ×4
泡棉4.5×1 O-ring ×4
O環3×1.0 Piston ×4
3×1.0 避震活塞6×0.8 Piston ×4
6×0.8 避震活塞Damper retainer ×4
避震器彈簧座Damper adjuster ×4
避震器拉桿STEP 1 Damper assembly
避震器組裝※ Please assemble the part by number in the circle.
請按照球號順序組裝

STEP 2 Attaching damper
安裝避震器


FRONT





FRONT









REAR




REAR

※ Adjustable for 0~3mm.
可調範圍。




STEP 1 Attaching battery mounts


安裝電池固定座

BATTERY HOLDER HEIGHT /
LENGTH ADJUSTMENT INSTRUCTIONSAnno. 1
註1


Remove heightened spacer for a thin short battery
薄型短電池請移除增高墊片




Add heightened spacer for a general short battery
一般型短電池請加裝增高墊片

Anno. 2
註2


Remove 5×7×1.5 spacer for a short battery
within 93.5mm length
短型電池長度93.5mm以下請移除5×7×1.5墊片



Add 5×7×1.5 spacer for a short battery above
93.5mm length
短型電池長度93.5mm以上請加裝5×7×1.5墊片



STEP 1 Attaching Battery 安裝電池



PARTS WHEELS 輪胎



Flange nut M4 × 4
凸緣螺帽M4

Bag 8



Wheel hub spacer 1.0 × 2
輪座墊片 1.0


Bag 8



※ NOT including.
Please refer to MST website for the
wheel & tire types.
胎框組須另購, 詳情請見官網。
[www.rc-mst.com]


STEP 1 Attaching wheels / ESC / Gyro 安裝輪胎 / ESC / 陀螺儀






1 ESC & receiver
(not included)



841015
MST MGX Gyro
MST MGX 陀螺儀
(Not included)


210627
Alum. Gyro mount
鋁合金陀螺儀座
(Not included)





STEP 1 Attaching body mounts

安裝車殼固定座




※ Please purchase
請另購


210669BK MRX alum. carbon ESC rear
mount set
MRX 鋁合金/碳纖維ESC後置固定組
210105BK Alum. turnbuckle 3×6 (black)
鋁製可調拉桿 3×60 (黑)

STEP 1 Attaching ESC rear mount- Mode 1
安裝ESC後置固定座- 模式1

STEP 2 Attaching upper deck
安裝上樓板



STEP 1 Attaching ESC rear mount- Mode 2
安裝ESC後置固定座- 模式2



MRX AGGRESSIVE MODE

Mode 1


Mode 2

STEERING SYSTEM FUNCTION ADJUSTING INSTRUCTIONS

轉向系統功能調整說明

STEP 1 Front upper arm setting


前上擺臂設定



STEP 2 Steering setting

轉向設定

NORMAL
正裝




Shorten the steering arm stroke (Shorter EPA stroke)

縮短轉向搖臂行程 (EPA行程較短)

The parallel time of the two rounds at the beginning of the steering movement is longer and the end of the increase in the Ackerman angle is shorter.

轉向運動初期兩輪平行時間較長，進入末期加大阿克曼角時間較短。

REVERSE
反裝



Extend the steering arm stroke (Longer EPA stroke)



延長轉向搖臂行程 (EPA行程較長)


The parallel time of the two rounds at the beginning of the steering movement is shorter and the end of the increase in the Ackerman angle is longer.

轉向運動初期兩輪平行時間較短，進入末期加大阿克曼角時間較長。

STEP 3 Rear caster angle setting

後傾角設定






MRX GEAR RATIO					
MRX		Differential Gear 40/13 差速齒		Differential Gear 42/11 差速齒	
MOTOR HEIGHT 馬達高度	PINION GEAR 馬達齒	Tail Gear 36T/21T 尾齒	Tail Gear 38T/19T 尾齒	Tail Gear 36T/21T 尾齒	Tail Gear 38T/19T 尾齒
THIN SHORT BATTERY < 19mm 薄型短電池	18	15.03	17.58	18.64	21.8
	19	14.24	16.65	17.66	20.65
	20	13.53	15.82	16.77	19.62
	21	12.88	15.07	15.98	18.69
	22	12.3	14.38	15.25	17.84
	23	11.76	13.76	14.59	17.06
	24	11.27	13.18	13.98	16.35
	25	10.82	12.66	13.42	15.7
	26	10.4	12.17	12.9	15.09
	27	10.02	11.72	12.43	14.53
	28	9.66	11.3	11.98	14.01
	29	9.33	10.91	11.57	13.53
	30	9.02	10.55	11.18	13.08
	31	8.73	10.21	10.82	12.66
GENERAL SHORT BATTERY < 26mm 一般短電池	32	8.45	9.89	10.48	12.26
	33	8.2	9.59	10.17	11.89
	34	7.96	9.31	9.87	11.54
	35	7.73	9.04	9.59	11.21
	36	7.51	8.79	9.32	10.9
	37	7.31	8.55	9.07	10.61
	38	7.12	8.33	8.83	10.33

※ FORMULA
終傳比計算式

Spur Gear 48T ÷ Pinion Gear × Gear A ÷ Bear B × Tail Gear A ÷ Tail Gear B × Big Bevel Bear ÷ Small Bevel Bear = Transmission ratio

大直齒 48T ÷ 馬達齒 × 齒輪 A ÷ 齒輪 B × 尾齒 A ÷ 尾齒 B × 大傘齒 ÷ 小傘齒 = 終傳

$$48T \div (22T) \times 30T \div 28T \times (38T) \div (19T) \times (40T) \div (13T) = (14.38)$$






210645R/BK
RMX alum. lightweight
integrated front head
mount



820123R/BK
ATK Alum. upright (2WD)
(black)



820139
Alum. Lightweight 2WD
axle (2)



820125R/BK
Alum. servo mount (black)




210561R/BK
Alum. post M3 X 13
(red) (2)



210627R/BK
Alum. Gyro mount (black)



210620R/BK
MB Alum. Rear upright set
(black)



820141
MST F/R Stealth Magnetic
Body Post set



210669BK
MRX alum. carbon ESC
rear mount set



210636
Alum. ball diff. joint set



820143R/BK
Adjustable alum.
suspension mount
(+3.5~+5.0) (black)



820135
Alum. wheel hubs 6mm
(large brake disc shaped)



210616R/BK
MB Alum. Rear lower arm
set (black)



210637R/BK
Carbon short battery
holder set (black)



841015
MST MGX Gyro



820127R/BK
Alum. 8-adjusting servo
saver (black)




210105R/BK
Alum. turnbuckle 3 X 60
(black)



820117R/BK
Alum. front lower arm set
(black)



210575R/BK
RMX 2.0 Alum. upper arm
set (black)



820137R/BK
Short adjustable alum.
suspension mount
(-3.5~-5.0) (black)



210588R/BK
Alum. steering arm mount
(black)



210590R/BK
RMX 2.0 Alum. steering
joint plate (black)



210589R/BK
RMX 2.0 Alum. steering
arm (black)





210633
Carbon lower bumper 3.0

Caster

- ☐ 6°
☒ 8°
☐ 10°
☐ 12°

Steering




FRONT

Tire: Silver

Wheel: GT

Offset: +5




REAR

Tire: Silver

Wheel: GT


Offset: +5

Front upright



Front suspension

Camber: 6°
 Toe-out: 3.5



Mode




☐ MRX Factory mode




☐ MRX aggressive mode

Rear suspension


Camber: 2
 Toe-in: 1.5




Rear upright



Front Suspension mount Rollcenter





Rear Suspension mount Rollcenter




Front damper

Shock oil: #10
 Spring: 31 mm Ø11
 Spring color: Red
 Piston: Ø10 mm
 Piston hole: 3



Rear diff



☒ Gear diff.
☐ Ball diff.
 Diff oil: 10.00 #



※ FORMULA









Spur Gear 48T ÷ Pinion Gear × Gear A ÷ Bear B × Tail Gear A ÷ Tail Gear B × Big Bevel Bear ÷ Small Bevel Bear = Transmission ratio
 大齒輪 48T ÷ 尾齒輪 × 齒輪 A ÷ 齒輪 B × 尾齒輪 A ÷ 尾齒輪 B × 大齒輪 ÷ 小齒輪 = 總傳
 $48T \div (22T) \times 30T \div 28T \times (38T) \div (19T) \times (40T) \div (13T) = (14.38)$

Motor & ESC: _____ Battery: _____
 Transceiver: _____ Gyro: _____

Rear damper


Shock oil: #10
 Spring: 31 mm Ø11
 Spring color: Purple-Red
 Piston: Ø08 mm
 Piston hole: 6





	M1.6×4 screw ×4 圓頭螺絲 110039S		M3×2.6 screw ×2 止付螺絲 110060		1.5×7.8 Shaft ×5 插銷 110059		2.5×5 Suspension balls ×8 插銷球頭 210321		3×6×0.5 Spacer ×6 墊片 110047
	M2×10 screw ×4 圓頭螺絲 110122		M3×12 screw ×2 止付螺絲 110056		1.6×9 Shaft ×1 插銷 110071		O-ring P4 (red) ×2 O環 P4 130025		3×5.5×7 Spacer ×2 墊片 820077BK
	M2×8 screw ×4 圓頭螺絲 (半牙) 110045		M2×8 Taping screw ×8 自攻沉頭螺絲 110058		2×9.8 Shaft ×4 插銷 110017		Wheel hub spacer 1.0 ×2 輪座墊片 1.0 820049BK		4×6×0.3 Spacer ×1 墊片 820017
	M2×4 screw ×12 圓頭螺絲 110004		M2.5×12 Screw ×2 沉頭螺絲 110109		2×9.8 Shaft ×2 插銷 110046		Flange nut M4 ×4 凸緣螺帽 110015		5×7×0.3 Spacer ×2 墊片 820020
	M2×8 screw ×2 圓頭螺絲 110063		M3×6 screw ×2 沉頭螺絲 110024		2.6×25 Shaft ×2 插銷 310035		E-clip 3.0 ×3 E扣 3.0 110070		10×12×0.3 Spacer ×2 墊片 820024
	M2.5×12 Screw ×4 圓頭螺絲 110065		M3×8 screw ×29 沉頭螺絲 110005		2×28 Shaft ×2 插銷 310103		Wheel hubs ×4 六角輪座 820122BK		2.5×9×0.1 Spacer ×4 墊片 310040
	M3×8 screw ×18 圓頭螺絲 110002		M3×10 screw ×14 沉頭螺絲 110052		2.5×46 Arm shaft ×4 擺臂插銷 310048		R-clip 5.0 ×6 R-銷 5.0 820075		4×14×0.1 Spacer ×2 墊片 310039
	M3×10 screw ×16 圓頭螺絲 110026		M3×12 Screw ×2 沉頭螺絲 110043		MST-PVC Sticker ×1 MST-PVC貼紙 710001		Main shaft ×1 主齒軸 310124		3×6 Ball bearing ×4 培林 120005
	M3×12 screw ×2 圓頭螺絲 110029		M3×14 Screw ×2 沉頭螺絲 110081		Suspension mount spacer 0.5mm ×4 擺臂座墊片 0.5mm 820063BK		Bevel gear diff O-ring ×1 傘差O環 130024		4×8×3 Ball bearing ×3 培林 120013
	M3×14 screw ×4 圓頭螺絲 110061		M3×16 Screw ×1 沉頭螺絲 110073		M3×16 Alum. reinforced turnbuckle ×2 鋁合金強化可調拉桿 810006BK		Bevel gear shaft ×1 傘齒軸 310125		5×8 Ball bearing ×8 培林 120003
	M3×16 screw ×2 圓頭螺絲 110086		M3×20 Screw ×2 沉頭螺絲 110101		M3×25 Steel reinforced turnbuckle ×2 鋼製強化可調拉桿 810029		Bevel gear diff. joint set ×1 傘齒接杆組 210271		4×10 Ball bearing ×2 培林 120018
	4.8 Ball connector ×9 外六角球頭 210161		M3×40 Screw ×2 有頭螺絲 (半牙) 110091		M3×28 Alum. turnbuckle (black) ×4 鋁製可調拉桿 (黑) 810009BK		Steel CVD universal shaft 40 ×2 鋼製CVD傳動軸 40 210304		5×10 Ball bearing ×6 培林 120002
	4.8 Ball connector L ×4 外六角球頭 (長) 210344		M3×45 Screw ×2 有頭螺絲 (半牙) 110121		M3×44 Alum. turnbuckle (black) ×1 鋁製可調拉桿 (黑) 810013BK		Cross joint ×2 連接軸 820030		6×10×2.5 Ball bearing ×4 培林 120025
	4.8×4.5 Ball connector ×9 球頭螺絲 310001		2WD Axle ×2 二驅輪軸 820095		Wheel axle ×2 萬向接杆 310065		Post 11.5 ×2 支柱 11.5 210593		8×14 Ball bearing ×1 培林 120007
	5.8×4 Ball connector ×2 球頭螺絲 210159		Driven shaft ×2 傳動軸 310123						10×15 Ball bearing ×2 培林 120001
	5.8×6 Ball connector ×2 球頭螺絲 210625								

PARTS

Color 顏色	Remark 標示
Red 紅 / BACK 黑	R / BK




Wheel hubs w/disc shape
(large) with sticker
碟型六角輪座組 (加大型) 附貼紙
230041




MRX Reduction gear set
MRX 速齒組
230147




FXX Reduction gear set
FXX 速齒組
210080




MB Rear lower arm ×2
MB 後下擺臂
230097




MB Rear wheel hubs
MB 後輪座組
230096



Bevel gear diff. case set
傘差齒箱組
210052




Carbom steering arm post joint plate
碳纖組轉向搖臂支柱固定板



Front arm set ×2
前擺臂組
230082



Enlarged brake calipers (red)
加大剎車卡鉗 (紅)
210510CR



E-clip 2.0 ×8
E扣 2.0
110013

6.5×2 sponge ×4
泡棉
130021

Soft coil spring 31mm ×2
(purple-red)
軟避震彈簧 31mm (紫紅)
820104

4.5×1 O-ring ×4
O環
820147



High-smooth damper
O-ring P3 (white) ×4
高順暢阻尼器O環 P3 (白)
130059

Hard coil spring 31mm (red) ×2
硬避震彈簧 (紅)
820103

Rod guide ×4
避震器下蓋墊片
210235

Damper cylinder ×4
避震筒
210151

Damper adjuster ×4
避震器拉桿
230140

Adjustable damper cap ×4
可調下座
820147



Low pressure damper seal ×4
低內壓避震氣室
130038

Spring retainer ×4
避震筒整理
310106BK

Adjustable shock end ×4
可調上球頭座
230140



Machined piston 3X1.0 ×2
切削避震活塞 3X1.0
820071

Damper cap ×4
避震器上蓋
310003BK

Machined piston 6X0.8 ×2
切削避震活塞 6X0.8
820151



Rod guide cap ×4
避震器下蓋
310005BK










12×1 O-ring ×4
O環
130049

Piston rod ×4
避震軸心
310008

Damper retainer ×4
(lower type)
避震器彈簧座降低型
230140

PARTS

Color 顏色	Remark 標示
Red 紅 / BACK 黑	R / BK



Alum. suspension mount (-2.0) (black)
鋁合金懸臂座 (-2.0) (黑)
820129BK




Alum. adjustable alum. suspension mount (+1.5~+3.0) (black) x2
鋁合金可調式懸臂座 (+1.5~+3.5)
820058BK




4.8 Rod ends set (M/S) x2
4.8 拉桿頭組 (M/S)
230067

PARTS


Color 顏色	Remark 標示
Red 紅 / BACK 黑	R / BK



Car body post set
車殼支柱組
210381




MRX Alum. gearbox A/B
MRX 鋁合金齒箱 A/B
210665BK




Quick-release battery mount
快拆式電池座組
230145




PVC Deck protective film ×2
PVC 底盤防刮貼
820152




NS High-torque
servo saver
NS 高扭力伺服機減震器
820126




MRX Motor mount
MRX 馬達座
210667BK




RMX alum. adj. front connect mount V.2
RMX 鋁合金可調式前連結座組 V.2
210654BK




MRX Upper deck
fixed mount
MRX 二樓板固定座
210668BK




5.8×26 Reinforced adjuster set
強化拉桿頭組
210031



MRX GT lightweight flexible carbon deck 2.5
MRX GT 輕量化靈活活性碳纖維底盤 2.5
210670



MRX Carbon front upper deck R / L
MRX 碳纖維前二樓板 R / L
210663




MRX Carbon rear upper deck R / L
MRX 碳纖維後二樓板 R / L
210664



RMX Carbon front dmaper stay
RMX 碳纖維前避震架
210586



KMW Carbon front connector
KMW 碳纖維前連結板
210659



MRX Carbon rear dmaper stay
MRX 碳纖維後避震架
210662

PARTS CODE

110002	Round head screw M3×8 (10)	120002	Ball bearing 5×10 (4)	210654BK	RMX alum. adj. front connect mount v.2 (black)	310065	Wheel axle (2)
110004	Round head screw M2×4 (6)	120003	Ball bearing 5×8 (4)	210659	KMW carbon front connector	310103	Arm shaft 2×28 (2)
110005	Countersunk screw M3×8 (10)	120005	Ball bearing 3×6 (4)	210662	MRX Carbon rear damper stay	310106BK	Spring retainer (black) (2)
110013	E-clip 2.0 (10)	120007	Ball bearing 8×14 (2)	210663	MRX Carbon front upper deck R / L	310123	Driven shaft
110015	Flange nut M4 (4)	120013	Ball bearing 4×8×3 (2)	210664	MRX Carbon rear upper deck R / L	310124	Main shaft
110017	Shaft 2×9.8 (10)	120018	Ball bearing 4×10×4 (2)	210665BK	MRX Alum. gearbox A/B	310125	Bevel gear shaft
110024	Countersunk screw M3×6 (10)	120025	Ball bearing 6×10×2.5 (2)	210666BK	MRX Alum. gearbox C	710001	MST-PVC Sticker (4)
110026	Round head screw M3×10 (10)	130021	Sponge 6.5×2 (10)	210667BK	MRX Motor mount	810006BK	鋁合金強化可調拉桿 3×16 (黑) (2)
110029	Round head screw M3×12 (6)	130024	Bevel gear diff O-ring (5)	210668BK	MRX Upper deck fixed mount	810009BK	Alum. reinforced tumbuckle 3×28 (black) (2)
110039S	Cap screw M1.6×4 (10)	130025	O-ring P4 (red) (8)	210670	MRX GT lightweight flexible carbon deck 2.5	810013BK	Alum. reinforced tumbuckle 3×44 (black) (2)
110043	Countersunk screw M3×12 (10)	130038	Low pressure damper seal (4)	230041	Wheel hubs w/disc shape (large)	810029	Steel reinforced tumbuckle 3×25 (2)
110045	Round head screw M2×8 (partial thread) (6)	130049	O-ring 12×1 (4)	230058	Steering arm set	820017	Spacer 4×6×0.3 (8)
110046	Shaft 2×9.8 (8)	130059	High-smooth damper O-ring P3 (white) (10)	230062	Front arm set	820020	Spacer 5×7×0.3 (8)
110047	Spacer 3×6×0.5 (8)	210031	Reinforced adjuster set 5.8×26	230066	Front head set	820024	Spacer 10×12×0.3 (8)
110052	Countersunk screw M3×10 (10)	210035	Bevel gear set 40-13	230066	Front wheel hubs	820030	Cross joint (2)
110056	Set screw M3×12 (6)	210047	Reinforced adjuster set 4.8×18 (8)	230067	4.8 Rod ends set (M/S)	820063BK	Suspension mount spacer 0.5mm (4) (black)
110058	Tapping countersunk screw 2×8 (8)	210052	Bevel gear diff. case set	230070BK	Shaft bush & spacer set	820049BK	Wheel hub spacer 1.0 (black) (4)
110059	Shaft 1.5×7.8 (8)	210053	Diff. gear set	230096	MB Rear wheel hubs	820054W	5.8 Ball end bush (white)
110060	Set screw M3×2.6 (10)	210080	FXX Reduction gear set	230097	MB Rear lower arm	820058BK	Adjustable alum. suspension mount (+1.5→+3.0) (black)
110061	Round head screw M3×14 (6)	210151	Damper cylinder	230140	Adjustable damper ball connector & end adjuster (2)	820071	Machined piston 3×1.0 (4)
110063	Round head screw M2×8 (6)	210159	Ball connector 5.8×4 (4)	230145	Quick-release battery mount	820075	R-clip 5.0 (10)
110065	Round head screw M2.5×12 (6)	210161	Ball connector nut 4.8 (4)	230146	Front bumper support	820077BK	Alum. spacer 3×5.5×7 (black) (2)
110070	E-clip 3.0 (10)	210235	Piston spacer set	230147	MRX Reduction gear set	820095	AKM 2WD axle (2)
110071	Shaft 1.6×9 (10)	210271	Bevel gear diff. joint set	310001	Ball connector 4.8×4.5 (5)	820103	31mm Hard coil spring set (8)
110073	Countersunk screw M3×16 (6)	210304	Steel CVD universal shaft 40 (40°) (2)	310003BK	Cylinder cap (black) (2)	820104	31mm Soft coil spring set (8)
110081	Countersunk screw M3×14 (6)	210321	Suspension balls 2.5×5 (8)	310005BK	Rod guide cap (black) (2)	820122BK	Alum. hex. wheel hubs 6mm (black) (4)
110086	Round head screw M3×16 (6)	210344	Ball connector nut L 4.8 (4)	310008	Piston rod (4)	820126	NS High-torque servo saver
110091	Cap screw M3×40 (6)	210381	Car body post set	310035	Lower arm shaft 2.6×22&25 (each one pair)	820129BK	Alum. suspension mount (-2.0) (black)
110101	Countersunk screw M3×20 (6)	210510CR	Enlarged brake calipers (red) (4)	310039	Spacer 4×14×0.1 (8)	820147	Adjustable shock upper end (4)
110109	Countersunk screw M2.5×12 (6)	210561BK	Alum. post M3X13 (black) (2)	310040	Spacer 2.5×9×0.1 (8)	820151	Machined shock absorber piston 6×0.8 (4)
110121	Cap screw M3×45 (6)	210586	RMX 2.0 Carbon front damper stay 3.5	310048	Arm shaft 2.5×46 (4)	820152	PVC Deck protective film
110122	Cap screw M2×10 (6)	210593	Post 11.5 (2)				
120001	Ball bearing 10×15 (4)	210625	Ball connector L 5.8×6 (4)				

部品編號

110002	六角半圓頭螺絲 M3×8 (10)	120002	培林 5×10 (4)	210654BK	RMX 鋁合金可調式前連結座組 v.2 (黑)	310106BK	避震調整環 (黑) (2)
110004	六角半圓頭螺絲 M2×4 (6)	120003	培林 5×8 (4)	210659	KMW 碳纖維前連結板	310123	傳動軸
110005	六角沉頭螺絲 M3×8 (10)	120005	培林 3×6 (4)	210662	MRX 碳纖維後避震架	310124	主齒軸
110013	E扣 2.0 (10)	120007	培林 8×14 (2)	210663	MRX 碳纖維前二樓板 R / L	310125	傘齒軸
110015	凸緣螺帽 M4 (4)	120013	培林 4×8×3 (2)	210664	MRX 碳纖維後二樓板 R / L	710001	MST-PVC貼紙 (4)
110017	插銷 2×9.8 (10)	120018	培林 4×10×4 (2)	210665BK	MRX 鋁合金齒箱 A/B	810006BK	鋁合金強化可調拉桿 3×16 (黑) (2)
110024	六角沉頭螺絲 M3×6 (10)	120025	培林 6×10×2.5 (2)	210666BK	MRX 鋁合金齒箱 C	810009BK	鋁合金強化可調拉桿 3×28 (黑) (2)
110026	六角半圓頭螺絲 M3×10 (10)	130021	泡棉 6.5×2 (10)	210667BK	MRX 馬達座	810013BK	鋁合金強化可調拉桿 3×44 (黑) (2)
110029	六角半圓頭螺絲 M3×12 (6)	130024	傘差O環 (5)	210668BK	MRX 二樓板固定座	810029	鋼製強化可調拉桿 3×25 (2)
110039S	六角有頭螺絲 M1.6×4 (10)	130025	O環 P4 (紅) (8)	210670	MRX GT 輕量化靈活性碳纖維底座 2.5	820017	墊片 4×6×0.3 (8)
110043	六角沉頭螺絲 M3×12 (10)	130038	低內壓避震氣室 (4)	230041	碟型六角輪座組 (加大型)	820020	墊片 5×7×0.3 (8)
110045	六角半圓頭螺絲 M2×8 (半牙) (6)	130049	O環 12×1 (4)	230058	轉向搖臂組	820024	墊片 10×12×0.3 (8)
110046	插銷 2×9.8 (剖溝) (8)	130059	高順暢阻尼器O環 P3 (白)(10)	230062	前擺臂組	820030	連接軸 (2)
110047	墊片 3×6×0.5 (8)	210031	強化拉桿頭組 5.8×26	230065	前擴支架組	820063BK	擺臂座墊片 0.5mm (4) (黑)
110052	六角沉頭螺絲 M3×10 (10)	210035	傘齒軸 40-13	230066	前輪座組	820049BK	輪座墊片 1.0 (黑) (4)
110056	六角止付螺絲 M3×12 (6)	210047	強化拉桿頭組 4.8×18 (8)	230067	4.8 拉桿頭組 (M/S)	820054W	5.8 球頭襯套 (白)
110058	自攻十字沉頭螺絲 2×8 (8)	210052	傘差齒箱組	230070BK	襯套墊片組	820058BK	可調式鋁合金擺臂座 (+1.5→+3.0) (黑)
110059	插銷 1.5×7.8 (8)	210053	傘差齒輪組	230096	MB 後輪座組	820071	切前避震活塞 3×1.0 (4)
110060	六角止付螺絲 M3×2.6 (10)	210080	FXX 減速齒組	230097	MB 後下擺臂	820075	R銷 5.0 (10)
110061	六角半圓頭螺絲 M3×14 (6)	210151	避震筒身	230140	避震器可調式上球頭 & 下拉桿頭組 (2)	820077BK	鋁鑄片 3×5.5×7 (黑) (2)
110063	六角半圓頭螺絲 M2×8 (6)	210159	球頭螺絲 5.8×4 (4)	230145	快拆式電池座組	820095	AKM 二驅輪軸 (2)
110065	六角圓頭螺絲 M2.5×12 (6)	210161	球頭螺帽 4.8 (4)	230146	前防撞板組	820103	31mm 硬避震彈簧組 (8)
110070	E扣 3.0 (10)	210235	避震器活塞墊片組	230147	MRX 速齒組	820104	31mm 軟避震彈簧組 (8)
110071	插銷 1.6×9 (10)	210271	傘差接杯組	310001	內六角公球頭 4.8×4.5 (5)	820122BK	鋁合金六角輪座 6mm (黑) (4)
110073	六角沉頭螺絲 M3×16 (6)	210304	鋼製CVD傳動軸 40 (40°) (2)	310003BK	避震器上蓋 (黑) (2)	820126	NS 高扭力何服緩衝器
110081	六角沉頭螺絲 M3×14 (6)	210321	插銷球頭 2.5×5 (8)	310005BK	避震器下蓋 (黑) (2)	820129BK	鋁合金擺臂座 (-2.0) (黑)
110086	六角半圓頭螺絲 M3×16 (6)	210344	球頭螺帽 L 4.8 (4)	310008	避震軸心 (4)	820147	避震器可調長度上座組 (4)
110091	六角有頭螺絲 M3×40 (半牙) (6)	210381	車殼支柱組	310035	下擺臂插銷 2.6×22 & 25 (各一對)	820151	切前避震器活塞 6×0.8 (4)
110101	六角沉頭螺絲 M3×20 (6)	210510CR	加大煞車卡鉗 (紅) (4)	310039	墊片 4×14×0.1 (8)	820152	PVC 底盤防刮貼
110109	六角沉頭螺絲 M2.5×12 (6)	210561BK	鋁合金支柱 M3X13 (黑) (2)	310040	墊片 2.5×9×0.1 (8)		
110121	有頭螺絲 M3×45 (半牙) (6)	210586	RMX 2.0 碳纖維前避震架 3.5	310048	擺臂插銷 2.5×46 (4)		
110122	六角有頭螺絲 M2×10 白鐵 (6)	210593	支柱 11.5 (2)	310065	馬向接杯 (2)		
120001	培林 10×15 (4)	210625	球頭螺絲 L 5.8×6 (4)	310103	擺臂插銷 2×28 (2)		

026260