

### NOTICE

All instructions, warranties and other collateral documents are subject to change at the sole discretion of Horizon Hobby, LLC. For up-to-date product literature, visit horizonhobby.com and click on the support tab for this product.

### Meaning of Special Language

The following terms are used throughout the product literature to indicate various levels of potential harm when operating this product:

**NOTICE:** Procedures, which if not properly followed, create a possibility of physical property damage AND a little or no possibility of injury.

**<u>CAUTION:</u>** Procedures, which if not properly followed, create the probability of physical property damage AND a possibility of serious injury.

WARNING: Procedures, which if not properly followed, create the probability of property damage, collateral damage, and serious injury OR create a high probability of superficial injury.

 $\triangle$ 

**WARNING:** Read the ENTIRE instruction manual to become familiar with the features of the product before operating. Failure to operate the product correctly can result in damage to the product, personal property and cause serious injury.

This is a sophisticated hobby product. It must be operated with caution and common sense and requires some basic mechanical ability. Failure to operate this Product in a safe and responsible manner could result in injury or damage to the product or other property. This product is not intended for use by children without direct adult supervision. Do not attempt disassembly, use with incompatible components or augment product in any way without the approval of Horizon Hobby, LLC. This manual contains instructions for safety, operation and maintenance. It is essential to read and follow all the instructions and warnings in the manual, prior to assembly, setup or use, in order to operate correctly and avoid damage or serious injury.

### Age Recommendation: Not for children under 14 years. This is not a toy.



CAUTION: This product can become extremely hot when in use, which could lead to burns.

This manual describes the engine and its general operating procedures. For mounting and control, see the instruction manual for the model airplane. Some suggestions are included in this manual for mounting the engine using the included motor mount.

For proper heat transfer, it is important to use a metal motor mount when mounting these engines in a model aircraft.

The engine is designed for use on a model radio control airplane. If it is used for any other purpose, we cannot be responsible for its reliability or safety.

# **Safety Warnings**

Model engines produce a substantial amount of power and can create unsafe situations if not used correctly. Always use common sense and observe all safety precautions when operating, handling or performing any procedure involving your engine. Failure to follow safety precautions could result in serious injury and property damage.

- Never return unused fuel from the fuel tank back into
  Always keep small parts out of the reach of children the fuel container.
- Never attempt to repair or modify a propeller beyond its intended use.
- · Never handle model engines, mufflers and/or tuned pipes until they have had time to cool. They become extremely hot when in use.
- Never use hands, fingers, or any other body part to stop the propeller.
- Never throw any object into a propeller to stop it.
- Never run the engine in the vicinity of loose small uncontrollably throwing such materials.
- Never wear loose clothing or a loose neckstrap when operating your model engine as these items could become entangled in the propeller.
- Never have loose objects such as screwdrivers, pencils etc. in your pockets when operating your model engine. These could fall into the propeller.
- · Never allow fuel to come into contact with eyes or mouth. Gasoline and other fuels used in model engines are poisonous.
- Always ensure spectators, especially children, are at least 30 feet away when running the engine.
- Always ensure that the propeller is securely attached to the engine shaft and all retaining fasteners are tightened properly before EACH flight. Use of blue threadlock to tighten nuts is advisable.

# **Precautionary Guidelines**

- Always mount the engine securely on a bench mount
  Always run your model engine in a well-ventilated or high-guality engine mount.
- Always use the correct size and pitch of propeller for your engine. Refer to the Propeller Chart in this manual.
- Always confirm proper balance of your propeller prior to installation of the engine. Failure to do so could cause damage to the engine and/or the airframe.
- Always utilize an electric starter to start your engine.
- Always discard any propeller that is nicked, scratched, cracked or damaged in any way.

- as they can be choking hazards.
- Always secure the airplane before powering the engine.
- Always keep your face and body away from the path of the propeller blades when starting or running your engine.
- Always stand behind the propeller when making carburetor adjustments.
- · Always wear safety glasses or goggles when starting and running your engine.
- objects, such as gravel or sand, to avoid the propeller Always keep your fuel in a safe place well away from sparks, heat or anything that can ignite.
  - Always ensure the aircraft is secure and will not move once the engine is started.
  - Always rebind your transmitter to your receiver(s) after setup and before first flight.
  - Always ensure the throttle failsafe is set to low throttle in your transmitter.
  - Always perform a range check prior to flight.
  - Always cut off the fuel supply (pinch or disconnect) the fuel line to the carburetor) or use the throttle linkage to shut off the air in order to stop the engine.
  - Always ensure gasoline and fuel is stored in a clearly marked container well away from the reach of children.
  - area. Model engines produce possibly harmful carbon monoxide fumes.
  - · Always store your fuel safely in a sealed, waterresistant container.
  - Always store fuel in a cool, dry location. Do not allow fuel containers to come in direct contact with concrete, as the fuel may absorb moisture.
  - · Always responsibly discard fuel if there is condensation and/or water inside the fuel container.

| #    | DESCRIPTION                     | PART        |
|------|---------------------------------|-------------|
| 1    | Cylinder (Left)                 | SAIG61TS01  |
| 2    | Cylinder (Right)                | SAIG61TS02  |
| 6    | Piston                          | SAIG61TS06  |
| 7    | Piston Pin                      | SAIG61TS07  |
| 8    | Piston Pin Retainer (2)         | SAIG60R308  |
| 9    | Piston Ring                     | SAIG61TS09  |
| 10C  | Connecting Rod                  | SAI300T10C  |
| 13   | Connecting Rod Screw            | SAI300T13   |
| 14   | Cylinder Screw Set              | SAIG57T14   |
| 15   | Crankcase                       | SAIG61TS15  |
| 17   | Rear Cover (A)                  | SAIG57TS17  |
| 19   | Breather Nipple                 | SAIG3619    |
| 20   | Front Bearing                   | SAI300T20A  |
| 21   | Main Bearing                    | SAI300T21   |
| 22   | Rear Bearing                    | SAI300T22   |
| 23   | Crankshaft                      | SAIG57T23   |
| 27   | Taper Collet & Drive Flange     | SAIG61TS27A |
| 28   | Prop Washer & Nut               | SAIG57TS28  |
| 31   | Crankcase Screw Set             | SAIG57TS31  |
| 32   | Engine Gasket Set               | SAIG57T32   |
| 33-1 | Cam Gear Housing (Left)         | SAIG57T331  |
| 33-2 | Cam Gear Housing (Right)        | SAIG57T332  |
| 34   | Cam Gear (Left)                 | SAI300T34   |
| 35   | Cam Gear (Right)                | SAI120S35   |
| 36A  | Cam Gear Shaft                  | SAI5036A    |
| 37   | Steel Washer Set                | SAIG57T37   |
| 38   | Tappet (2)                      | SAI120S38   |
| 39   | Pushrod (2)                     | SAIG57T39   |
| 40   | Pushrod Cover & Rubber Seal (2) | SAIG57T40   |
| 41   | Rocker Arm (2)                  | SAI120S41   |

| #    | DESCRIPTION                             | PART        |
|------|---|-------------|
| 42   | Rocker Arm Screw & Nut (2 sets)         | SAI120S42   |
| 43   | Rocker Arm Pin (4)                      | SAI120S43   |
| 44   | Rocker Arm Bracket (Left)               | SAI120S44   |
| 45   | Rocker Arm Bracket (Right)              | SAI120S45   |
| 46   | Valve (Intake & Exhaust) (2 Sets)       | SAI18046    |
| 47   | Valve Spring, Keeper, and Retainers (4) | SAI120S47   |
| 48   | Valve Retainers (4)                     | SAI120S48   |
| 49   | Rocker Arm Cover (4)                    | SAI150S49   |
| 69   | Intake Pipe (Left)                      | SAIG61TS69  |
| 70   | Intake Pipe (Right)                     | SAIG61TS70  |
| 78   | Flexible Muffler Set                    | SAIG61TS78  |
| 80   | Muffler Nut (4)                         | SAI220A80   |
| 82-1 | Carburetor Assembly                     | SAIG57TS821 |
| 88B  | Throttle Lever                          | SAI5088B    |
| 90   | Carburetor Mounting Bolt Set            | SAIG3690    |
| 91   | Carburetor Gasket Set                   | SAIG3691    |
| 93   | Intake Velocity Stack                   | SAIG61TS93  |
| 95   | Engine Mounting Bolt Set                | SAIG57TS95  |
| 96   | Tool Set                                | SAIG57T96   |
| 99A  | Muffler Bracket                         | SAIG61TS99A |
| 110  | Anti-Loosening Prop Nut 10mm            | SAI300T110  |
| 120  | NGK CM-6 Spark Plug                     | SAIG36120   |
| 152  | Propeller Driver Set Screw              | SAIG36152   |
| 153A | Electronic Ignition System              | SAIG57T153  |
| 164  | Intake Manifold Set                     | SAIG61TS164 |
|      |   |             |

## **3-YEAR LIMITED WARRANTY**

What this Warranty Covers - Horizon Hobby, LLC (Horizon) warrants to the original purchaser that the product purchased (the "Product") will be free from defects in materials and workmanship for a period of 3 years from the date of purchase.

What is Not Covered - This warranty is not transferable and does not cover (i) cosmetic damage, (ii) damage due to acts of God, accident, misuse, abuse, negligence, commercial use, or due to improper use, installation, operation or maintenance, (iii) modification of or to any part of the Product, (iv) attempted service by anyone other than a Horizon Hobby authorized service center, (v) Product not purchased from an authorized Horizon dealer, (vi) Product not compliant with applicable technical regulations, or (vii) use that violates any applicable laws, rules, or regulations.

OTHER THAN THE EXPRESS WARRANTY ABOVE, HORIZON MAKES NO OTHER WARRANTY OR REPRESENTATION, AND HEREBY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE PURCHASER ACKNOWLEDGES THAT THEY ALONE HAVE DETERMINED THAT THE PRODUCT WILL SUITABLY MEET THE REQUIREMENTS OF THE PURCHASERS INTENDED USE.

Purchasers Remedy - Horizons sole obligation and purchasers sole and exclusive remedy shall be that Horizon will, at its option, either (i) service, or (ii) replace, any Product determined by Horizon to be defective. Horizon reserves the right to inspect any and all Product(s) involved in a warranty claim. Service or replacement decisions are at the sole discretion of Horizon. Proof of purchase is required for all warranty claims. SERVICE OR REPLACEMENT AS PROVIDED UNDER THIS WARRANTY IS THE PURCHASERS SOLE AND EXCLUSIVE REMEDY.

Limitation of Liability - HORIZON SHALL NOT BE LIABLE FOR SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES, LOSS OF PROFITS OR PRODUCTION OR COMMERCIAL LOSS IN ANY WAY, REGARDLESS OF WHETHER SUCH CLAIM IS BASED IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR ANY OTHER THEORY OF LIABILITY, EVEN IF HORIZON HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Further, in no event shall the liability

of Horizon exceed the individual price of the Product on which liability is asserted. As Horizon has no control over use, setup, final assembly, modification or misuse, no liability shall be assumed nor accepted for any resulting damage or injury. By the act of use, setup or assembly, the user accepts all resulting liability. If you as the purchaser or user are not prepared to accept the liability associated with the use of the Product, purchaser is advised to return the Product immediately in new and unused condition to the place of purchase.

**Law** - These terms are governed by Illinois law (without regard to conflict of law principals). This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. Horizon reserves the right to change or modify this warranty at any time without notice.

#### WARRANTY SERVICES

Questions, Assistance, and Services - our local hobby store and/or place of purchase cannot provide warranty support or service. Once assembly, setup or use of the Product has been started, you must contact your local distributor or Horizon directly. This will enable Horizon to better answer your questions and service you in the event that you may need any assistance. For questions or assistance, please visit our website at www.horizonhobby.com, submit a Product Support Inquiry at https://horizonhobby.quickbase.com/db/ bghj7ey8c?a=GenNewRecord, or call the toll free telephone number referenced in the Warranty and Service Contact Information section to speak with a Product Support representative.

Inspection or Services - If this Product needs to be inspected or serviced and is compliant in the country you live and use the Product in, please use the Horizon Online Service Request submission process found on our website or call Horizon to obtain a Return Merchandise Authorization (RMA) number. Pack the Product securely using a shipping carton. Please note that original boxes may be included, but are not designed to withstand the rigors of shipping without additional protection. Ship via a carrier that provides tracking and insurance for lost or damaged parcels, as Horizon is not responsible for merchandise until it arrives and is accepted at our facility. An Online Service Request is available at http://www.horizonhobby.com/ content/ service-center render-service-center. If you do not have internet access, please contact Horizon

Product Support to obtain a RMA number along with instructions for submitting your product for service. When calling Horizon, you will be asked to provide your complete name, street address, email address and phone number where you can be reached during business hours. When sending product into Horizon, please include your RMA number, a list of the included items, and a brief summary of the problem. A copy of your original sales receipt must be included for warranty consideration. Be sure your name, address, and RMA number are clearly written on the outside of the shipping carton.

Notice: Do not ship LiPo batteries to Horizon. If you have any issue with a LiPo battery, please contact the appropriate Horizon Product Support office.

Warranty Requirements - For Warranty consideration, you must include your original sales receipt verifying the proof-of-purchase date. Provided warranty conditions have been met, your Product will be serviced or replaced free of charge.

Service or replacement decisions are at the sole discretion of Horizon.

Non-Warranty Service - Should your service not be covered by warranty, service will be completed and payment will be required without notification or estimate of the expense unless the expense exceeds 50% of the retail purchase cost.

By submitting the item for service you are agreeing to payment of the service without notification. Service estimates are available upon request. You must include this request with your item submitted for service. Nonwarranty service estimates will be billed a minimum of ½ hour of labor. In addition you will be billed for return freight. Horizon accepts money orders and cashiers checks, as well as Visa, MasterCard, American Express, and Discover cards. By submitting any item to Horizon for service, you are agreeing to Horizons Terms and Conditions found on our website http://www. horizonhobby.com/content/\_service-center\_renderservice-center.

ATTENTION: The sale, warranty and service of Saito products distributed by Horizon is limited to the geographic regions of North America, Central America and South America. Saito products distributed by Horizon cannot be purchased in other regions and may not be compliant with applicable regulations. If non-compliant product is received by Horizon for service, it will not be serviced. Further, the sender will be responsible for arranging return shipment of the un-serviced Product, through a carrier of the sender's choice and at the sender's expense. Horizon will hold non-compliant Product for a period of 60 days from notification, after which it will be discarded.t

5-14-15

| Country of<br>Purchase | Horizon Hobby   | Contact Information                             | Address   |
|------------------------|---|---|---|
|                        | Horizon Service Center<br>(Repairs and Repair Requests)   | servicecenter.horizonhobby.<br>com/RequestForm/ | 4105 Fieldstone Rd.<br>Champaign, Illinois<br>61822 |
| United States of       | Horizon Product Support<br>(Product Technical Assistance) | productsupport@<br>horizonhobby.com             |   |
| America                |   | 888-959-2305                                    |   |
|                        | Sales   | sales@horizonhobby.com                          |   |
|                        |   | 888-959-2305                                    |   |

### **Warranty and Service Contact Information**

## **Consumer Warranty and Repair Policy**

Saito engines are guaranteed against workmanship and manufacturing defects for a period of 3 years from the original date of purchase. This warranty is limited to the original purchaser of the engine and is not transferable. Warranty repairs will not cover:

- Normal engine wear
- Damage due to insufficient maintenance
- Damage related to over-revving of engine due to small prop size or unreasonable use
- Rusted bearings
- Crash damage
- Damage due to use of improper fuel and/or glow plug
  Damage due to improper disassembly
- Damage due to lean runs, such as rusted bearings. seized connecting rod or piston, etc.
- Damage caused by foreign objects (dirt or broken glow plug filaments)
- Damage caused by unreasonable mountings or running conditions (dust. insufficient cooling. improper mounting, improper propeller size, or lack of balancing, etc.)
- Modifications of any kind
- Repair or replacement and any warranty coverage is Horizon's sole decision

## **Consumer Warranty Registration**

Complete this form and mail along with your dated sales receipt (send copy, keep original for your files) within 10 days of purchase to:

Horizon Service Center Attn: Saito Warranty Dept. 4105 Fieldstone Road Champaign, IL 61822

| Engine Type          |  |  |  |
|----------------------|--|--|--|
| Date of Purchase     |  |  |  |
| Owner's Name         |  |  |  |
| Street Address       |  |  |  |
| City/State/Zip       |  |  |  |
| Daytime Phone Number |  |  |  |
|                      |  |  |  |
| Purchased From:      |  |  |  |
| Dealer's Name        |  |  |  |
| Street Address       |  |  |  |
| City/State/Zip       |  |  |  |