














REPLACEMENT PARTS • ERSATZTEILE • PIÈCES DE RECHANGE • PEZZI DI RICAMBIO

Part #	English	Deutsch	Français	Italiano
LOS235001	Cap Head Screws, M2 x 6mm (10)	Inbusschrauben M2 x 6mm (10)	Vis d'assemblage creuses M2 x 6mm (10)	Viti testa a brugola, M2 x 6mm (10)
LOS235003	Cap Head Screws M3 x 6mm (10)	Inbusschrauben M3 x 6mm (10)	Vis d'assemblage creuses M3 x 6mm (10)	Viti testa a brugola, M3 x 6mm (10)
LOS235009	Flat Head Screws M2.5 x 8mm (10)	Flachkopfschrauben M2,5 x 8mm (10)	Vis à tête plate M2.5 x 8mm (10)	Viti a testa piatta, M2.5 x 8mm (10)
LOS235011	Set Screws, M3 x 3mm Cup Point(10)	Stellschrauben M3 x 3mm Ringschneide (10)	Vis de fixation M3 x 3mm Bout cuvette (10)	Grani, M3 x 3mm, punta tonda (10)
LOS235024	Button Head Screws M3x25mm (10)	Rundkopfschraube, M3 x 25mm (10)	Vis à tête bombée M3 x 25mm (10)	Viti a testa tonda, M3 x 25mm (10)
LOS235025	Button Head Screws M3x30mm (10)	Rundkopfschraube, M3 x 30mm (10)	Vis à tête bombée M3 x 30mm (10)	Viti a testa tonda, M3 x 30mm (10)
LOS235027	Set Screws, M3 x 10mm Cup Point(10)	Stellschrauben M3 x 10mm Ringschneide (10)	Vis de fixation M3 x 10mm Bout cuvette (10)	Grani, M3 x 10mm, punta tonda (10)
LOSA6937	5x10x4mm Shielded Ball Bearing(2)	5 x 10mm abgedichtetes Kugellager (2)	Roulement à billes blindé 5 x 10mm (2)	Cuscinetti a sfera schermati 5 x 10mm (2)
LOSA6943	10X15x4mm Sealed Ball Bearing (2)	10 X 15mm Kugellager gekapselt (2)	22 - Roulements étanches 10 x15mm (2)	10 x 15mm Cuscinetti stagni (2)
LOSA6955	5x13x4mm HD Clutch Bearings (2):8B/8T	5 x 13 mm HD Kupplungslager (2): 8B, 8T	Roulements à embrayage ultra-résistants 5 x 13 mm (2) : 8B, 8T	Cuscinetti frizione HD 5 x 13mm (2): 8B, 8T
TLR-1075	Bulkhead, Kick Shims: 22X	Spritzwand, Unterlegscheiben: 22X	Cloison, cales de kick : 22X	Paratia, spessori di Kick: 22X
TLR-1076	Threaded Spring Collar, 13mm (2): 22X	Federteller mit Gewinde, 13 mm (2): 22X	Collier à ressort fileté, 13 mm (2) : 22X	Collare molla filettata, 13 mm (2): 22X
TLR-1077	Bellcranks, Connecting Link, Composite: 22X	Umlenkhebel, Verbindungsstück, Verbundwerkstoff: 22X	Leviers coudés, tringlerie de connexion, composite : 22X	Leve a squadra, Anello di congiunzione, Composito: 22X
TLR-1079	Pivot, Bridge: 22X	Drehgelenk, Brücke: 22X	Pivot, pont : 22X	Pivot, Ponte: 22X
TLR-1082	Seal & Hardware, Gear Diff: 22X	Dichtung und Hardware, Getriebe-Differential: 22X	Joint et matériel, engrenage différentiel : 22X	Tenuta e bulloneria, ingranaggio diff.: 22X
TLR-1085	Steering Hardware Set: 22X	Hardwaresatz Lenkung: 22X	Ensemble de matériel de direction : 22X	Set bulloneria sterzo: 22X
TLR-1086	Spindle, Narrow: 22X	Spindel, schmal: 22X	Axe, étroit : 22X	Fusello, Stretto: 22X
TLR-1089	Steering Arm, A, Narrow: 22X	Lenkarm, A, schmal: 22X	Bras de direction, A, étroit : 22X	Braccio di sterzo, A, Stretto: 22X
TLR-1090	Fan, Low Ft Wing Mt, Front Sway Bar Mounts: 22X	Lüfter, niedrige Flügelhalterung vorne, vordere Schwingenhalterungen: 22X	Soufflante, support d'aile avant basse, supports de barres stabilisatrices avant : 22X	Ventola, Supp. alettone ant. basso, Supp. barra torsione ant.: 22X
TLR-1092	Electronics Tray, Carbon: 22X	Halterung für Elektronik, Carbon: 22X	Plateau électronique, carbone : 22X	Vassoio elettronica, Carbonio: 22X
TLR-1095	Shock Cap, Bottom, 13mm (2): 22X	Stoßdämpferkappe, unten, 13mm (2): 22X	Capuchons d'amortisseurs bas 13 mm (2) : 22X	Tappo amm., inferiore, 13 mm (2): 22X
TLR-1096	Caster Block Insert Set: 22X	Radblock Einbau-Set: 22X	Ensemble d'inserts, bloc de roulettes : 22X	Set inserti blocco caster: 22X
TLR-1097	Battery Mount Set: 22X	22X Akkuhalterset	22X - Support batterie	Set supporto batteria: 22X
TLR-1098	Caster Block, Narrow: 22X	Radblock, schmal: 22X	Bloc de rondelle, étroit : 22X	Blocco caster, Stretto: 22X
TLR-1100	Diff Gear, Cover, Gear Diff, 52T: 22X	Differential, Fahrwerkabdeckung, Getr. Diff. 52T: 22X	Cache, engrenage différentiel, 52T : 22X	Ingr. diff, coperchio, 52T: 22X
TLR-1102	Rod End Set, 5.8mm: 22X	Stangenkopfsatz 5,8mm: 22X	Ensemble embout de bielle 5,8 mm : 22X	Set teste a snodo 5,8 mm: 22X
TLR-1104	Shock Tower Guards, Up Wing Mt, Spur Shield: 22X	Schutz Stoßdämpferbrücke, Flügelhalterung oben, Stirnradschutz: 22X	Protection de tour d'amortisseur, support d'aile supérieure, blindage : 22X	Schermi torre amm., Supp. alettone sup., Schermo riduttore: 22X
TLR-1106	Gearbox Set, Rear Sway Bar Mount, Idler Shaft: 22X	Getriebesatz, Halterung Heck-Schwinge, Zwischenradwelle: 22X	Ensemble boîte à engrenage, support de barres stabilisatrices arrière, arbre intermédiaire : 22X	Set ingr., Supp. barra torsione post., Albero folle: 22X
TLR-1107	VHA Rebuild Set, V2 (2): 22X	VHA-Umbausatz, V2 (2): 22X	Ensemble de reconstruction VHA, V2 (2) : 22X	Kit ricostruzione VHA, V2 (2): 22X

REPLACEMENT PARTS • ERSATZTEILE • PIÈCES DE RECHANGE • PEZZI DI RICAMBIO

Part #	English	Deutsch	Français	Italiano
TLR-1108	Wing Mount Set, Front Bumper: 22X	Flügelhaltungsatz, Frontstoßstange: 22X	Ensemble support d'aile, pare-chocs avant : 22X	Set supporto alettone, Paraurti anteriore: 22X
TLR-1109	Diff Gear, 52T: 22X	TLR Diff-Zahnrad 52Z: 22X	22X - Couronne de diff 52T	Ingranaggio differenziale, 52T: 22X
TLR-1110	Shock Shaft, 3mm x 42.7mm, TiNi, G3 (1)	Kolbenstange, 42,7 mm, TiCN, G3 3,5 (1)	Bras d'amortisseur, 42,7 mm, TiCN, G3 3,5 (1)	Albero ammortizzatore, 42,7 mm, TiCN, G3 3,5 (1)
TLR-1111	Motor Plate, Aluminum: 22X	Motorplatte, Aluminium: 22X	Plaque châssis, aluminium : 22X	Piastra motore, Alluminio: 22X
TLR-1112	Sway Bar Link Set: 22X	Schwingenverbindungs-Set: 22X	Ensemble tringlerie de barre stabilisatrice : 22X	Set leveraggi barra antirollio: 22X
TLR-1113	Waterfall Brace, Standard: 22X	Kaskaden-Klammer, Standard: 22X	Support Waterfall, standard : 22X	Rinforzo Waterfall, Standard: 22X
TLR-1115	Caster Block, Wide: 22X	Radblock, breit: 22X	Bloc de rondelle, large : 22X	Blocco caster, Largo: 22X
TLR-1117	Shock Cap, Composite (2): 22X	Stoßdämpferkappe, Komposit, G3 (4): 22X	Capuchon d'amortisseur, composite, G3 (4): 22X	Tappo ammortizzatore, composito, G3 (4): 22X
TLR-1118	Steering Arm, A, Wide: 22X	Lenkarm, A, breit: 22X	Bras de direction, A, large : 22X	Braccio di sterzo, A, Largo: 22X
TLR-1119	Spring Cups, Shock Ends, 13mm: 22X	Federteller, Stoßdämpferenden, 13mm: 22X	Coupelles de ressorts, extrémités d'amortisseurs, 13 mm : 22X	Scodellini molle, Terminali amm., 13 mm: 22X
TLR-1120	Idler Gear (2): 22X	Zwischenrad (2): 22X	Pignons intermédiaires (2) : 22X	Ingranaggio folle (2): 22X
TLR-1126	Spindle, Wide: 22X	Spindel, breit: 22X	Axe, large : 22X	Fusello, Largo: 22X
TLR-1128	Waterfall Brace, Stiffzel: 22X	Kaskaden-Klammer, Stiffzel: 22X	Support Waterfall, Stiffzel : 22X	Rinforzo Waterfall, Stiffzel: 22X
TLR-1129	Shock Shaft, 3mm x 48.7mm, TiNi, G3 (1)	Kolbenstange, 3 mm x 48,7 mm, TiCN, G3 (1)	Bras d'amortisseur, 3 mm x 48,7 mm, TiCN, G3 (1)	Albero ammortizzatore, 3 mm x 48,7 mm, TiCN, G3 (1)
TLR-1131	Slipper Spring Set: 22X	Gleiterfedersatz: 22X	Ensemble ressort sabot : 22X	Set molle antisaltellamento: 22X
TLR-1132	Camber Mount, Caster Block, C: 22X	Sturzhalterung, Radblock, C: 22X	Support de carrossage, bloc de rondelle, C : 22X	Supporto camber, Blocco caster, C: 22X
TLR-1134	Ball Stud, 5.8mm x 6mm (4): 22X	Kugelpopf mit Gewinde 5,8 x 6mm (4): 22X	Rotules à visser 5,8 x 6mm (4): 22X	Perno sferico, 5,8 x 6mm (4): 22X
TLR-1135	13mm Shock Piston, Blank, 2.5mm (2)	13 mm Stoßdämpferkolben, leer, 2,5 mm (2)	Pistons d'amortisseur 13 mm, vierges, 2,5 mm (2)	Pistone amm. 13 mm, grezzo, 2,5 mm (2)
TLR-1138	Camber Block, Rear: 22X	Sturzblock, Heck: 22X	Cale de carrossage, arrière : 22X	Blocco camber, Posteriore: 22X
TLR-1139	Electronics Tray, Steel: 22X	Halterung für Elektronik, Stahl: 22X	Plateau électronique, acier : 22X	Vassoio elettronica, Acciaio: 22X
TLR-1140	Layshaft, Aluminum: 22X	Zwischenwelle, Aluminium: 22X	Arbre intermédiaire, aluminium, : 22X Sabot hautement résistant	Albero secondario, alluminio, : 22X
TLR-1141	13mm Shock Piston, Blank, 2mm (2)	13 mm Stoßdämpferkolben, leer, 2 mm (2)	Pistons d'amortisseur 13 mm, vierges, 2 mm (2)	Pistone amm. 13 mm, grezzo, 2 mm (2)
TLR-1143	13mm Shock Piston, 2 x 1.8mm, 2mm (2)	13Mm Stoßdämpferkolben, 2 x 1,8 mm, 2 mm (2)	Pistons amortisseurs 13 mm, 2 x 1,8 mm, 2 mm (2)	Pistone amm. 13 mm, 2x1,8 mm, 2 mm (2)
TLR-1145	13mm Shock Piston, 2 x 2.0mm, 2mm (2)	13Mm Stoßdämpferkolben, 2 x 2,0 mm, 2 mm (2)	Pistons amortisseurs 13 mm, 2 x 2,0 mm, 2 mm (2)	Pistone amm. 13 mm, 2x2,0 mm, 2 mm (2)
TLR-1147	Slipper Shaft, Steel: 22X	Gleiterwelle, Stahl: 22X	Arbre de sabot, acier : 22X	Albero antisaltellamento, Acciaio: 22X
TLR-1148	Camber Mount, Caster Block, A: 22X	Sturzhalterung, Radblock, A: 22X	Support de carrossage, bloc de rondelle, A : 22X	Supporto camber, Blocco caster, A: 22X
TLR-1149	Shock Bushing, Upper (2): 22X	Stoßdämpferbuchse, oben (2): 22X	Bagues d'amortisseurs, supérieures (2) : 22X	Boccola amm., Superiore (2): 22X
TLR-1150	D Pivot Block, Aluminum: 22X	D-Zapfenlager, Aluminium, schwarz: 22X	Bloc pivot D, aluminium, noir : 22X	Blocco girevole D, alluminio, nero: 22X
TLR-1151	Ball Stud, 5.8mm x 12mm (4): 22X	Kugelpopf mit Gewinde 5.8 x 12mm (4): 22X	Rotules à visser 5,8 x 12mm (4): 22X	Perno sferico, 5.8 x 12mm (4): 22X
TLR-1153	Outdrive Set, Gear Diff (2): 22X	Abtrieb Differential: 22X	22X - Noix de sortie, pignon de différentiel	Trascinatori, ingran. differenziale (4): 22X
TLR-1154	Flathead Screw, M2 x 4mm (10)	Flachkopfschrauben, M2 x 4mm (10)	Vis à tête fraisée M2 x 4mm (10)	Vite a testa piatta, M2 x 4mm (10)

REPLACEMENT PARTS • ERSATZTEILE • PIÈCES DE RECHANGE • PEZZI DI RICAMBIO

Part #	English	Deutsch	Français	Italiano
TLR-1155	13mm Shock Piston, 2 x 1.9mm, 2mm (2)	13Mm Stoßdämpferkolben, 2 x 1,9mm, 2mm (2)	Pistons amortisseurs 13 mm, 2 x 1,9 mm, 2 mm (2)	Pistone amm. 13 mm, 2x1,9 mm, 2 mm (2)
TLR-1157	Slipper Plates: 22X	Gleiterplatten: 22X	Plaques de sabot : 22X	Piastra antisaltellamento: 22X
TLR-1160	Hinge Pin Set: 22X	Scharnierbolzen Satz: 22X	Ensemble de goupilles de charnière : 22X	Set perno articolazione: 22X
TLR-1165	C Pivot Block, Aluminum: 22X	C-Zapfenlager, Aluminium: 22X	Bloc pivot C, aluminium : 22X	Blocco pivot C, Alluminio: 22X
TLR-1166	13mm Shock Body, 36.5mm, G3, 3mm (1)	13 mm Stoßdämpfergehäuse, 36,5 mm, G3 3 mm (1)	Corps d'amortisseur 13 mm, 36,5 mm, G3, 3 mm (1)	Corpo amm. 13 mm, 36,5 mm, G3 3 mm (1)
TLR-1170	13mm Shock Piston, 2 x 1.7mm, 2mm (2)	13Mm Stoßdämpferkolben, 2 x 1,7mm, 2mm (2)	Pistons amortisseurs 13 mm, 2 x 1,7 mm, 2 mm (2)	Pistone amm. 13 mm, 2x1,7 mm, 2 mm (2)
TLR-1171	Shock Seal Bushings, Machined, Split, G3 3mm (4)	Stoßdämpferbuchsen, gefräst, G3 3 mm (4)	Bagues de joints d'amortisseurs, partagées, G3, 3 mm (4)	Boccole tenuta amm., Lavorate, Sdoppiate, G3 3 mm (4)
TLR-1174	13mm Shock Body, 42.0mm, G3, 3mm (1)	13 mm Stoßdämpfergehäuse, 42,0 mm, G3 3 mm (1)	Corps d'amortisseur 13 mm, 42,0 mm, G3, 3 mm (1)	Corpo amm. 13 mm, 42,0 mm, G3 3 mm (1)
TLR-1178	Camber Mount, Caster Block, B: 22X	Sturzhalterung, Radblock, B: 22X	Support de carrossage, bloc de rondelle, B : 22X	Supporto camber, Blocco caster, B: 22X
TLR-1179	Shock Standoff, Arm (2): 22X	Stoßdämpfer-Standoff, Arm (2): 22X	Dispositifs d'espacement d'amortisseur, bras (2) : 22X	Distanziale amm., Braccio (2): 22X
TLR-1180	Ball Stud, 5.8mm x 8mm (4): 22X	Kugelpfopf mit Gewinde 5.8 x 8mm (4): 22X	Rotules à visser 5,8 x 8mm (4): 22X	Perno sferico, 5.8 x 8mm (4): 22X
TLR-1188	Rear Springs, Yellow, 2.10lb, 13mm (2)	Gelbe Heckfedern, 2,10lb, 13mm (2)	Ressorts arrière, jaunes, 2,10 lb, 13 mm (2)	Molle posteriori, Giallo, 2.10 lb, 13 mm (2)
TLR-1189	Rear Springs, Orange, 1.98lb, 13mm (2)	Orange Heckfedern, 1,98lb, 13mm (2)	Ressorts arrière, orange, 1,98 lb, 13 mm (2)	Molle posteriori, Arancione, 1.98 lb, 13 mm (2)
TLR-1190	Rear Springs, Green, 2.22lb, 13mm (2)	Grüne Heckfedern, 2,22lb, 13mm (2)	Ressorts arrière, verts, 2,22 lb, 13 mm (2)	Molle posteriori, Verde, 2.22 lb, 13 mm (2)
TLR-1191	Rear Springs, Blue, 2.37lb, 13mm (2)	Blaue Heckfedern, 2,37lb, 13mm (2)	Ressorts arrière, bleus, 2,37 lb, 13 mm (2)	Molle posteriori, Blu, 2.37 lb, 13 mm (2)
TLR-1193	Front Sway Bar Set, Odds: 22X	Heck-Schwingensatz, Ungerade: 22X	Ensemble de barres stabilisatrices avant, Odds : 22X	Set barra antirollio anteriore, Pari: 22X
TLR-1194	Front Sway Bar Set, Evens: 22X	Heck-Schwingensatz, Gerade: 22X	Ensemble de barres stabilisatrices avant, Evens : 22X	Set barra antirollio anteriore, Dispari: 22X
TLR-1199	Front Springs, Red, 3.56lb, 13mm (2)	Rote Frontfedern, 3,56lb, 13mm (2)	Ressorts avant, rouges, 3,56 lb, 13 mm (2)	Molle anteriori, Rosso, 3.56 lb, 13 mm (2)
TLR-1200	Front Springs, Brown, 3.39lb, 13mm (2)	Braune Frontfedern, 3,39lb, 13mm (2)	Ressorts avant, marron, 3,39 lb, 13 mm (2)	Molle anteriori, Marrone, 3.39 lb, 13 mm (2)
TLR-1202	Rear Springs, Red, 1.87lb, 13mm (2)	Rote Heckfedern, 1,87lb, 13mm (2)	Ressorts arrière, rouges, 1,87 lb, 13 mm (2)	Molle posteriori, Rosso, 1.87 lb, 13 mm (2)
TLR-1203	Front Springs, Purple, 4.75lb, 13mm (2)	Violette Frontfedern, 4,75lb, 13mm (2)	Ressorts avant, violets, 4,75 lb, 13 mm (2)	Molle anteriori, Viola, 4.75 lb, 13 mm (2)
TLR-1204	Front Springs, Yellow, 3.95lb, 13mm (2)	Gelbe Frontfedern, 3,95lb, 13mm (2)	Ressorts avant, jaunes, 3,95 lb, 13 mm (2)	Molle anteriori, Giallo, 3.95 lb, 13 mm (2)
TLR-1205	Front Springs, Orange, 3.75lb, 13mm (2)	Orange Frontfedern, 3,75lb, 13mm (2)	Ressorts avant, orange, 3,75 lb, 13 mm (2)	Molle anteriori, Arancione, 3.75 lb, 13 mm (2)
TLR-1206	Front Springs, Blue, 4.45lb, 13mm (2)	Blaue Frontfedern, 4,45lb, 13mm (2)	Ressorts avant, bleus, 4,45 lb, 13 mm (2)	Molle anteriori, Blu, 4.45 lb, 13 mm (2)
TLR-1207	Front Springs, Green, 4.19lb, 13mm (2)	Grüne Frontfedern, 4,19lb, 13mm (2)	Ressorts avant, verts, 4,19 lb, 13 mm (2)	Molle anteriori, Verde, 4.19 lb, 13 mm (2)
TLR-1208	Rear Springs, Purple, 2.54lb, 13mm (2)	Violette Heckfedern, 2,54lb, 13mm (2)	Ressorts arrière, violets, 2,54 lb, 13 mm (2)	Molle posteriori, Viola, 2.54 lb, 13 mm (2)
TLR-1209	Button Head Screw, M3 x 22mm (10)	Rundkopfschrauben, M3 x 22mm (10)	Vis à tête bombée, M3 x 22mm (10)	Viti a testa tonda, M3 x 22mm (10)
TLR-1211	Rear Sway Bar Set, Odds: 22X	Heck Schwingen-Satz, Ungerade: 22X	Ensemble de barres stabilisatrices arrière, Odds : 22X	Set barra antirollio posteriore, Dispari: 22X
TLR-1212	Rear Sway Bar Set, Evens: 22X	Heck Schwingen-Satz, Gerade: 22X	Ensemble de barres stabilisatrices arrière, Evens : 22X	Set barra antirollio posteriore, Pari: 22X
TLR-1235	Front Arm Set, Stiffezel: 22X-T	Vorderarmsatz, Stiffezel: 22X-T	Bras avant, Stiffezel : 22X-T	Set braccio anteriore Stiffezel: 22X-T
TLR-1236	Side Guard Set, Stiffezel: 22X-T	Seitenschutzset, Stiffezel: 22X-T	Ensemble protections latérales, Stiffezel : 22X-T	Set protezioni laterali, Stiffezel: 22X-T

REPLACEMENT PARTS • ERSATZTEILE • PIÈCES DE RECHANGE • PEZZI DI RICAMBIO

Part #	English	Deutsch	Français	Italiano
TLR-1237	Rear Arm Set: 22X-T	Querlenker hinten Set: 22X-T	22X-T - Triangles arrière	Set bracci posteriori: 22X-T
TLR-1238	Front Arm Set: 22X-T	Querlenker vorne Set: 22X-T	22X-T - Triangles avant	Set bracci anteriori: 22X-T
TLR-1239	Side Guard Set, Standard: 22X-T	Seitenschutzset, Standard: 22X-T	Ensemble protections latérales, standard : 22X-T	Set protezioni laterali, Standard: 22X-T
TLR-1240	Side Guard Set, Soft: 22X-T	Seitenschutzset, weich: 22X-T	Ensemble protections latérales, doux : 22X-T	Set protezioni laterali, Morbide: 22X-T
TLR-1241	Chassis, Standard: 22X-T	Fahrwerk, STD: 22X-T	Châssis, standard : 22X-T	Telaio, STD: 22X-T
TLR-1242	Rear Tower, Carbon, -2: 22X-T	Heckstoßdämpfer, Carbon -2: 22X-T	Tour arrière, carbone, -2 : 22X-T	Torre posteriore, Carbonio, -2: 22X-T
TLR-1243	Body Mount Set: 22X-T	Karosseriehalter: 22X-T	22X-T - Support de carrosserie	Set supporti carrozzeria: 22X-T
TLR-1244	Rear Arm Set, Stiffezel: 22X-T	Rück-Arm Set, Stiffezel: 22X-T	22X-T - Triangle arrière, Stiffezel	Set braccio posteriore Stiffezel: 22X-T
TLR-1245	Rear Tower, Carbon, -4: 22X-T	Heckstoßdämpfer, Carbon -4: 22X-T	Tour arrière, carbone, -4 : 22X-T	Torre posteriore, Carbonio, -4: 22X-T
TLR-1250	Front Axle, Steel: 22X-T	Vorderachse, Stahl : 22X-T	Essieux avant, acier : 22X-T	Assale anteriore, acciaio: 22X-T
TLR-1251	Sticker Sheet: 22X-T	Stickerbogen: 22X-T	Autocollants : 22X-T	Foglio di adesivi: 22X-T
TLR-1252	CVA Driveshaft Bones, X92mm: 22X-T (2)	CVA-Antriebsknochen, 92 mm (2): 22X-T	Os de l'arbre de transmission (92 mm) (2): 22X-T	Dogbone albero di trasmissione CVA, 92 mm (2): 22X-T
TLR-1253	HD Turnbuckle Kit: 22X-T	HD-Spannschrauben-Satz: 22X-T	Kit de ridoir, ultra-résistant : 22X-T	Kit tenditore HD: 22X-T
TLR230003	Hook and Loop Body Mounting, 10 x 20mm: (8)	Klettband 10 x20mm (8)	Bandes auto-agrippantes pour fixation de carrosserie, 10x20mm (8)	Attacco a strappo per montaggio carrozzeria, 10 x 20mm: (8)
TLR232074	69T Spur Gear, SHDS, 48P	Stirnrad 69T, SHDS, 48P	Engrenage cylindrique 69T, (SHDS, Sabot hautement résistant), 48P	Corona stampata 69T, SHDS, 48P
TLR232075	72T Spur Gear, SHDS, 48P	Stirnrad 72T, SHDS, 48P	Engrenage cylindrique 72T, (SHDS, Sabot hautement résistant), 48P	Corona stampata 72T, SHDS, 48P
TLR232076	75T Spur Gear, SHDS, 48P	Stirnrad 75T, SHDS, 48P	Engrenage cylindrique 75T, (SHDS, Sabot hautement résistant), 48P	Corona stampata 75T, SHDS, 48P
TLR232077	78T Spur Gear, SHDS, 48P	Stirnrad 78T, SHDS, 48P	Engrenage cylindrique 78T, (SHDS, Sabot hautement résistant), 48P	Corona stampata 78T, SHDS, 48P
TLR232078	81T Spur Gear, SHDS, 48P	Stirnrad 81T, SHDS, 48P	Engrenage cylindrique 81T, (SHDS, Sabot hautement résistant), 48P	Corona stampata 81T, SHDS, 48P
TLR232080	Slipper Pads, Max Drive, SHDS (2)	Gleitkissen, max. Antrieb, SHDS (2)	Sabots de pistons, entraînement max., SHDS, Sabot hautement résistant (2)	Tamponi pattini, trasmissione max, SHDS (2)
TLR232086	Diff Screw, Nut & Spring: 22	Diff. Schraube, Mutter & Feder: 22	Vis du différentiel, écrou et ressort : 22	Vite, dado e molla diff.: 22
TLR232087	Tungsten Carbide Thrust Balls & Washers: 22	Schubkugeln & Unterlegscheiben, Wolframkarbid: 22	Billes et rondelles Thrust en carbure de tungstène : 22	Sfere di spinta e rondelle in carburo di tungsteno: 22
TLR232108	Rear CVA Axle (2): 22X-4	CVA-Hinterachse (2): 22X-4	Axe CVA arrière (2) : 22X-4	Assale CVA posteriore (2): 22X-4
TLR232112	Wheel Hex, 12mm x 4.5mm (2)	Sechskanrad, 12 mm x 4,5 mm (2)	Hexagones de roues, 12 mm x 4,5 mm (2)	Esagoni ruote, 12 mm x 4,5 mm (2)
TLR232129	Diff Gear & Cross Pin Set, Metal: 22X-4	Differentialgetriebe und Querstiftesatz, Metall: 22X-4	Engrenage différentiel et ensemble de tige transversale, métal : 22X-4	Ingr. diff. e perno a croce, metallo: 22X-4
TLR233043	Shock Hardware, G3 (4)	Stoßdämpfer-Hardware, G3 (4)	Matériel d'amortisseur, G3 (4)	Bulloneria ammortizzatore, G3 (4)
TLR233060	Seal Set, X-Rings, G3 3mm V2 (4 shocks)	Dichtungssatz, X-Ringe, G3 V2 (4 Stoßdämpfer)	Ensemble de joints, toriques, G3 V2 (4 amortisseurs)	Set tenute, anelli a X, G3 V2 (4 ammortizzatori)
TLR234105	Front Camber Block Inserts: 22 5.0	Vordere Radsturzblock-Einsätze: 22 5,0	Inserts de cale de carrossage avant, Stiffezel : 22 5.0	Inserti blocco camberaggio anteriore: 22 5.0
TLR234117	Spindle Bushing Set, Aluminum (8): 22X-4	Spindelwellensatz, Aluminium (8): 22X-4	Ensemble de bague d'arbre, aluminium (8) : 22X-4	Kit boccole fusello, alluminio (8): 22X-4
TLR234121	VHA Hub Body, Composite (2): 22X-4	VHA Nabenkörper, Verbundstoff (2): 22X-4	Corps de moyeu VHA, composite (2) : 22X-4	Corpo mozzo VHA, composito (2): 22X-4
TLR234132	Insert Set, Adjustable Pivot, V2: 22	Einsatz-Set, anpassbarer Drehpunkt, V2: 22	Ensemble d'inserts, pivot ajustable, V2 : 22	Set inserti, Pivot regolabile, V2: 22

REPLACEMENT PARTS • ERSATZTEILE • PIÈCES DE RECHANGE • PEZZI DI RICAMBIO

Part #	English	Deutsch	Français	Italiano
TLR235007	Flat Head Screws, M2.5 x 10mm (10)	Flachkopfschrauben, M2,5 x 10 mm (10)	Vis à tête plate M2,5 x 10 mm (10)	Viti testa piana, M2.5x10 mm (10)
TLR235010	Screw, G3 Shock Cup (8)	Schraube, G3 Stoßdämpfer-Teller (8)	Vis, coupelle d'amortisseur G3 (8)	Vite, coppa ammortizzatore G3 (8)
TLR236006	10 x 14mm Shims, 0.1 & 0.2mm (5ea.)	Distanzscheiben 10x14 mm, 0,1 und 0,2 mm (je 5)	Set de cales 10x14mm, 0.1 et 0.2mm (5 pce)	Spessori 10x14 mm, 0,1 e 0,2 mm (5 cad.)
TLR237000	5x8x2.5mm Bearings (2)	5 x 8 x 2.5mm Lager (2)	Roulements 5 x 8 x 2.5mm (2)	5 x 8 x 2.5mm cuscinetti (2)
TLR245012	Button Head Screws, M2.5x4mm (10)	Rundkopfschrauben, M2,5 x 4mm (10)	Vis à tête bombée, M2,5 x 4mm (10)	Viti a testa tonda, M2,5 x 4mm (10)
TLR245016	M3 Flanged Lock Nuts (10)	M3 Sicherungsmuttern mit Flansch (10)	Contre-écrous à collet M3 (10)	Dadi autobloccanti flangiati M3 (10)
TLR2951	Tungsten Carbide Diff Balls, 3/32 (14) 22/22T	Tungsten Carbide Kugel 3/32 (14)	Bille de différentiel en carbure de tungstène, 3/32 (14)	Sfere diff. al carburo di tungsteno, 3/32 (14)
TLR2952	Silicone Diff Grease, 8cc: 22	Differentialfett/8cc	Graisse silicone pour diff, 8cc	Grasso silicone diff., 8cc: 22
TLR2954	Drive Rings (2): 22	Gleitringe Diff	Plateau de différentiel (2)	Anelli trasmissione (2)
TLR2955	Outdrive Set: 22	Antriebsklauen Set	Noix de sortie de diff	Set trascinatore
TLR331033	Clamping Servo Horn, Aluminum, 25T: 22 5.0	Klemm-Servohorn, Aluminium, 25T: 22 5.0	Renvoi de commande du servo de serrage, aluminium, 25T : 22 5.0	Squadretta servo di bloccaggio, alluminio, 25T: 22 5.0
TLR334074	VHA Camber Link Mount, Black: 22 5.0	VHA Nabensatz, Verbundstoff: 22 5.0	Ensemble de moyeux VHA, composite : 22 5.0	Set mozzo VHA, composito: 22 5.0
TLR334076	VHA Hinge Pin Insert Set: 22 5.0	VHA-Scharnierstifteinsatz-Satz: 22 5.0	Ensemble d'inserts de goupilles de charnière VHA : 22 5.0	Kit inserti perno di articolazione VHA: 22 5.0
TLR336000	4mm Aluminum Serrated Lock Nuts, Black (6)	4mm Aluminium Stopmutter mit Flansch Schwarz 6St.	Ecrou auto-freiné épaulé M4, aluminium, noir (6)	Dado autobloccante seghettato 4mm, nero (6)
TLR336007	M3 x 6.5mm Aluminum Washer Set, Black (4ea)	M3 Radblock, Unterlegscheiben-Satz, Aluminium, schwarz (je 4)	Ensemble de rondelles en aluminium pour bloc de roulettes M3, noir (4ea)	Set rondella alluminio blocco ghisa M3, nero (4ea)
TLR5901	Button Head Screws, M3 x 6mm (10)	Rundkopfschraube, M3 x 6mm (10)	Vis à tête bombée M3 x 6mm (10)	Viti testa tonda, M3 x 6mm (10)
TLR5902	Button Head Screws, M3 x 8mm (10)	Rundkopfschraube, M3 x 8mm (10)	Vis à tête bombée M3 x 8mm (10)	Viti testa tonda, M3 x 8mm (10)
TLR5903	Button Head Screws, M3 x 10mm (10)	Rundkopfschraube, M3 x 10mm (10)	Vis à tête bombée M3 x 10mm (10)	Viti testa tonda, M3 x 10mm (10)
TLR5904	Button Head Screws, M3 x 12mm (10)	Rundkopfschraube, M3 x 12mm (10)	Vis à tête bombée M3 x 12mm (10)	Viti testa tonda, M3 x 12mm (10)
TLR5909	Button Head Screws, M3 x 16mm (10)	TLR Rundkopfschraube, M3 x 16mm (10)	Vis à tête bombée M3 x 16mm (10)	Viti testa tonda, M3 x 16mm (10)
TLR5910	Button Head Screws, M3 x 14mm (10)	Rundkopfschrauben M3 x 14mm (10)	Vis à tête bombée M3x14mm (10)	Viti a testa tonda, M3 x 14mm (10)
TLR5961	Flathead Screws, M3 x 8mm (10)	Flachkopfschrauben, M3 x 8mm (10)	Vis à tête fraisée M3 x 8mm (10)	Vite a testa piatta, M3 x 8mm (10)
TLR5962	Flathead Screws, M3 x 10mm (10)	Flachkopfschrauben, M3 x 10mm (10)	Vis à tête fraisée M3 x 10mm (10)	Vite a testa piatta, M3 x 10mm (10)
TLR5963	Flathead Screw, M3 x 12mm (10)	Flachkopfschrauben, M3 x 12mm (10)	Vis à tête fraisée M3 x 12mm (10)	Vite a testa piatta, M3 x 12mm (10)
TLR5964	Flathead Screw, M3 x 16mm (10)	Flachkopfschrauben, M3 x 16mm (10)	Vis à tête fraisée M3 x 16mm (10)	Vite a testa piatta, M3 x 16mm (10)
TLR5965	Flathead Screw, M3 x 20mm (10)	Flachkopfschrauben, M3 x 20mm (10)	Vis à tête fraisée M3 x 20mm (10)	Vite a testa piatta, M3 x 20mm (10)
TLR6289	Set Screw, M3 x 5mm (10)	Schraubenset, M3 x 5mm (10)	Vis sans tête, M3 x 5mm (10)	Grano, M3 x 5mm (10)
TLR6313	Locknut, M3 x .5 x 5.5mm (10)	TLR Mutter selbstsichernd M3 x .5 x 5.5mm (10)	Ecrou M3 x 0,5 x 5,5mm (10)	Dado autobloccante, M3 x .5 x 5.5mm (10)
TLR6352	Washers, M3 (10)	U-Scheibe, M3 (10)	Rondelles M3 (10)	Rodelle, M3 (10)
TLR72003	Shock Tools, Composite: All 22	Stoßdämpferwerkzeuge, Komposit: Alle 22	Outils pour amortis-seurs, composite: Tout 22	Attrezzi ammortizzatori, composito: Tutte le 22
TLR77000	High-Pressure Black Grease, 8cc	High-Pressure Fett Schwarz/8cc	Graisse noire haute pression, 8cc	Grasso nero alta pressione, 8cc

OPTIONAL PARTS • OPTIONALE TEILE • PIÈCES OPTIONNELLES • PARTI OPZIONALI

Part #	English	Deutsch	Français	Italiano
PRO284602	Velocity F/R 2.2" 12mm Stadium Truck Wheels (4) Yellow for TLR 22X-T & AE T6.2	Velocity 2.2 Stadium Truck-Räder vorne/hinten, Gelb (4) 12 mm für TLR 22X-T & AE T6.2	Roues Stadium Truck avant/arrière Velocity 2.2, jaune (4) 12mm pour TLR 22X-T & AE T6.2	Ruote anteriori/posteriori Stadium Truck Velocity 2.2, giallo (4) 12 mm per TLR 22X-T & AE T6.2
PRO358100	Axis ST Clear Body for TLR 22T 4.0 & AE T6.2	Axis ST transparentes Karosserie für TLR 22T 4.0 & AE T6.2	Carrosserie transparente Axis ST pour TLR 22T 4.0 & AE T6.2	Carrozzeria trasparente Axis ST per TLR 22T 4.0 & AE T6.2
PRO366800	Sector ST Clear Body: TLR 22T 4.0 & AE T6.2	Sector ST transparentes Karosserie: TLR 22T 4.0 & AE T6.2	Carrosserie transparente Sector ST : TLR 22T 4.0 & AE T6.2	Carrozzeria trasparente: TLR 22T 4.0 & AE T6.2
REV1115	Revtech X-Factor 5.5T Modified Motor	Revtech X-Factor 5.5T Veränderter Motor	Moteur modifié Revtech X-Factor 5.5T	Motore Revtech X-Factor 5.5T Modificato
REV1116	Revtech X-Factor 6.0T Modified Motor	Revtech X-Factor 6.0T Veränderter Motor	Moteur modifié Revtech X-Factor 6.0T	Motore Revtech X-Factor 6.0T Modificato
REV1117	Revtech X-Factor 6.5T Modified Motor	Revtech X-Factor 6.5T Veränderter Motor	Moteur modifié Revtech X-Factor 6.5T	Motore Revtech X-Factor 6.5T Modificato
REV1118	Revtech X-Factor 7.0T Modified Motor	Revtech X-Factor 7.0T Veränderter Motor	Moteur modifié Revtech X-Factor 7.0T	Motore Revtech X-Factor 7.0T Modificato
REV1119	Revtech X-Factor 7.5T Modified Motor	Revtech X-Factor 7.5T Veränderter Motor	Moteur modifié Revtech X-Factor 7.5T	Motore Revtech X-Factor 7.5T Modificato
SPMXC2010	Smart S2200 G2 AC Charger, 2x200W	Smart S2200 G2 Wechselstrom-Ladegerät, 2x200 W	Chargeur c.a. G2 S2200 Smart, 2x200 W	Caricabatterie Smart S2200 G2 CA, 2x200 W
SPMXC2020	Smart S1200 G2 AC Charger; 1x200W	Smart S1200 G2 Wechselstrom-Ladegerät; 1x200W	Chargeur Smart CA S1200 G2, 1 x 200 W	Caricabatterie Smart S1200 G2 CA, 1x200 W
SPMXCA316	Adapter: IC3 Battery / 5mm Bullet 2' Smart 2S	Adapter: IC3 Akku / 5mm Bullet 2' Smart 2S	Adaptateur : batterie IC3 / Bullet 5 mm avec fils de 2', Smart 2S	Adattatore: IC3 Batteria / 5 mm cilindrico 2' Smart 2S
TEP0013	MX10 Gen 2 200 Amp ESC	MX10 Gen 2 200 Amp ESC	Variateur ESC 200 A MX10 Gen 2	MX10 Gen 2 200 A ESC
TEP3084	Aluminum 30x30mm Purple Fan	Aluminium 30x30mm violett Lüfter	Soufflante violette 30 x 30 mm aluminium	Ventola 30x30 mm viola alluminio
TLR-1101	Battery Mount Set, Carbon: 22X	Akkualterungssatz, Carbon: 22X	Ensemble support de batterie, carbone : 22X	Set supporto batteria, Carbonio: 22X
TLR-1103	Motor Plate, Carbon: 22X	Motorplatte, Carbon: 22X	Plaque moteur, carbone : 22X	Piastra motore, Carbonio: 22X
TLR-1121	Gear Differential Cover, Aluminum: 22X	Getriebe-Differentialabdeckung, Aluminium: 22X	Cache de différentiel à engrenages, aluminium : 22X	Carter differenziale, Alluminio: 22X
TLR-1123	Slipper Adjustment Tool, 5.5mm: 22X	Gleiter-Einstellwerkzeug, 5,5mm: 22X	Outil d'ajustement de sabot, 5,5 mm : 22X	Strumento regolazione antisaltellamento, 5,5 mm: 22X
TLR-1130	Ball Stud, 5.8mm x 12mm, Titanium (2): 22X	Kugelzapfen, 5,8 x 12 mm, Titan (2): 22X	Piton à rotule, 5,8 x 12 mm, titane (2): 22X	Viti a sfera, 5,8 x 12 mm, titanio (2): 22X
TLR-1133	Pivot, Brass: 22X	Zapfenlager, Messing: 22X	Pivot, laiton : 22X	Pivot, Ottone: 22X
TLR-1136	Steering Arm Spacer (4): 22X	Lenkarm-Abstandhalter (4): 22X	Entretoises de bras de direction (4) : 22X	Distanziale braccio di sterzo (4): 22X
TLR-1146	13mm Kashima Shock Body, 36.5mm, G3, 3mm (1)	13mm Kashima Stoßdämpfergehäuse, 36,5 mm, G3, 3 mm (1)	Corps d'amortisseur Kashima 13 mm, 36,5 mm, G3, 3 mm (1)	Corpo amm. Kashima 13 mm, 36,5 mm, G3, 3 mm (1)
TLR-1158	C Pivot Block, Brass: 22X	C Zapfenlager, Messing: 22X	Bloc pivot C, laiton : 22X	Blocco pivot C, Ottone: 22X
TLR-1159	Ball Stud, 5.8mm x 6mm, Titanium (2): 22X	Kugelzapfen, 5,8 x 6 mm, Titan (2): 22X	Piton à rotule, 5,8 x 6 mm, titane (2): 22X	Viti a sfera, 5,8 x 6 mm, titanio (2): 22X
TLR-1161	Wheel Hex 12mm x 8.0mm (2)	Sechskanrad, 12 mm x 8,0 mm (2)	Hexagones de roues, 12 mm x 8,0 mm (2)	Esagoni ruote, 12 mm x 8,0 mm (2)
TLR-1162	Slipper Eliminator Plates: 22X	Gleiter-Eliminatorplatten: 22X	Plaques de sabots éliminateurs : 22X	Piastre eliminazione slittamento: 22X
TLR-1167	Electronics Tray, Aluminum: 22X	Halterung für Elektronik, Aluminium: 22X	Plateau électronique, aluminium : 22X	Vassoio elettronica, Alluminio: 22X
TLR-1168	Bellcranks, Connecting Link, Aluminum: 22X	Umlenkhebel, Verbindungsstück, Aluminium: 22X	Leviers coudés, tringlerie de connexion, aluminium : 22X	Leve a squadra, Anello di congiunzione, Alluminio: 22X
TLR-1169	Wheel Hex 12mm x 7.0mm (2)	Sechskanrad, 12 mm x 7,0 mm (2)	Hexagones de roues, 12 mm x 7,0 mm (2)	Esagoni ruote, 12 mm x 7,0 mm (2)

OPTIONAL PARTS • OPTIONALE TEILE • PIÈCES OPTIONNELLES • PARTI OPZIONALI

Part #	English	Deutsch	Français	Italiano
TLR-1172	Ball Stud, 5.8mm x 8mm, Titanium (2): 22X	Kugelzapfen, 5,8 x 8 mm, Titan (2): 22X	Piton à rotule, 5,8 x 8 mm, titane (2): 22X	Viti a sfera, 5,8 x 8 mm, titanio (2): 22X
TLR-1175	Slipper Shaft, Titanium: 22X	Gleiterwelle, Titan: 22X	Arbre de sabot, titane : 22X	Albero antisaltellamento, Titanio: 22X
TLR-1176	13mm Kashima Shock Body, 42.0mm, G3, 3mm (1)	13mm Kashima Stoßdämpfergehäuse, 42,0 mm, G3, 3 mm (1)	Corps d'amortisseur Kashima 13 mm, 42,0 mm, G3, 3 mm (1)	Corpo amm. Kashima 13 mm, 42,0 mm, G3, 3 mm (1)
TLR-1177	Shock Standoff, Arm, Titanium (2): 22X	Stoßdämpfer-Standoff, Arm, Titan (2): 22X	Dispositifs d'espacement d'amortisseur, bras, titane (2) : 22X	Distanziale amm., Braccio, Titanio (2): 22X
TLR-1181	Pivot, Aluminum: 22X	Drehgelenk, Aluminium: 22X	Pivot, aluminium : 22X	Pivot, Alluminio: 22X
TLR-1182	Brass Pivot Weight: 22X	Gewicht Drehgelenk Messing: 22X	Poids de pivot, laiton : 22X	Peso pivot ottone: 22X
TLR-1183	Idler Gear, Aluminum (1): 22X	Zwischenrad mit Steckachse (1): 22X	Pignon intermédiaire en aluminium (1): 22X	Ingranaggio intermedio, alluminio (1): 22X
TLR-1184	Spindle, Wide, 6 Deg Incline, Aluminum: 22X	Spindel, breit, 6 Grad Steigung, Aluminium: 22X	Axe, large, inclinaison 6 degrés, aluminium : 22X	Fusello, Largo, Inclinazione 6°, Alluminio: 22X
TLR-1185	Spindle, Wide, 4 Deg Incline, Aluminum: 22X	Spindel, breit, 4 Grad Steigung, Aluminium: 22X	Axe, large, inclinaison 4 degrés, aluminium : 22X	Fusello, Largo, Inclinazione 4°, Alluminio: 22X
TLR-1186	Spindle, Narrow, 6 Deg Incline, Aluminum: 22X	Spindel, schmal, 6 Grad Steigung, Aluminium: 22X	Axe, étroit, inclinaison 6 degrés, aluminium : 22X	Fusello, Stretto, Inclinazione 6°, Alluminio: 22X
TLR-1187	Spindle Bushing Set, Delrin (8): 22X	Spindelwellensatz, Delrin (8): 22X	Ensemble de bagues d'arbre, Delrin (8) : 22X	Set boccole fusello, Delrin (8): 22X
TLR-1195	Spindle, Wide, 8 Deg Incline, Aluminum: 22X	Spindel, breit, 8 Grad Steigung, Aluminium: 22X	Axe, large, inclinaison 8 degrés, aluminium : 22X	Fusello, Largo, Inclinazione 8°, Alluminio: 22X
TLR-1196	Spindle, Narrow, 4 Deg Incline, Aluminum: 22X	Spindel, schmal, 4 Grad Steigung, Aluminium: 22X	Axe, étroit, inclinaison 4 degrés, aluminium : 22X	Fusello, Stretto, Inclinazione 4°, Alluminio: 22X
TLR-1197	Spindle, Narrow, 2 Deg Incline, Aluminum: 22X	Spindel, schmal, 2 Grad Steigung, Aluminium: 22X	Axe, étroit, inclinaison 2 degrés, aluminium : 22X	Fusello, Stretto, Inclinazione 2°, Alluminio: 22X
TLR-1198	Spindle, Wide, 2 Deg Incline, Aluminum: 22X	Spindel, breit, 2 Grad Steigung, Aluminium: 22X	Axe, large, inclinaison 2 degrés, aluminium : 22X	Fusello, Largo, Inclinazione 2°, Alluminio: 22X
TLR-1201	Spindle, Narrow, 8 Deg Incline, Aluminum: 22X	Spindel, schmal, 8 Grad Steigung, Aluminium: 22X	Axe, étroit, inclinaison 8 degrés, aluminium : 22X	Fusello, Stretto, Inclinazione 8°, Alluminio: 22X
TLR-1210	Complete Gear Diff: 22X	Komplettes Getriebe Differential: 22X	Engrenage différentiel complet : 22X	Differenziale completo: 22X
TLR232111	Wheel Hex, 12mm x 4.0mm (2)	Sechskanrad, 12 mm x 4,0 mm (2)	Hexagones de roues, 12 mm x 4,0 mm (2)	Esagoni ruote, 12 mm x 4,0 mm (2)
TLR232113	Wheel Hex, 12mm x 5.0mm (2)	Sechskanrad, 12 mm x 4,0 mm (2)	Hexagones de roues, 12 mm x 4,0 mm (2)	Esagoni ruote, 12 mm x 4,0 mm (2)
TLR232114	Wheel Hex, 12mm x 5.5mm (2)	Sechskanrad, 12 mm x 4,0 mm (2)	Hexagones de roues, 12 mm x 4,0 mm (2)	Esagoni ruote, 12 mm x 4,0 mm (2)
TLR232115	Wheel Hex, 12mm x 6.0mm (2)	Sechskanrad, 12 mm x 4,0 mm (2)	Hexagones de roues, 12 mm x 4,0 mm (2)	Esagoni ruote, 12 mm x 4,0 mm (2)
TLR2950	Hex Differential Wrench, Aluminum: 22	Diff Einstellschlüssel, Aluminium: 22	22 - Clé hexagonale pour différentiel	Chiave esagonale differenziale, alluminio: 22
TLR331045	Brass Battery Weight Set, 19g, 26g, 37g	Messing-Akku Gewicht, Satz, 19 g, 26 g, 37 g	Ensemble de poids de la batterie en laiton, 19 g, 26 g, 37 g	Peso batteria ottone, 19, 26, 37 g
TLR332047	Direct Drive Spur Gear, 69T, 48P	Zahnradsatz Direktantrieb , 69T, 48P	Couronne entraînement direct, 69T, 48P	Corona Principale Diretta, 69T. 48P
TLR332048	Direct Drive Spur Gear, 72T, 48P	Zahnradsatz Direktantrieb , 72T, 48P	Couronne entraînement direct, 72T, 48P	Corona Principale Diretta, 72T. 48P
TLR332049	Direct Drive Spur Gear, 75T, 48P	Zahnradsatz Direktantrieb , 75T, 48P	Couronne entraînement direct, 75T, 48P	Corona Principale Diretta, 75T. 48P
TLR99102	Turnbuckle Wrench, 22,8B, 8T	Spannschraubenschlüssel, 22,8B, 8T	Clé de ridoir, 22,8B, 8T	Chiave per tenditore, 22,8B, 8T
TRI-1050	Slot Machine 2 13.5 SPEC Class Brushless Motor	Slot Machine 2 13.5 SPEZ Klasse bürstenloser Motor	Moteur sans balais catégorie de spéc. 13,5 Slot Machine 2	Motore Slot Machine 2 13.5 SPEC Class Brushless
TRI-1051	Slot Machine 2 13.5 Certified Brushless Motor	Slot Machine 2 13.5 Zertifizierter bürstenloser Motor	Moteur sans balais certifié 13,5 Slot Machine 2	Motore Slot Machine 2 13.5 Brushless Certificato
TRI-1055	Slot Machine 2 17.5 SPEC Class Brushless Motor	Slot Machine 2 17.5 SPEZ Klasse bürstenloser Motor	Moteur sans balais catégorie de spéc. 17,5 Slot Machine 2	Motore Slot Machine 2 17.5 SPEC Class Brushless

OPTIONAL PARTS • OPTIONALE TEILE • PIÈCES OPTIONNELLES • PARTI OPZIONALI

Part #	English	Deutsch	Français	Italiano
TRI-1056	Slot Machine 2 17.5 Certified Brushless Motor	Slot Machine 2 17.5 Zertifizierter bürstenloser Motor	Moteur sans balais certifié 17,5 Slot Machine 2	Motore Slot Machine 2 17.5 Brushless Certificato
TRI-1071	4500mah 2S 7.4V 130C Shorty Battery 5mm Bullets	4500mah 2S 7,4V 130C Shorty Akku 5mm Steckbuchsen	Batterie Shorty 130C 7,4 V 2S 4 500 mAh connecteurs cylindriques 5 mm	Batteria corta 4500 mAh 2S 7,4 V 130C 5 mm cilindrici
TRI-1072	5200mah 2S 7.6V 130C Shorty 5mm Bullet	5200mah 2S 7,6V 130C Shorty 5mm Steckbuchse	Shorty 130C 7,6 V 2S 5 200 mAh connecteur cylindrique 5 mm	Batteria corta 5200 mAh 2S 7,6 V 130C 5 mm cilindrico
TRI-1122	6400mah 2S 7.6V 130C Shorty 5mm Bullets	6400mah 2S 7,6V 130C Shorty 5mm Steckbuchsen	Shorty 130C 7,6 V 2S 6 400 mAh connecteurs cylindriques 5 mm	Batteria corta 6400 mAh 2S 7,6 V 130C 5 mm cilindrici
TRI-1123	4300mah 2S 7.4V 130C Shorty 5mm Bullets	4300mah 2S 7,4V 130C Shorty 5mm Steckbuchsen	Shorty 130C 7,4 V 2S 4 300 mAh connecteurs cylindriques 5 mm	Batteria corta 4300 mAh 2S 7,4 V 130C 5 mm cilindrici