



Nitro Slash (Model 44056-3) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Air Filters

- 5262 Air filter and pre-filter inserts, foam (high-volume) (3) (pre-oiled, assembled) (TRX 2.5, 2.5R, 3.3)
- 5268 Air filter body (high volume)/ filter support/ cap/ foam filter, pre-filter/ air filter base/ wire mount/ hardware (1 each)
- 5263 Oil, air filter

Bearings & Bushings

- 4607 Ball bearings (5x11x4mm) (8)
- 4609 Ball bearings (5x10x4mm) (2)**
- 4611 Ball bearings (5x11x4mm) (2)
- 4608 Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8)**
- 2728 Ball bearings (5x8x2.5mm) (2)**
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5114 Ball bearings, blue rubber sealed (5x8x2.5mm) (2)**
- 2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
- 1675 Bushings, self-lubricating (5x11x4mm) (14)**
- 1685 PTFE-coated washers (5x11x.5mm) (use with self-lubricating bushings)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool**
- 3935 Body clip (mounting clip), angled, 90-degrees (10)
- 3935A Body clip (mounting clip), angled, 90-degrees (black) (10)**
- 3934 Body clips, heavy duty (12)
- 1914R Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware
- 1815 Body washers (8)
- 4414X Body, Nitro Slash, #25 Mark Jenkins (painted, decals applied)
- 4418 Body, Nitro Slash, #47 Mike Jenkins (painted, decals applied)
- 2514 Decal sheet, racing sponsors**
- 9950 Official Team Traxxas® racing decal set (flag logo/ 6-color)**

Brake Components

- 4184 Brake brackets (inner & outer)
- 4464 Brake disc, composite/ brake adapter
- 4483 Brake lever
- 4484 Throttle & brake rods/ hardware (for slide carb)

Chassis & Attachments

- 2735 Bumper (front)
- 2735P Bumper (front) (pink)**
- 4429 Bumper (rear)/ battery box/ battery box cover/ switch cover/ body clip/ 3x15mm RM (2)/ 3x12mm CM (2)
- 4422 Chassis, lower (blue-anodized, T6 aluminum)
- 4423 Chassis, upper (composite)
- 4436 Cover, receiver
- 4460 Engine mount, 2 piece, aluminum (w/ screws) (N. Rustler®/Sport)
- 4428 EZ-Start mount/ clamp/ 2.6x10mm RST (4)
- 4435 Fuel tank box (holder) throttle servo mount
- 4434 Gearbox brace/ clutch guard**
- 4434A Gearbox brace/ clutch guard (gray)

Clutch & Related Parts

- 4609 Ball bearings (5x10x4mm) (2)**
- 4611 Ball bearings (5x11x4mm) (2)
- 2728 Ball bearings (5x8x2.5mm) (2)**
- 4118 Clutch bell, (18-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4609 - ball bearings, 5x10x4mm (2))**
- 4120 Clutch bell, (20-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4611-ball bearings, 5x11x4mm (2))
- 4122 Clutch bell, (22-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4611-ball bearings, 5x11x4mm (2))**
- 4146 Clutch shoes (2)/ spring (N. Rustler®/N. Sport®/N. Stampede®)
- 3281 Cone, split beveled
- 1633 E-clips/ C-rings
- 6542X Flywheel (large, knurled for use with starter boxes)**
- 5244 Flywheel nut (TRX® 2.5, 2.5R, 3.3)
- 6542 Flywheel with magnet (35mm)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

Differential Components

- 4181 Differential gear (45-tooth)/ side cover plate & screws
- 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
- 1647 Silicone grease

Driveline Components

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 1952X Carriers, stub axle (blue-anodized 6061-T6 aluminum) (rear) (2)**
- 1952T Carriers, stub axle (orange-anodized 6061-T6 aluminum) (rear) (2)**
- 1952 Carriers, stub axle (rear) (2)
- 1952A Carriers, stub axle (red-anodized 6061-T6 aluminum) (rear) (2)**
- 6828X Differential output yokes, heavy duty (2)/ screw pin (2)
- 6852A Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)**
- 6852X Driveshaft assembly, rear, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
- 6852R Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)**
- 6850X Half shafts, heavy duty (external splined (2)/ internal splined (2)/ metal u-joints (4)
- 2754 Stub axle pins (4)
- 6853X Stub axles, rear, heavy duty (2)/pins (2)

Engine Components

- 5238R Cooling head, PowerTune (machined aluminum, blue-anodized) (TRX® 3.3), head protector (1), 3x6mm CCS (5)
- 3980 Glow plug wrench (universal wrench)
- 3232X Glow plug, super-duty (long-medium)/gasket
- 5228 Head protector, cooling head (1)/3x6mm CCS (5) (TRX® 3.3)
- 5290 Piston/sleeve (matched set), wrist pin clips (2) (TRX® 3.3)
- 5211R Roller clutch/ 6x8x0.5 TW (1) (also called one-way bearing) (TRX 2.5, 2.5R, 3.3)
- 5277 Shaft, starter (TRX® 2.5, 2.5R, 3.3)
- 5170 Starter, recoil (complete with screws) (TRX 2.5, 2.5R, 3.3)**

Exhaust

- 3155 Cable ties, medium (black) (6)
- 4453 Exhaust pipe hanger, metal (N. Rustler®/4-Tec®) (side exhaust engines only)
- 5296 Fitting, inlet for pipe pressure (90-degree) (1)**
- 5287 Header, blue-anodized aluminum (for rear exhaust engines only) (TRX® 2.5, 2.5R, 3.3)
- 5246 Pipe coupler, molded (for use with pipes 5152 (T-Maxx®) & 4452R) (TRX® 2.5, 2.5R, 3.3)
- 5142 Screws, 3x15mm cap-head machine (hex drive) (with split and flat washers) (6)
- 4452R Tuned pipe, assembled (N. Rustler®, N. 4-Tec®, N. Sport style) (TRX® 2.5, 2.5R) (replaces 4452)
- 5485 Tuned pipe, Resonator, R.O.A.R. legal (dual-chamber, enhances mid to high-rpm power) (for Jato®, N. Rustler®, N. 4-Tec® with TRX® Racing Engines)**
- 5483 Tuned pipe, Resonator, R.O.A.R. legal (single-chamber, enhances low to mid-rpm power) (for Jato®, N. Rustler®, N. 4-Tec® with TRX® Racing Engines)**
- 5541X Tuned pipe, Resonator, R.O.A.R. legal, blue-anodized (aluminum, single chamber) (fits Jato®, N. Rustler®, N. 4-Tec®, with TRX® Racing Engines)**

EZ Start 2 & Related parts

- 4579 Connector, wiring harness (EZ-Start® and EZ-Start® 2)
- 5280 Control box (complete) (EZ-Start® 2)
- 5281 Control box battery cover w/ belt clip (EZ-Start® 2)
- 5273 Cush-drive elements (4) (EZ-Start® 2)
- 5270R EZ-Start® 2, complete system with controller, drive unit, wiring harness
- 5276 Gear set (complete) (EZ-Start® 2)
- 5148 Grease, white lithium
- 5275 Housing set (inner, outer)/ 3x12mmBCS (5)/ 3x20BCS (1)/ motor bushing (EZ-Start® 2)
- 4581 Lead wire, glow plug (blue) (EZ-Start® and EZ-Start® 2)
- 4581X Lead wire, glow plug (blue) (EZ-Start® and EZ-Start® 2)/ molex pin extractor (use where glow plug wire does not have bullet connector)**
- 5279 Motor/ pinion gear/ motor bushing (EZ-Start® 2)
- 5211R Roller clutch/ 6x8x0.5 TW (1) (also called one-way bearing) (TRX 2.5, 2.5R, 3.3)
- 5169 Screws, 2.6x8mm countersunk machine (6)
- 5282 Screws, 3x12mm button-head machine (6) (starter attachment screws with threadlock)
- 2578 Screws, 3x12mm button-head machine (hex drive) (6)
- 5277 Shaft, starter (TRX® 2.5, 2.5R, 3.3)

Front Suspension & Steering

3637	Axles (front) (2)
2728	Ball bearings (5x8x2.5mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
2530	Bulkhead (front) (black)
2530A	Bulkhead (front) (gray)
3632	Caster blocks (l&r) (30-degree)
3632A	Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
3632G	Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
3632T	Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
3632P	Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
3632X	Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
2742	Rod ends, long (6)/ hollow ball connectors (6)
5347	Rod ends, Rev o® (large) with hollow balls (12)
3193	Screws, 3x10mm washerhead machine (6)
3744	Servo saver w/adapters
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2070	Servo, digital high-torque (ball bearing)
2075	Servo, digital high-torque (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2055	Servo, high-torque
2056	Servo, high-torque, waterproof (blue case)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
4439	Shock tower (front)
3743	Steering bellcranks (l&r)/ draglink
3743A	Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743G	Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743X	Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3736	Steering blocks, left & right (2) (requires 5x11x4mm bearings)
3636A	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3636G	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3636T	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
3636P	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3636X	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
3631	Suspension arms (front) (2)
3631X	Suspension arms, black, front, heavy duty (2)
3631A	Suspension arms, blue, front, heavy duty (2)
3631G	Suspension arms, green, front, heavy duty (2)
3631T	Suspension arms, orange, front, heavy duty (2)
3631R	Suspension arms, red, front, heavy duty (2)
3631L	Suspension arms, white, front, heavy duty (2)
2640	Suspension pins, 44mm (2) w/ e-clips
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®)
2532	Tie bar, fiberglass
3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/ hollow balls (2) (See part 3741A for complete camber link set)
3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/ hollow balls (2)(See part 3741X for complete camber link set)
1935	Turnbuckles, 36mm (2)
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

3654	Wheel hubs, hex (tall offset, Rustler®/Stampede® front) (2)/ axle pins (2.5x10mm) (2)
------	---

Fuel Tank & Line

3147	Fuel line (1 foot)
3147X	Fuel line (610mm or 2ft)
4446	Fuel tank (150cc)/ rubber vibration cushion
4449	Fuel tank rebuild kit (contains cap, foam seal, screw, spring, and screw pin. Replaces old style with primer bulb.)
4445	Fuel tank vibration cushion, rubber
3149A	Heat shield tubing, fiberglass (2) (black)

Fuel, Lubricants & Supplies

5001	Bottle, fuel filler (500cc)
3232X	Glow plug, super-duty (long-medium)/gasket
5148	Grease, white lithium
5263	Oil, air filter
5001R	Rebuild kit, fuel filler bottle (includes bottle lid (1) and dispensing tube caps, rubber (2) (fits 8mm or 5/16" dispensing tube))
5070	Top Fuel®, 20% nitro (gallon)
5020	Top Fuel®, 20% nitro (quart)
5080	Top Fuel®, 33% nitro (gallon)
5030	Top Fuel®, 33% nitro (quart)

Hardware

3642	Attachment screws, shock (3x12mm shoulder screws) (6)
3935	Body clip (mounting clip), angled, 90-degrees (10)
3935A	Body clip (mounting clip), angled, 90-degrees (black) (10)
3934	Body clips, heavy duty (12)
2734	Cable ties (small) (10)
3155	Cable ties, medium (black) (6)
1633	E-clips/ C-rings
5477	Flat wrench, 5mm (blue-anodized aluminum)
5478	Flat wrench, 8mm (blue-anodized aluminum)
3980	Glow plug wrench (universal wrench)
5476X	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball
3185	Motor screws (3x8mm washerhead machine) (6)
5475	Multi-tool (plastic)
2745	Nuts, 3mm nylon locking (12)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747	Nuts, 4mm nylon locking (10)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
3982	PTFE-coated 6x8x0.5 (10)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
5525	Rod ends (12)/ hollow balls (12)
2742	Rod ends, long (6)/ hollow ball connectors (6)
3739	Screw pin set (Rustler®/ Bandit/ Stampede®)
2673	Screws, 2.6x10mm roundhead self-tapping (6)
5169	Screws, 2.6x8mm countersunk machine (6)
3159	Screws, 3x10mm cap-head machine (hex drive) (6)/ lock washers (6)/ hex wrench
3177	Screws, 3x10mm countersunk machine (6)
2675	Screws, 3x10mm roundhead self-tapping (6)
3193	Screws, 3x10mm washerhead machine (6)
5282	Screws, 3x12mm button-head machine (6) (starter attachment screws with threadlock)
3178	Screws, 3x12mm countersunk machine (6)
2561	Screws, 3x12mm roundhead machine (6)
3186	Screws, 3x12mm washerhead machine (6)
5142	Screws, 3x15mm cap-head machine (hex drive) (with split and flat washers) (6)
3179	Screws, 3x15mm countersunk machine (6)
2563	Screws, 3x15mm roundhead machine (6)
2565	Screws, 3x18mm roundhead machine (6)
2590	Screws, 3x20mm countersunk machine screws (6)
2566	Screws, 3x20mm roundhead machine (6)
2569	Screws, 3x25mm roundhead machine (6)
3964	Screws, 3x32mm cap-head machine (hex drive) (6)
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
2558	Screws, 3x6mm roundhead machine (6)
2682	Screws, 3x8mm roundhead self-tapping (6)
3290	Screws, 3x8mm washerhead self-tapping (6)
2535	Screws, 4x10mm countersunk machine (hex drive) (6)
2542	Screws, 4x12mm countersunk machine (hex drive) (6)
2568	Screws, 4x12mm roundhead machine (6)
3167	Screws, 4x15mm countersunk machine (6)
4897	Screws, set (grub) 4mm (6) (with threadlock)

Page 3 Nitro Slash: TRX 3.3, TQi Traxxas Link Enabled 2.4GHz Radio, & TSM (Model 44056-3) Parts List

2743	Set (grub) screws, 3mm hardened (12)
3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
2754	Stub axle pins (4)
2640	Suspension pins, 44mm (2) w/ e-clips
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®)
2746	Washers, 3x6mm metal (12)

Manuals

5299R	Engine Manual, TRX® 2.5, 2.5R, 3.3
4498	Owner's manual, Nitro Slash

Radio System, Batteries & Chargers

6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
3170X	Battery holder, 4-cell/ on-off switch
2914	Battery, Power Cell AA Alkaline (4)
2919	Battery, Series 1 Power Cell 1800mAh (NiMH, 6-C flat, 7.2V, Sub-C)
2977	Charger, DC, 2 amp (Molex) (5 - 6 cell, 6.0 - 7.2 volt, NiMH)
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)
2072A	Gear set (for 2070, 2075 servos)
6536	Mounts, RPM sensor (nitro engines)/ 3x10mm CS with split and flat washers (2)
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
6520	Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)
6521	Sensor, temperature and voltage (long)
2052	Servo case (for 2055 servo)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2053	Servo gears (for 2055, 2056 servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2070	Servo, digital high-torque (ball bearing)
2075	Servo, digital high-torque (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2055	Servo, high-torque
2056	Servo, high-torque, waterproof (blue case)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
6528	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only)
6529	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)
6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas Link™ Wireless Module

Ready-To-Race Model

44056-3	Nitro Slash: 1/10-Scale Nitro-Powered 2WD Short Course Racing Truck with TQi Traxxas Link™ Enabled 2.4GHz Radio System and Traxxas Stability Management (TSM)®
---------	--

Rear Suspension

2539	Aluminum spacers: 3x6x1.5mm (2)/ 3x6x2.5mm (1)/ 3x6x3.8mm (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
4192	Bulkhead (rear)
4192A	Bulkhead (rear) (gray)
1952X	Carriers, stub axle (blue-anodized 6061-T6 aluminum) (rear) (2)
1952T	Carriers, stub axle (orange-anodized 6061-T6 aluminum) (rear) (2)
1952	Carriers, stub axle (rear) (2)
1952A	Carriers, stub axle (red-anodized 6061-T6 aluminum) (rear) (2)
2798X	Mounts, suspension arm (blue-anodized 6061-T6 aluminum)(rear)(+/- 1-degree)(L&R)
2798	Mounts, suspension arm (rear) (+/- 1-degree) (l&r)
2798A	Mounts, suspension arm (rear) (+/- 1-degree) (l&r) (gray)
2797	Mounts, suspension arm (rear) (0-degree) (l&r)
1739	Screw pin set
4138X	Shock tower, rear
6853X	Stub axles, rear, heavy duty (2)/pins (2)
2555	Suspension arms, (rear) (2)
2555X	Suspension arms, black, rear, heavy duty (2)
2555A	Suspension arms, blue, rear, heavy duty (2)

2555G	Suspension arms, green, rear, heavy duty (2)
2555T	Suspension arms, orange, rear, heavy duty (2)
2555R	Suspension arms, red, rear, heavy duty (2)
2555L	Suspension arms, white, rear, heavy duty (2)
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
1934	Wedges, anti-squat (1.5 & 3.0 degree) (2 each)

Shock Oil

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
1667	Silicone shock oil (30 wt), 60cc
5038	Spinning carousel rack

Shocks (Pro-level Aluminum)

2664	Big Bore shock cylinder (long) (1)
2666	Big Bore shock cylinder (XX-long) (1)
2660	Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)
2662	Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
2362	Rebuild kit, Ultra shocks (for 2 shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
2667	Shock caps, aluminum (2)/ (Big Bore Shocks)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
1765	Silicone diaphragms (4)
2668	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)

Shocks (Ultra Shocks)

3642	Attachment screws, shock (3x12mm shoulder screws) (6)
5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
3765A	Body, Ultra Shock(s) (long) (gray) (2)
3766A	Body, Ultra Shock(s) (XXL) (gray) (2)
5462	Rebuild kit, GTR shock (x-rings, bump stops, bladders, all pistons, piston nuts, shock rod ends) renews 2 shocks
2362	Rebuild kit, Ultra shocks (for 2 shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
3767	Shock caps (2)/ shock bottoms (2)
3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
1765	Silicone diaphragms (4)
3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
4458	Springs (front) (2)
2458	Springs, front (black) (2)
2458P	Springs, front (pink) (2)
5857P	Springs, front (pink) (progressive rate) (2)
2458A	Springs, front (white) (2)
5857	Springs, front (white) (progressive rate) (2)
5860	Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)

Page 4 Nitro Slash: TRX 3.3, TQi Traxxas Link Enabled 2.4GHz Radio, & TSM (Model 44056-3) Parts List

3757	Springs, rear (black) (2)
4457	Springs, rear (black) (2)
3757P	Springs, rear (pink) (2)
5858P	Springs, rear (pink) (progressive rate) (2)
3757X	Springs, rear (white) (2)
4457A	Springs, rear (white) (2)
5858	Springs, rear (white) (progressive rate) (2)
5859	Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)
4957	Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
3760A	Ultra Shocks (gray) (long) (complete w/ spring pre-load spacers & springs) (2)
3762A	Ultra Shocks (gray) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

Slipper Clutch Components

4685	Friction pegs, slipper (12)
4625	Pressure plate, slipper (1)
4622	Pressure rings, slipper (notched) (2)
1994	Slipper tension spring/ spur gear bushing & locknut
4493	Top drive gear (16-tooth)/ slipper shaft

Spur Gears

4615	Slipper clutch set (complete)
4470	Spur gear (70-Tooth) (32-Pitch) w/bushing
4472	Spur gear (72-Tooth) (32-pitch) w/bushing

Steering Components

2728	Ball bearings (5x8x2.5mm) (2)
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
2072A	Gear set (for 2070, 2075 servos)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742	Rod ends, long (6)/ hollow ball connectors (6)
3744	Servo saver w/adapters
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2070	Servo, digital high-torque (ball bearing)
2075	Servo, digital high-torque (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2055	Servo, high-torque
2056	Servo, high-torque, waterproof (blue case)
3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
3743	Steering bellcranks (l&r) draglink
3743A	Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum) 5x8mm ball bearings (4)/ hardware (assembled)
3743G	Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum) 5x8mm ball bearings (4)/ hardware (assembled)
3743X	Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
1935	Turnbuckles, 36mm (2)
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)
2746	Washers, 3x6mm metal (12)

Suspension Linkage

3642	Attachment screws, shock (3x12mm shoulder screws) (6)
1633	E-clips/ C-rings
5525	Rod ends (12)/ hollow balls (12)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
3739	Screw pin set (Rustler®/ Bandit/ Stampede®)
3744	Servo saver w/adapters
1939	Suspension pin set, hard chrome (w/ E-clips)
2739	Suspension pin set, stainless steel (w/ E-clips)
2640	Suspension pins, 44mm (2) w/ e-clips
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®)
3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/ hollow balls (2) (See part 3741A for complete camber link set)

3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/ hollow balls (2) (See part 3741X for complete camber link set)
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

Team Traxxas Items

2514	Decal sheet, racing sponsors
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

Throttle & Brake Linkage

4483	Brake lever
3182	Collars, screw (2)/ set screws, 3mm (2)
3180	Rod guides (2)/ 3mm nylon locknuts (2)
4182	Servo horn, throttle-brake/ shift (1)
3184	Springs: throttle/brake/shift (3)
4484	Throttle & brake rods/ hardware (for slide carb)

Tires & Wheels

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
1647	Silicone grease
2754	Stub axle pins (4)
5864	Tire & wheel assy, glued (SCT black, orange beadlock wheels, SCT off-road racing tires, foam inserts) (2) (2WD front)
5885A	Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD Front)
5883A	Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)
5880X	Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
5880	Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
5882	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)
6873X	Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, BFG Mud-Terrain tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
5882R	Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)
6874R	Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
5877R	Tires & wheels, assembled, glued (S1 ultra-soft, off-road racing compound) (SCT Split-Spoke chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires) (2) (2WD front)
6873R	Tires & wheels, assembled, glued (S1 ultra-soft, off-road racing compound) (SCT Split-Spoke chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear)
5863	Tires & wheels, assembled, glued (SCT black, orange beadlock wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tire, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)

Page 5 Nitro Slash: TRX 3.3, TQi Traxxas Link Enabled 2.4GHz Radio, & TSM (Model 44056-3) Parts List

5869	Tires & wheels, assembled, glued (SCT chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)	5870	Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
5867	Tires & wheels, assembled, glued (SCT chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2)(4WD front/rear, 2WD rear only)	5868	Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)
5873R	Tires & wheels, assembled, glued (SCT satin chrome red beadlock wheels, ultra-soft S1 compound off-road racing tires, inserts) (2) (2WD rear, 4WD f/r)	5874	Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front)
5881X	Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)	5872	Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only)
5875	Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (2WD front)	5872X	Wheels, SCT satin chrome, black beadlock style SCT, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)
5873	Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear, 2WD rear only) (TSM rated)	5874X	Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
5878	Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2)(4WD front/rear, 2WD rear only)	5874A	Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
5881	Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)	5872A	Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)
5875X	Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (2WD front)	5886A	Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
5873X	Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear, 2WD rear only)	5884A	Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2)
5873A	Tires & wheels, assembled, glued (SCT satin chrome, red-beadlock style wheels, SCT off-road tires, foam inserts) (2) (4WD front/rear, 2WD rear only)	5886	Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
6873A	Tires & wheels, assembled, glued (SCT Split-Spoke chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear)	5884	Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2)
6873	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)	6872X	Wheels, SCT Split-Spoke, chrome, green beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear) (2)
6874	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)	5876A	Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
5885	Tires & wheels, assembled, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD Front)	6872A	Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear) (2)
5883	Tires & wheels, assembled, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (4WD f/r, 2WD rear)	5876	Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
5877A	Tires & wheels, assembled, glued (SCT Split-Spoke, chrome red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)	6872	Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)
5877	Tires & wheels, assembled, glued (SCT Split-Spoke, satin chrome, black beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)	5866	Wheels, SCT, chrome, green beadlock style, dual profile (2.2" outer, 3.0" inner) (2) (2WD front only)
5865	Tires & wheels, assembled, glued (SCT, chrome, green beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (2WD front only)	6875	Wheels, SCT, chrome, green beadlock style, dual profile (2.2" outer, 3.0" inner) (2) (4WD front/rear, 2WD rear only)
6876	Tires & wheels, assembled, glued (SCT, chrome, green beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (4WD front/rear, 2WD rear only)	Transmission Components	
6871	Tires, BFGoodrich® Mud-Terrain T/A® KM2 (dual profile 4.3x1.7-2.2/3.0") (2)/ foam inserts (2)	4607	Ball bearings (5x11x4mm) (8)
6871R	Tires, BFGoodrich® Mud-Terrain T/A® KM2, ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7-2.2/3.0") (2)/ foam inserts (2)	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
6870	Tires, Kumho (dual profile 4.3x1.7-2.2/3.0") (2)/ foam inserts (2)	4184	Brake brackets (inner & outer)
6870R	Tires, Kumho, ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7-2.2/3.0") (2)/ foam inserts (2)	4464	Brake disc, composite/ brake adapter
5871	Tires, off-road racing, SCT dual profile 4.3x1.7-2.2/3.0" (2)/ foam inserts (2)	4192	Bulkhead (rear)
5871R	Tires, ultra-soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7-2.2/3.0" (2)/ foam inserts (2)	4181	Differential gear (45-tooth)/ side cover plate & screws
1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)	4434	Gearbox brace/ clutch guard
3654	Wheel hubs, hex (tall offset, Rustler®/Stampede® front) (2)/ axle pins (2.5x10mm) (2)	4434A	Gearbox brace/ clutch guard (gray)
5853X	Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm	4491A	Gearbox halves (gray) (left & right)
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)	4491	Gearbox halves (1&r)
5480X	Wheel wrench, splined, 17mm	4496	Idler gear, steel (20-tooth)
5870X	Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)	2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
5868X	Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2)	1647	Silicone grease
		4615	Slipper clutch set (complete)
		4484	Throttle & brake rods/ hardware (for slide carb)
		4493	Top drive gear (16-tooth)/ slipper shaft
		Traxxas Tools	
		3433X	Body reamer (aluminum handle)
		3433	Body reamer (plastic handle)
		3436	Cap, body reamer
		3432	Scissors, curved tip
		3431	Scissors, straight tip
		8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
		8722	Speed bit handle, premium, medium (rubber overmold)
		8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),
		8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
		8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
		8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive

Page 6 Nitro Slash: TRX 3.3, TQi Traxxas Link Enabled 2.4GHz Radio, & TSM (Model 44056-3) Parts List

- 8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
- 8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle

Turnbuckles & Threaded Rods

- 5525 Rod ends (12)/ hollow balls (12)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 5347 Rod ends, Revo® (large) with hollow balls (12)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3737A Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/ hollow balls (2)(See part 3741A for complete camber link set)
- 3737 Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/ hollow balls (2)(See part 3741X for complete camber link set)
- 1935 Turnbuckles, 36mm (2)
- 3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 3139A Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
- 3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM