

Ford F-150 Raptor (Model 58094-1) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

4607	Bearings & Bushings Ball bearings (5x11x4mm) (8)	5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
460 <i>1</i> 2728	Ball bearings (5x8x2.5mm) (2)		Differential Components
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	2380	Differential, complete (assembled) (fits 1/10-scale 2WD Rustler®
114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)	000.11:	Bandit, Stampede®, Slash)
545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)	2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
675	Bushings, self-lubricating (5x11x4mm) (14)	2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment
985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	2002	shaft (1) all hardened steel
	Body & Accessories	2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit
926	Antenna caps, vinyl (2)/ antenna spool		Stampede®, Rustler®)
726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	5169	Screws, 2.6x8mm countersunk machine (6)
828	Body accessories kit, 2017 Ford Raptor® (includes grille, hood insert, side mirrors, & mounting hardware)	1647	Silicone grease
935	Body clip (mounting clip), angled, 90-degrees (10)		Driveline Components
935A	Body clip (mounting clip), angled, 90-degrees (black) (10)	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
934	Body clips, heavy duty (12)	9059X	Cross pin (2)/ drive pin (2) (repairs 1 axle shaft)
914R	Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware	9057X 4628R	Differential output shafts, steel-splined constant-velocity (2) Differential output y okes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2)
815 746	Body washers (8)	4628X	Differential output yokes, hardened steel (w/ U-joints) (2)
716 826A	Body washers, foam, 2mm (4)/ 3mm (4)/ 4mm (4) Body, Ford Raptor®, black (heavy duty)/ decals	6828X	Differential output yokes, heavy duty (2)/ screw pin (2)
826T	Body, Ford Raptor®, Fox (heavy duty)/ decais	6852A	Driveshaft assembly, rear, extreme heavy duty (1) (left or right)
826	Body, Ford Raptor®, heavy duty (clear, requires painting)/ decals		(fully assembled, ready to install)/ screw pin (1)
	2	6852X	Driveshaft assembly, rear, heavy duty (1) (left or right) (fully
514	Decal sheet, racing sponsors	6852R	assembled, ready to install)/ screw pin (1) Driveshafts, rear, steel-spline constant-velocity (complete
829	Mirrors, side (left & right)/ mounts (left & right)/ 2.6x8mm BCS (2)	UUUZK	assembly) (2)
950	Official Team Traxxas® racing decal set (flag logo/ 6-color)	9052X	Driveshafts, rear, steel-spline constant-velocity (complete
	Chassis & Attachments		assembly) (2)
526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools	1953	Half shaft pro-pack (internal-splined (6)/ external-splined (6)
526R	Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools	00EEV	(plastic shafts only)
914R	Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2),	9055X 9056X	Half shaft, external splined (steel-spline constant velocity) (1) Half shaft, internal splined (steel-spline constant velocity) (1)
624	25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/	6850X	Half shafts, heavy duty (external splined (2)/ internal splined (2)
·	2.5x8mm CS (2)/ 3x6mm BCS (2)		metal u-joints (4)
834	Bumper, front/ bumper mount, front/ adapter (fits 2017 Ford Raptor)	1951	Half shafts, long truck (external-splined (2) & internal-splined (2)/
836	Bumper, rear/ bumper mount, rear (black)		metal U-joints (4)
836P	Bumper, rear/ bumper mount, rear (pink)	9058X	Rebuild kit, steel-splined constant-velocity driveshafts (include pins and hardware for one axle shaft)
830	Chassis conversion kit, low CG (Slash)	3752	Stub axle carriers (2) (requires 5x11x4mm bearings)
832 832A	Chassis, low CG (blue)	3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
832G	Chassis, low CG (blue) Chassis, low CG (gray)		aluminum (blue-anodized)/ 5x11mm ball bearings (4)
822	Chassis, Slash	3652G	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
822A	Chassis, Slash (black)	00507	aluminum (green-anodized)/ 5x11mm ball bearings (4)
827	Hold down, battery/hold down retainer/battery post/foam spacer/angled body clip	3652T 3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
827X	Hold down, battery/ hold down retainer/ battery post/ foam	00021	aluminum (pink-anodized)/ 5x11mm ball bearings (4)
	spacer/ angled body clip (allows for installation of taller, multi- cell batteries)	3652X	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
831	Lower chassis, low CG (black)	2754	aluminum (red-anodized)/ 5x11mm ball bearings (4)
831A	Lower chassis, low CG (blue)	2754	Stub axle pins (4)
831G	Lower chassis, low CG (gray)	9053X 2753X	Stub axle, rear, steel-splined constant velocity (1) Stub axles, rear (2)
823	Nerf bars, chassis (black)	6853X	Stub axles, rear, heavy duty (2)/pins (2)
833 833 A	Nerf bars, low CG (black)		Front Suspension & Steering
833A 833G	Nerf bars, low CG (blue)	2627	
833G 625	Nerf bars, low CG (gray) Seal kit, receiver box (includes o-ring, seals, and silicone grease)	3637 2728	Axles (front) (2) Ball bearings (5x8x2.5mm) (2)
837	Skidplates, front & rear (black)	5116	Ball bearings (5x6x2.5mm) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2)
185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)	2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
974	Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)	2530	Bulkhead (front) (black)
677A	Wheelie bar mount (1) / hardware (green)	2530A	Bulkhead (front) (gray)
677P	Wheelie bar mount (1) / hardware (pink)	3632	Caster blocks (l&r) (30-degree)
677 677¥	Wheelie bar mount (1)/ hardware (black)	3632A	Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left
677X 678	Wheelie bar mount (1)/ hardware (blue) Wheelie bar accombled (black) (fits Slach Bandit Buctler®	26220	& right)/ suspension screw pin (2)
0/0	Wheelie bar, assembled (black) (fits Slash, Bandit, Rustler®, Stampede® series)	3632G	Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (le & right)/ suspension screw pin (2)
678X	Wheelie bar, assembled (blue) (fits Slash, Bandit, Rustler®,	3632T	Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum
	Stampede® series)		(left & right)/ suspension screw pin (2)
678A	Wheelie bar, assembled (green) (fits Slash, Bandit, Rustler®,	3632P	Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (lef
	Stampede® series)		& right)/ suspension screw pin (2)
678P	Wheelie bar, assembled (pink) (fits Slash, Bandit, Rustler®,	3632X	Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left
976	Stampede® series) Wheels (4)/ axles (2) (for T-Maxy®/F-Maxy, wheelie har)	5347	right)/ suspension screw pin (2) Rod ends, Revo® (large) with hollow balls (12)
	Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar) Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/	3646	Screws, 3x15mm flat-head machine (hex drive) (6)
1X6A	**************************************	55-5	corons, ox romm nat-made madeline (nex dive)(0)
186A	axles (2)/ rubber tires (2)	3744	Serv o sav er w/adapters

Page 2 Ford F-150 Raptor: TQ 2.4GHz Radio (Model 58094-1) Parts List

Page 2	Ford F-150 Kaptor: 1Q 2.4GHZ Kadio (Model 58094-	1) Parts	LIST
3743	Steering bellcranks (l&r)/ draglink	2576	Screws, 3x8mm button-head machine (hex drive) (6)
3743A	Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)	3931	Screws, 3x8mm flat-head machine (hex drive) (6)
	5x8mm ball bearings (4)/ hardware (assembled)	3937	Screws, 4x12mm button-head machine (hex drive) (6)
3743G	Steering bellcranks, drag link (green-anodized 6061-T6	2542	Screws, 4x12mm countersunk machine (hex drive) (6)
3743P	aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)	2546	Screws, 4x15mm countersunk machine (hex drive) (6)
3/43F	5x8mm ball bearings (4)/ hardware (assembled)	2743 5529	Set (grub) screws, 3mm hardened (12)
3743X	Steering belicranks, drag link (red-anodized 6061-T6 aluminum)/	5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
	5x8mm ball bearings (4)/ hardware (assembled)	3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo		(2)/ draglink shoulder screws (chrome) (2)
	spring retainer/servo horn, steering	3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
3736	Steering blocks, left & right (2) (requires 5x11x4mm bearings)	2754	Stub axle pins (4)
3636A	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6	2746	Washers, 3x6mm metal (12)
3636G	aluminum (blue-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6		Motors & Electronics
3636G	aluminum (green-anodized)/ 5x11mm ball bearings (4)	1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3636T	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6	2260	BEC assembly (complete)
	aluminum (orange-anodized)/ 5x11mm ball bearings (4)	3790	Gear adapter, fixed
3636P	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6	2072A	Gear set (for 2070, 2075 servos)
	aluminum (pink-anodized)/ 5x11mm ball bearings (4)	2252	Gear set, metal (for 2250, 2255 servos)
3636X	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6	3785	Motor, Titan® 12T (12-Turn, 550 size)
3631	aluminum (red-anodized)/ 5x11mm ball bearings (4) Suspension arms (front) (2)	3351R	Motor, Velineon® 3500, brushless (assembled with 12-gauge
3631X	Suspension arms, black, front, heavy duty (2)	3931	wire and gold-plated bullet connectors) Screws, 3x8mm flat-head machine (hex drive) (6)
3631A	Suspension arms, blue, front, heavy duty (2)	2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
3631G	Suspension arms, green, front, heavy duty (2)	2254	Servo case, aluminum (blue-anodized) (middle) (for 2255 servo)
3631T	Suspension arms, orange, front, heavy duty (2)	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for
3631R	Suspension arms, red, front, heavy duty (2)	-	2250, 2255 servos)
3631L	Suspension arms, white, front, heavy duty (2)	2074	Serv o case/gaskets (for 2056 and 2075 waterproof servos)
2640	Suspension pins, 44mm (2) w/ e-clips	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®)	2075	Serv o, digital high-torque (ball bearing), waterproof
2532	Tie bar, fiberglass	2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
1935	Turnbuckles, 36mm (2)	2255	Servo, digital high-torque 400 brushless, metal gear (ball
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2)	2233	bearing), waterproof
	(assembled w/ rod ends & hollow balls) (requires 5mm aluminum	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
	wrench #5477)	3350R	Velineon® VXL-3s Brushless Power System, waterproof
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)		(includes VXL-3s waterproof ESC, Velineon 3500 motor, and
	(assembled with rod ends & hollow balls) (requires 5mm		speed control mounting plate (part #3725R))
3644	aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled	3355R	Velineon® VXL-3s Electronic Speed Control, waterproof
3044	with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on	3018R	(brushless) (fwd/rev/brake) XL-5 Electronic Speed Control, waterproof (land version, low-voltage
	Slash)	301010	detection, fwd/rev/brake)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled		
	with rod ends and hollow balls)		Radio System, Batteries & Chargers
	Hardware	2842X	5000mAh 7.4v 2-Cell 25C LiPo Battery
1926	Antenna caps, vinyl (2)/ antenna spool	2843X 2869X	5800mAh 7.4v 2-Cell 25C LiPo Battery 7600mAh 7.4v 2-Cell 25C LiPo Battery
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	2976	AC to DC converter, 40W
3935	Body clip (mounting clip), angled, 90-degrees (10)	2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries
3935A	Body clip (mounting clip), angled, 90-degrees (black) (10)		to separate balance ports)
3934	Body clips, heavy duty (12)	5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools
1589	Double-sided adhesive tape (25mm x 25mm) (2)	5526R	Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools
1633	E-clips/ C-rings	2943	Battery charge indicators (green (4), blue (4), gray (4))
2586 2745	Screws, 3x15mm cap-head machine (hex driv e) (6) Nuts, 3mm nylon locking (12)	6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
3647	Nuts, 4mm flanged ny lon locking (steel, serrated) (8)	2014	6530 transmitters)
1747	Nuts, 4mm ny lon locking (10)	2914 2923X	Battery, Power Cell AA Alkaline (4) Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)	2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C hat, 6.4V)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)	2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)	2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)	2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)	2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
5525	Rod ends (12)/ hollow balls (12)	2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
5347	Rod ends, Revo® (large) with hollow balls (12)	2983	Battery/charger completer pack (includes #2969 2-amp NiMH
2742X 3215	Rod ends, short (6)/ hollow balls (6) Screws, 2.5x6mm cap-head machine (hex drive) (6)		peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH
3965	Screws, 2.5x8mm cap-head machine (fiex drive) (6)	2992	battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1),
2577	Screws, 3x10mm button-head machine (hex drive) (6)		#2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))
4859	Screws, 3x10mm flat-head machine (hex drive) (4)	2260	BEC assembly (complete)
2578	Screws, 3x12mm button-head machine (hex drive) (6)	2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)	2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery
2579	Screws, 3x15mm button-head machine (hex drive) (6)		Identification
3646	Screws, 3x15mm flat-head machine (hex drive) (6)	2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto
2583	Screws, 3x18mm button-head machine (hex drive) (6)	2074	Battery Identification Charger E7 Book® Live 100W NiMH/LiPe with iD® Auto Battery
	Screws, 3x20mm button-head machine (hex drive) (6)	2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2580			
2580 2591	Screws, 3x23mm button-head machine (hex drive) (6)	2970	
2580 2591 2582	Screws, 3x23mm button-head machine (hex drive) (6) Screws, 3x30mm button-head machine (hex drive) (6)	2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
2580 2591 2582 2592	Screws, 3x23mm button-head machine (hex drive) (6) Screws, 3x30mm button-head machine (hex drive) (6) Screws, 3x40mm button-head machine (hex drive) (6)	6525	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto
2580 2591 2582	Screws, 3x23mm button-head machine (hex drive) (6) Screws, 3x30mm button-head machine (hex drive) (6)		Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification

Page 3 Ford F-150 Raptor: TQ 2.4GHz Radio (Model 58094-1) Parts List

LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxase 1D® batteries) 2868 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxase 1D® batteries) 6554 Mount, telemetry expander (fits Bandit, Rustler®, Slash 2WD) 6555 Mount, telemetry expander (fits Bandit, Rustler®, Slash 2WD) 6556 Seal kit, expander box (includes o-ring, seals, and silicone grease) 6552 Seal kit, expander box (includes o-ring, seals, and silicone grease) 6556 Sensor, auto-detectable, temperature 6557 Sensor, rauto-detectable, voltage 6558 Sensor, auto-detectable, voltage 6559 Sensor, auto-detectable, voltage 6520 Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1) 5535 Servo case, aluminum (blue-anodized) (middle) (for 2255 servo) 2551 Servo case, aluminum (blue-anodized) (middle) (for 2255 servo) 2575 Servo case, aluminum (blue-anodized) (middle) (for 2255 servo) 2576 Servo, digital high-torque (ball bearing), waterproof 2577 Servo, digital high-torque (ball bearing), waterproof 2578 Servo, digital high-torque (ball bearing), waterproof 2579 Servo, digital high-torque, metal gear (ball bearing), waterproof 2575 Servo, digital high-torque, metal gear (ball bearing), waterproof 2575 Servo, digital high-torque, metal gear (ball bearing), waterproof 2575 Servo, digital high-torque, metal gear (ball bearing), waterproof 2575 Servo, digital high-torque, metal gear (ball bearing), waterproof 2575 Servo, digital high-torque, metal gear (ball bearing), waterproof 2575 Servo, digital high-torque, metal gear (ball bearing), waterproof 2575 Servo, digital high-torque, metal gear (ball bearing), waterproof 2575 Servo, digital high-torque, metal gear (ball bearing), waterproof 2575 Servo, digital high-torque, metal gear (ball bearing), waterproof 2575 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof 2575 Servo, digital high-torque 400 brushless, candapter for use only with #6551X CPS module) 2576 Servo, digital high-torque 400 brushless, candapter for use only with #65			0040	O
Traxxasin in bip batteries) 885 Div cell voltage checker/balancer (requires #2338X adapter for Traxxasin in bip batteries) 8554 Mount, telmentry expander (fits Bandit, Rustler®, Slash 2WD) 8555 Mount, telmentry expander (fits Bandit, Rustler®, Slash 2WD) 8565 Mount, telmentry expander (fits Bandit, Rustler®, Slash 2WD) 8565 Mount, telmentry expander (fits Bandit, Rustler®, Slash 2WD) 8565 Mount, telmentry expander (fits Bandit, Rustler®, Slash 2WD) 8565 Mount, telmentry expander (fits Bandit, Rustler®, Slash 2WD) 8565 Mount, telmentry expander (fits Bandit, Rustler®, Slash 2WD) 8565 Mount, telmentry expander (fits Bandit, Rustler®, Slash 2WD) 8565 Mount, telmentry expander (fits Bandit, Rustler®, Slash 2WD) 8565 Mount, telmentry expander (fits Bandit, Rustler®, Slash 2WD) 8565 Mount, telmentry expander (fits Bandit, Rustler®, Slash 2WD) 8565 Mount, telmentry expander (fits Bandit, Rustler®, Slash 2WD) 8565 Mount, telmentry expander (fits Bandit, Rustler®, Slash 2WD) 8566 Mount, temperature sensor (electric motors) with a special participation of the sensor (includes orling, seals, and silicone grease) 8567 Mount, temperature sensor (electric motors) with a special participation of the sensor, temperature and voltage (long) 8568 Mount, temperature and voltage (long) 8569 Mount, temperature and voltage (long) 8560 Sensor, temperature and voltage (long) 8560 Sensor, temperature and voltage (long) 8561 Sensor, temperature and voltage (long) 8562 Sensor, temperature and voltage (long) 8562 Sensor, temperature and voltage (long) 8562 Sensor, temperature and voltage (long) 8563 Sensor, temperature and voltage (long) 8564 Sensor, temperature and voltage (long) 8565 Sensor, temperature and voltage (long) 8566 Sensor, temperature and voltage (long) 8567 Senvo case, aluminum, long temperature and voltage (long) 8568 Sensor, temperature and voltage (long) 8568 Sensor, temperature and voltage (long) 8569 Sensor, temperature and	2252	Gear set, metal (for 2250, 2255 servos)	3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a
Traxas@10b batterias) 85454 Mount, telmertry expander (fits Bandit, Rustlor®, Slash 2WD) 85555 Mount, telmertry expander (fits Bandit, Rustlor®, Slash 2WD) 85656 Mount, telmertry expander (electric motors) wire tie/ thermal pad 85619 Receiver, micro, TQ 2.4GHz (2c-hannel) 8552 Seal kit, expander box (includes o-ring, seals, and silicone grease) 8552 Seal kit, expander box (includes o-ring, seals, and silicone grease) 8552 Seans, auto-detectable, temperature 8563 Sensor, auto-detectable, voltage 85630 Sensor, PRM (norgy 3x4mm BCS (2)) 3x4 GS (1) 85630 Sensor, RPM (norgy 3x4mm BCS (2)) 3x4 GS (1) 85631 Sensor, temperature and voltage (long) 85254 Servo case, aluminum (blue-anotized) (middle) (for 2250 servo) 85632 Servo case, aluminum (blue-anotized) (middle) (for 2250 servo) 85632 Servo case, aluminum (blue-anotized) (middle) (for 2250 servo) 85633 Servo, digital high-torque (ball bearing), waterproof 85634 Servo, digital high-torque (ball bearing), waterproof 856352 Servo, digital high-torque (ball bearing), waterproof 85634 Servo, digital high-torque (ball bearing), waterproof 85637 Servo, digital high-torque (ball bearing), waterproof 85637 Servo, digital high-torque (ball bearing), waterproof 85638 Servo, digital high-torque (ball bearing), waterproof 85639 Servo, digital high-torque (ball bearing), waterproof 85630 Servo, digital high-torque (ball bearing), waterproof 85631 Servo, digital high-torque (ball bearing), waterproof 85632 Servo, digital high-torque (ball bearing), waterproof 85633 Servo, digital high-torque, metal gear (ball bearing), waterproof 8564 Servo, digital high-torque (ball bearing), waterproof 8565 Servo, digital high-torque (ball bearing), waterproof 8565 Servo, digital high-torque, metal gear (ball bearing), waterproof 8566 Servo, digital high-torque, metal gear (ball bearing), waterproof 8567 Servo, digital high-torque, metal gear (ball bearing), waterproof 8568 Servo, digital high-torque, metal gear (ball bearing), waterproof 8568 Servo, digital high	2968X		3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled
Single Mount, telmentry expander (fits Bandtit, Rustlore, Slash 2WD)	2968			
Mount, temperature sensor (electric motors) wire tief thermal part	6554			Shock Ail
Pad Secondary Pad				
Seal kit, expander box (includes o-ring, seals, and silicone grease) Seal kit, expander box (includes o-ring, seals, and silicone grease) Seasor, auto-detectable, temperature Sensor, rep.M (ong) 3.44mm BCS (2/) 3x4 GS (1) Sensor, rep.M (ong) 3.44mm BCS (2/) 3x4 GS (1) Sensor, reperature and voltage (long) Sensor, reperature and voltage (long) Servo case, aluminum (blue-anodized) (middle) (for 2255 servo) Servo case, aluminum (blue-anodized) (middle) (for 2255 servo) Servo case, aluminum (blue-anodized) (middle) (for 2255 servo) Servo case) aluminum (red-anodized) (middle) (for 2255 servo) Servo case) figats (top, middle, bottom) gaskets karbardware (for 2250, 2255 servos) Servo, digital high-torque (and beraing), waterproof Servo, digital high-dorque (and beraing), waterproof Servo, digita		pad		
seas in the spartner box (includes 0-fing, sears, and shicking grease) grease) grease) grease) Sensor, auto-detectable, temperature season, auto-detectable, voltage sensor, RM (long) 3x4mm BCS (2) 3x4 GS (1) sensor, RM (long) 3x4mm BCS (2) 3x4 GS (1) sensor, RM (long) 3x4mm BCS (2) 3x4 GS (1) sensor, RM (long) 3x4mm BCS (2) 3x4 GS (1) sensor, RM (long) 3x4mm BCS (2) 3x4 GS (1) sensor, RM (long) 3x4mm BCS (2) sensor, temperature and voltage of the sensor temperature and voltage and temperature and voltage of the sensor temperature and voltage and tem	6519	Receiver, micro, TQ 2.4GHz (3-channel)		
Sensor, auto-detectable, temperature Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, RPM (long) 3x4mm BCS (2) 3x4 GS (1) Sensor, temperature and voltage (long) Servo case, aluminum (lotu-a-nodized) (middle) (for 2255 servo) Servo case, aluminum (lotu-a-nodized) (middle) (for 2255 servo) Servo case, aluminum (lotu-a-nodized) (middle) (for 2255 servo) Servo case) glaskets (for 2056 and 2075 waterproof servo es) Servo, digital high-torque (sall bearing), waterproof Sestox Servo, digital high-torque, metal gear (ball bearing), waterproof Sestox Servo, digital high-torque, metal gear (ball bearing), waterproof Sestox Servo, digital high-torque, metal gear (ball bearing), waterproof Sestox Servo, digital high-torque (sall	6552	Seal kit, expander box (includes o-ring, seals, and silicone		
Selsor, auto-detectable, voltage Sensor, amount-detectable, voltage Senvo case, aluminum (del-anodized (middle) (for 2255 servo) Senvo case, aluminum (feld-anodized (middle) (for 2255 servo) Senvo case, aluminum (feld-anodized for two, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning scrousel rack Silicone shock oil (30 wt), 50 cc Silicone shock oil (30 wt) oil (30 wt) of 50 st 50 cc Silicone shock oil (30 wt), 50 cc Silicone shock oil (30 wt) oil (30 wt) oil (30 wt) o		grease)		
Sensor, RPM (long) 3x4mm BCS (2)/ 3x4 GS (1) Sensor, temperature and voltage (long) Sensor, temperature and voltage (long) Servo case, aluminum (fule-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top. middle, bottom) gaskets/s hardware (for 2250, 2255 servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-forque (ball bearing), waterproof Servo, digital high-forque, femile bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQI radio system Telemetry expander 2.0, TQI radio system (for use only with #6551X GPS module) Settlemetry expander 2.0, TQI radio system (for use only with #6550X telemetry expander) Telemetry expander 2.0, TQI radio system (for use only with #6550X telemetry expander) TQI 2.4 GPL High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TTQI 2.4 GPL High Output radio system, 4-channel with Traxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only) Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only) Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter) Speed Control, waterproof (brushless) (fw/drev/brake) Mall 1 Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter) Speed Control, waterproof (brushless) (fw/drev/brake) Mall 2.4 Electronic Speed Control, waterproof (brushless) (6526	Sensor, auto-detectable, temperature		
Servo case, aluminum (blue-anodized) (middle) (for 2255 servo) 2253 Servo case, aluminum (red-anodized) (middle) (for 2255 servo) 2254 Servo case, aluminum (red-anodized) (middle) (for 2255 servo) 2256 Servo case, plastic (top, middle, bottom)' gaskets/ hardware (for 2256 Servo case, plastic (top, middle, bottom)' gaskets/ hardware (for 2256 Servo, digital high-speed, metal gear (ball bearing), waterproof 2256 Servo, digital high-torque (ball bearing), waterproof 2256 Servo, digital high-torque (ball bearing), waterproof 2257 Servo, digital high-torque (ball bearing), waterproof 2258 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof 2258 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof 2259 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof 2250 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof 2250 Servo, digital high-torque, metal gear (ball bearing), waterproof 2250 Servo, digital high-torque (ball bearing), waterproof 2250 Servo, digital high-torque and of PS module 2.0, Tol radio system 2251 Servo, digital high-torque (ball bearing), waterproof 2252 Servo, digital high-torque (ball bearing), waterproof 2253 Servo, digital high-torque (ball bearing), waterproof 2254 Servo, digital high-torque (ball bearing), waterproof 2255 Servo, digital high-torque (ball bearing), waterproof 2256 Servo, digital high-torque (ball bearing), waterproof 2257 Telemetry expander 2.0 and dPS module 2.0, Tol radio system 2258 Telemetry expander 2.0 and dPS module 2.0, Tol radio system (for use only with 2258 ## Telemetry expander 2.0, Tol radio system (for use only with 2259 Servo, digital high-torque (ball bearing), waterproof 2250 Servo, digital high-torque (ball bearing), water	6527	Sensor, auto-detectable, voltage		
Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) 2074 Servo case, aluminum (red-anodized) (middle) (for 2255 servo) 2074 Servo case, aluminum (red-anodized) (middle) (for 2255 servo) 2075 Servo, case, aluminum (red-anodized) (middle) (for 2255 servo) 2076 Servo, digital high-speed, metal gear (ball bearing), waterproof 2075 Servo, digital high-torque (aluminum) (assembled with fill sharing), waterproof 2076 Servo, digital high-torque (aluminum) (assembled with fill sharing), waterproof 20775 Servo, digital high-torque, metal gear (ball bearing), waterproof 2078 Servo, digital high-torque, metal gear (ball bearing), waterproof 2078 Servo, digital high-torque, metal gear (ball bearing), waterproof 2078 Servo, digital high-torque, metal gear (ball bearing), waterproof 2078 Telemetry expander 2.0, TQI radio system (for use only with #8551X GPS module 2.0, TQI radio system (for use only with #8551X GPS module 2.0, TQI radio system (for use only with #8550X telemetry expander) 2085 Telemetry expander 2.0, TQI radio system (for use only with #8550X telemetry expander) 2096 TQI 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) 2097 Tansmitter, TQI Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter, 5-ch micro receiver) 2098 Transmitter, TQI Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only) 2098 Transmitter, TQI Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter, 5-ch micro receiver) 2099 Transmitter, TQI Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) 2098 TQI Transmitter, TQI Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) 2099 Transmitter, TQI Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) 2090 TQI Transmitter, TQI Traxxas Link	6520	Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)		
Servo case, aluminum (red-anodized) (middle) (for 2255 servo) 2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) 2074 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque, 330 coreless, metal gear (ball bearing), waterproof Servo, digital high-torque, waterproof servo, digital high-torque, waterproof servo, digital high-torque, metal gear (ball bearing), waterproof servo, digital high-torque, waterproof servo, digital high-torque, waterproof servo, digital high-torque, metal gear (ball bearing), waterproof servo,		Sensor, temperature and voltage (long)		·
Servo case, plastic (top, middle, bottom)' gaskets' hardware (for 2250, 2255 servos) 2074 Servo case, plastic (top, middle, bottom)' gaskets' hardware (for 2250, 2255 servos) 2075 Servo, digital high-torque (ball bearing), waterproof 2250 Servo, digital high-torque (ball bearing), waterproof 2250 Servo, digital high-torque (ball bearing), waterproof 2255 Servo, digital high-torque (ball bearing), waterproof 2256 Servo, digital high-torque (ball bearing), waterproof 2257 Servo, digital high-torque (ball bearing), waterproof 2258 Servo, digital high-torque (ball bearing), waterproof 2259 Servo, digital high-torque (ball bearing), waterproof 2250 Septomble (ball bearing), waterproof 2250 Septomble (ball bearing), waterproof 2250 Septomble	2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)	5038X	
2251 Servo case, plastic (top, middle, bottomly gaskets hardware (for 2075 250, 2255 servos) 250, 2255 servos) 250, 2255 servos (algital high-speed, metal gear (ball bearing), waterproof 275 Servo, digital high-speed, metal gear (ball bearing), waterproof 275 Servo, digital high-speed, metal gear (ball bearing), waterproof 275 Servo, digital high-speed, metal gear (ball bearing), waterproof 275 Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof 275 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof 275 Servo, digital high-torque, metal gear (ball bearing), waterproof 275 Servo, digital high-torque, metal gear (ball bearing), waterproof 275 Servo, digital high-torque, metal gear (ball bearing), waterproof 275 Servo, digital high-torque, metal gear (ball bearing), waterproof 275 Servo, digital high-torque, metal gear (ball bearing), waterproof 275 Servo, digital high-torque, metal gear (ball bearing), waterproof 275 Servo, digital high-torque, metal gear (ball bearing), waterproof 275 Servo, digital high-torque, metal gear (ball bearing), waterproof 275 Servo, digital high-torque, metal gear (ball bearing), waterproof 275 Servo, digital high-torque, metal gear (ball bearing), waterproof 275 Servo, digital high-torque, metal gear (ball bearing), waterproof 275 Servo, digital high-torque, metal gear (ball bearing), waterproof 275 Servo, digital high-torque, metal gear (ball bearing), waterproof 275 Servo, digital high-torque, metal gear (ball bearing), waterproof 275 Servo, digital high-torque, metal gear (ball bearing), waterproof 275 Servo, digital high-torque, metal gear (ball bearing), waterproof 275 Servo, digital high-torque, metal gear (ball bearing), waterproof 275 Servo, digital high-torque, metal gear (ball bearing), waterproof 275 Servo, digital high-torque, metal gear (ball bearing), waterproof 275 Servo, digital high-torque, metal gear (ball bearing), waterproof 275 Servo, digital high-torque, metal gear (ball bearing), waterproof 275 Servo, digi	2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)	1667	
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos) 2075 Servo, digital high-speed, metal gear (ball bearing), waterproof 2250 Servo, digital high-torque (ball bearing), waterproof 2251 Servo, digital high-torque (ball bearing), waterproof 2252 Servo, digital high-torque (ball bearing), waterproof 2253 Servo, digital high-torque (ball bearing), waterproof 2254 Servo, digital high-torque (ball bearing), waterproof 2255 Servo, digital high-torque (ball bearing), waterproof 2256 Servo, digital high-torque, metal gear (ball bearing), waterproof 2257 Servo, digital high-torque, metal gear (ball bearing), waterproof 2257 Telemetry expander 2.0 and GPS module 2.0, TQi radio system 2258 Telemetry expander 2.0 and GPS module 2.0, TQi radio system (for use only with 2259 #8551X GPS module) 2250 Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1) 2250 Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1) 2250 Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1) 2250 Telemetry trigger magnet, 5x2mm (1) 2251 Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1) 2252 Telemetry trigger magnet, 5x2mm (1) 2253 Telemetry trigger magnet, 5x2mm (1) 2254 Telemetry trigger magnet, 5x2mm (1) 2255 Telemetry trigger magnet, 5x2mm (1) 2256 Telemetry trigger magnet, 5x2mm (1) 2257 Telemetry trigger magnet, 5x2mm (1) 2258 Telemetry trigger magnet, 5x2mm (1) 2259 Telemetry trigger magnet, 5x2mm (1) 2250 Telemetry trigger magnet, 5x2mm (1) 2251 Telemetry trigger magnet, 5x2mm (1) 2252 Telemetry trigger magnet, 5x2mm (1) 2253 Telemetry trigger magnet, 5x2mm (1) 2254 Telemetry trigger magnet, 5x2mm (1) 2255 Telemetry trigger magnet, 5x2mm (1) 2256 Telemetry trigger magnet, 5x2mm (1) 2257 Telemetry trigger magnet, 5x2mm (1) 2258 Telemetry trigger magnet, 5x2mm (1) 2259 Telemetry trigger magnet, 5x2mm (1) 2266 Telemetry trigger magnet, 5x2mm (1) 2267 Telemetry trigger magnet, 5x2mm (1) 2268 Telemetry trigger magnet, 5x2mm (1) 2268 Telemetry trigger magnet, 5x2mm (1) 2268 Telemetry trigger magne	2251			
2075K Servo, digital high-speed, metal gear (ball bearing), waterproof 2275 Servo, digital high-speed, metal gear (ball bearing), waterproof 2275 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof 2275 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof 2275 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof 2275 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof 2275 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof 2275 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof 2275 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof 2275 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof 2275 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof 2275 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof 2275 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof 2275 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof 2275 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof 2275 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof 2275 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof 2275 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof 2275 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof 2275 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof 2275 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof 2275 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof waterproof (brushless) (b			5038	
Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, waterproof waterproof Servo, digital high-torque, waterproof Sesson Water expander 2.0 and GPS module 2.0, TQI radio system (for yell value) Servo, digital high-torque, waterproof Sesson Wire and value and va				Snocks (Pro-level Aluminum)
Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof 2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof 2265 Servo, digital high-torque, metal gear (ball bearing), waterproof 2275 Servo, digital high-torque, metal gear (ball bearing), waterproof 2275 Servo, digital high-torque, metal gear (ball bearing), waterproof 2275 Servo, digital high-torque, metal gear (ball bearing), waterproof 2275 Servo, digital high-torque, metal gear (ball bearing), waterproof 2275 Servo, digital high-torque, metal gear (ball bearing), waterproof 2275 Servo, digital high-torque, metal gear (ball bearing), waterproof 2275 Servo, digital high-torque, metal gear (ball bearing), waterproof 2275 Servo, digital high-torque, metal gear (ball bearing), waterproof 2275 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof 2275 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof 2275 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof 2275 Servo, digital high-torque, metal gear (ball bearing), waterproof 2275 Servo, digital high-torque, metal gear (ball bearing), waterproof 2275 Servo, digital high-torque, metal gear (ball bearing), waterproof 2275 Servo, digital high-torque, metal gear (ball bearing), waterproof (2627 Servo, digital high-torque, metal gear (ball bearing), waterproof (2628 Telemetry expander 2.0, TQI radio system (for use only with #6550X telemetry expander 2.0, TQI radio system (for use only with #6550X telemetry expander 2.0, TQI radio system (for use only with #6550X telemetry expander) 2362 Big Bore shocks (Nox) (lnq) (hard-anodized & PTTE-coated T6 aluminum (assembled with TIN shafts on sulminum (big bore shocks) (20 (Big Bore Shocks) (19 Bore s			2664	Big Bore shock cylinder (long) (1)
waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof (ball minum) (assembled with TIN shafts) wo springs (front) (2) Shock shafts, teal, clong) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TIN shafts) wo springs (front) (2) Shock shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TIN shafts) wo springs (front) (2) Shock shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TIN shafts) wo springs (front) (2) Shock shocks (foliong) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TIN shafts) wo springs (front) (2) Shock short, shocks (for 2 shocks) R			2666	Big Bore shock cylinder (XX-long) (1)
Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof (big Bore shocks) Servo, digital high-torque, metal gear (ball bearing), waterproof (big Bore shocks) Servo, digital high-torque, metal gear (ball system for use only with waterproof (big Bore shocks) Servo, digital high-torque, metal gear (ball system for use only with waterproof (big Bore shocks) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (water) (2) Sming rear (2) Sming rear (2) Sming rear (2) Sming rear	2250		5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum)
bearing), waterproof Servo, digital high-torque, metal gear (ball system Servo, digital high-torque, metal gear (ball system) Servo, digital high-torque, metal gear (ball system) Servo, digital high-torque, metal gear (ball system) Servo, digital high-torque, petal file systems Seven (c) Seven (c) Seven (c) Seven (d) Seven (d) High shocks (for 2 shocks) Seven (d) Seven (d) High shocks (for 2 shocks) Seven (d) Seven (d) High shocks (for 2 shocks) Seven (d) Seven (d) High shocks (for 2 shocks) Seven (d) Seven (d) High shocks (for 2 shocks) Seven (d) Seven (d) High shocks (for 2 shocks) Seven (d) Seven (d) Seven (d) High shocks (for 2 shocks) Seven (d) Seven (d) High shocks (for 2 shocks) Seven (d) Seven (d) High shocks (for 2 shocks) Seven (d) Seven (d) High shocks (for 2 shocks) Seven (d) Seven (d) High shocks (for 2 shocks) Seven (d) Seven (d) H				(assembled with TiN shafts and springs) (front & rear) (4)
2675X Servo, digital high-torque, metal gear (ball bearing), waterproof 6553X Telemetry expander 2.0 and GPS module 2.0, TQi radio system 6550X Telemetry expander 2.0, TQi radio system (for use only with 85551X GPS module) 6551X Telemetry expander 2.0, TQi radio system (for use only with 85551X telemetry expander) 6558 Telemetry expander 2.0 and GPS module 2.0, TQi radio system (for use only with 95550X telemetry expander) 6538 Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1) 3x8mm CCS (3)/ 3x10mm CCS (3) 6540 Telemetry trigger magnet, 5x2mm (1) 6560R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ Wireless Module, TSM (2-ch transmitter, 5-ch micro receiver) 6570R TQi 2.4 GHz High Output radio system, 2-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) 6588 Transmitter, TQ 2.4GHz, 2-channel (transmitter only) 6599 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only) 6509 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only) 6510 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only) 6520 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) 6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) 6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) 6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) 6530 Wire retainers, gear cover/ 3x4mm BCS (2) 6540 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) 6550 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) 6560 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) 6570 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) 6580 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (2255		2660	Big Bore shocks (long) (hard-anodized & PTFE-coated T6
Telemetry expander 2.0 and GPS module 2.0, TQi radio system #6551X GPS module 2.0, TQi radio system (for use only with #6551X GPS module 2.0, TQi radio system (for use only with #6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1) 3x8mm CCS (3)/ 3x10mm CCS (3) TQI 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQI 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQI Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only) Transmitter, TQI Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only) Transmitter, TQI Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) Transmitter, TQI Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) Transmitter, TQI Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) Transmitter, TQI Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) Transmitter, TQI Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) Transmitter, TQI Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) Secondary of the description of				aluminum) (assembled with TiN shafts) w/o springs (front) (2)
Telemetry expander 2.0, TQi radio system (for use only with #8551X GPS module) 6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) 6528 Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 6500R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) 6510 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only) 6520 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only) 6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) 6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) 6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) 6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) 6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) 6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) 6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) 6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) 6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) 6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) 6540 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only) 6550 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) 6570 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) 6580 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) 6590 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter) 6590 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz hi			2662	
#6551X GPS module) #6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) #6550 Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3) 3x10mm CCS (3) #6540 Telemetry trigger magnet, 5x2mm (1)/ 3x8mm CGS (3) 3x10mm CCS (3) #6570 TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) #6570 TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) #6580 Transmitter, TQ 2.4GHz, 2-channel (transmitter only) #6590 Transmitter, TQ i Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only) #6590 Transmitter, TQ i Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only) #6500 Transmitter, TQ i Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) #6511 Traxxas Link™ Wireless Module #6512 Wire retainers, gear cover/ 3x4mm BCS (2) #6513 Wire retainers, gear cover/ 3x4mm BCS (2) #6514 Shock shafts, steel, chrome finish (long) (2) #6515 Shock shafts, steel, chrome finish (long) (2) #6516 Shock shafts, steel, chrome finish (long) (2) #6517 Shock shafts, steel, chrome finish (long) (2) #6518 Shock shafts, steel, chrome finish (long) (2) #652 Shock shafts, steel, chrome finish (long) (2) #653 Shock shafts, steel, chrome finish (long) (2) #654 Shock shafts, steel, chrome finish (long) (2) #655 Shock shafts, steel, chrome finish (long) (2) #656 Shock shafts, steel, chrome finish (long) (2) #657 Shock shafts, steel, chrome finish (long) (2) #658 Shock shafts, steel, chrome finish (long) (2) #658 Shock shafts, steel, chrome finish (long) (2) #659 Springs, front (white) (progressive rate) (2) (fits #5862 aluminum finities could fine the shocks) #659 Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum finitie				aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
Felemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) Felemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1) 3x8mm CCS (3) 3x10mm CCS (3) Felemetry trigger magnet, 5x2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) Form TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ enabled, TSM (4-ch transmitter, 5-ch micro receiver) Form Transmitter, TQi 2.4GHz, 2-channel (transmitter only) Form Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only) Form Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only) Form Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only) Form Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only) Form Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) Form Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) Form Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) Form Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) Form Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) Form Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) Form Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) Form Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) Form Transmitter, TQi Traxxas Link™ wireless Module Form Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) Form Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) Form Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) Form Transmitter, TQi Traxxas Link™ enabled	6550X		2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushing & washers (2) (Big Bore Shocks)
#8550X telemetry expander) Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3) Foliant trigger magnet, 5x2mm (1) Foliant trigger magnet, 5x2mm (1	6551X	Telemetry GPS module 2.0, TQi radio system (for use only with	2362	
3x8mm CCS (3)/ 3x10mm CCS (3) 6540 Telemetry trigger magnet, 5X2mm (1) 6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) 6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) 6510 Transmitter, TQ 2.4GHz, 2-channel (transmitter only) 6528 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2- channel (transmitter only) 6529 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3- channel (transmitter only) 6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4- channel (transmitter only) 6511 Traxxas Link™ enabled, 2.4GHz high output, 4- channel (transmitter only) 6529 Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake) 6537 Wire retainers, gear cover/ 3x4mm BCS (2) 3018R X5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake) 7742X Rod ends, short (6)/ hollow balls (6) 5867 Shock caps, aluminum (Big Bore Shocks) (2) 5hock shafts, hardened steel, titanium nitride coated (long) (2) 5hock shafts, steel, chrome finish (long) (2) 5hock shafts, steel, chrome finish (long) (2) 5hock shafts, steel, chrome finish (wx-long) (2) 5hock shafts, steel, chrome finish (wx-long) (2) 5liicone diaphragms (4) 5hock shafts, steel, chrome finish (wx-long) (2) 5liicone diaphragms (4) 5hock shafts, hardened steel, titanium nitride coated (xx-long) 5lock shafts, steel, chrome finish (long) (2) 5hock shafts, hardened steel, titanium nitride coated (xx-long) 5hock shafts, hardened steel, titanium nitride coated (xx-long) 5hock shafts, hardened steel, titanium nitride coated (xx-long) 5lock shafts, steel, chrome finish (long) (2) 5hock shafts, steel, chrome finish (long) (2) 5hock shafts, steel, chrome finish (vx-long) 5lock shafts, steel, chrome finish (vx-long) 5lock shafts, steel, ora 5hock shafts, ardened steel, titanium nitride coated (xx-long) 5lock shafts,			1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
Telemetry trigger magnet, 5X2mm (1) 5509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQ 2.4GHz, 2-channel (transmitter only) Transmitter, TQ i Traxxas Link™ enabled, 2.4GHz high output, 2- channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3- channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4- channel (transmitter only) Traxxas Link™ Wireless Module Traxxas Link™ Wireless Module Traxxas Link™ Wireless Module Traxxas Link™ Wireless Module 3355R Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake) Wire retainers, gear cover/ 3x4mm BCS (2) 3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake) Telemetry trigger magnet, 5X2mm (1) 5664 Shock shafts, hardened steel, titanium nitride coated (long) (2) 5hock shafts, hardened steel, titanium nitride coated (xx-long) (2) 5hock shafts, hardened steel, titanium nitride coated (xx-long) (2) 5hock shafts, hardened steel, titanium nitride coated (xx-long) (2) 5hock shafts, hardened steel, titanium nitride coated (xx-long) (2) 5hock shafts, hardened steel, titanium nitride coated (xx-long) (2) 5hock shafts, hardened steel, titanium nitride coated (xx-long) (2) 5hock shafts, hardened steel, titanium nitride coated (xx-long) (2) 5hock shafts, hardened steel, titanium nitride coated (xx-long) (2) 5hock shafts, hardened steel, titanium nitride coated (xx-long) (2) 5hock shafts, hardened steel, titanium nitride coated (xx-long) (2) 5hock shafts, hardened steel, titanium nitride coated (xx-long) (2) 5hock shafts, atel, chrome finish (long) (2) 5hock shafts, atel,	6538			(2)
TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) 6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) 6516 Transmitter, TQ 2.4GHz, 2-channel (transmitter only) 6528 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only) 6529 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only) 6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) 6511 Traxxas Link™ Wireless Module 3355R Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake) 6537 Wire retainers, gear cover/ 3x4mm BCS (2) 3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, f wd/rev/brake) 7064 Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) 507 Shock shafts, steel, chrome finish (long) (2) 508 Shock shafts, steel, chrome finish (xx-long) (2) 508 Shock shafts, steel, chrome finish (xx-long) (2) 509 Silicone diaphragms (4) 509 Spring retainers, upper & lower (2)/ spring pre-load spacers: 500 Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) 500 Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) 500 Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) 500 Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) 500 Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) 510 C Slock shafts, hardened steel, titanium nitride coated (xx-long) 510 Slock shafts, hardened steel, titanium nitride coated (xx-long) 510 Slock shafts, hardened steel, titanium nitride coated (xx-long) 51064 Shock shafts, hardened steel, titanium nitride coated (xx-long) 51064 Shock shafts, hardened steel, titanium nitride coated (xx-long) 51064 Shock shafts, hardened steel, titanium nitrid		* * * * * * * * * * * * * * * * * * * *	2742X	Rod ends, short (6)/ hollow balls (6)
Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQ 2.4 GHz, 2-channel (transmitter only) Transmitter, TQ 1 Traxxas Link™ enabled, 2.4 GHz high output, 2-channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4 GHz high output, 3-channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4 GHz high output, 3-channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4 GHz high output, 4-channel (transmitter only) Traxxas Link™ Wireless Module Tra			2667	Shock caps, aluminum (Big Bore Shocks) (2)
TQI 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQ 2.4GHz, 2-channel (transmitter only) Transmitter, TQI Traxxas Link™ enabled, 2.4GHz high output, 3- channel (transmitter only) Transmitter, TQI Traxxas Link™ enabled, 2.4GHz high output, 3- channel (transmitter only) Transmitter, TQI Traxxas Link™ enabled, 2.4GHz high output, 4- channel (transmitter only) Traxxas Link™ Wireless Module Traxxas	6509R		1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) 6516 Transmitter, TQ 2.4GHz, 2-channel (transmitter only) 6528 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only) 6529 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only) 6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) 6511 Traxxas Link™ Wireless Module 3355R Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake) 6537 Wire retainers, gear cover/ 3x4mm BCS (2) 3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake) 1664 Shock shafts, steel, chrome finish (long) (2) 5hock shafts, steel, chrome finish (xx-long) (2) 5hock shafts, steel, chrome finish (xx-long) (2) 5hock shafts, steel, chrome finish (long) (2) 5hock shafts, steel, chrome finish (xx-long) (2) 5hock shafts, steel, chrome finish (long) (2) 5hock shafts, steel, chrome finish (long) (2) 5hock shafts, steel, chrome finish (long) (2) 5hock shafts, steel, chrome finish (xx-long) (2) 5hocks (2) 5hocks (3hocks) 5hocks (2) 5hocks (3hocks) 5hocks (3hocks) 5hocks (2) 5hocks (3hocks) 5hocks (3hocks			2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long)
receiver) Transmitter, TQ 2.4GHz, 2-channel (transmitter only) 6528 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only) 6529 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only) 6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) 6511 Traxxas Link™ Wireless Module 3355R Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake) 6537 Wire retainers, gear cover/ 3x4mm BCS (2) 3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake) 7658 Shock shafts, steel, chrome finish (xx-long) (2) 5860 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) 5860 Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) 5859 Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) 5859 Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) 5859 Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) 5859 Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) 5859 Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) 5859 Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) 5859 Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) 5860 Shocks shafts, steel, chrome finish (xx-long) (2) 5868 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) 5860 Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) 5859 Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) 5860 Springs (fort) (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) 5860 Springs (fort) (white) (progressive rate) (2) (fits #5862 al	6507R			(2)
Transmitter, TQ 2.4GHz, 2-channel (transmitter only) Transmitter, TQ Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) Traxxas Link™ Wireless Module 3355R Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake) Traxxas Link™ BCS (2) 3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake) Traxxas Link™ waterproof (land version, low-voltage detection, fwd/rev/brake) Traxxas Link™ Wireless Module Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)				Shock shafts, steel, chrome finish (long) (2)
Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2- channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3- channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3- channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4- channel (transmitter only) Traxxas Link™ Wireless Module 3355R Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake) Testing retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)	6516			
channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3- channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4- channel (transmitter only) Traxxas Link™ Wireless Module Traxxas Link™ Wireless Module Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fit		· · · · · · · · · · · · · · · · · · ·	1765	Silicone diaphragms (4)
Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3- channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4- channel (transmitter only) Traxxas Link™ Wireless Module Shocks) Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 a	0320		2668	
channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4- channel (transmitter only) Traxxas Link™ Wireless Module 3355R Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake) Wire retainers, gear cover/ 3x4mm BCS (2) 3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake) XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake) Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)	6529			
Sign Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Sign Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Sign Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Sign Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Sign Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Sign Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Sign Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Sign Bore shocks) Sign Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Sign Bore shocks) Sign Bore shocks)		channel (transmitter only)	5860	•
channel (transmitter only) Traxxas Link™ Wireless Module 3355R Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake) 6537 Wire retainers, gear cover/ 3x4mm BCS (2) 3018R XL-5 Electronic Speed Control, waterproof (land version, low-v oltage detection, fwd/rev/brake) AL-5 Electronic Speed Control, waterproof (land version, low-v oltage detection, fwd/rev/brake) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Slocks (Ultra Slocks) Body, Ultra Shock(s) (long) (gray) (2) Body, Ultra Shocks (for 2 shocks) Rebuild kit, Ultra shocks (for 2 shocks)	6530		3000	
Traxxas Link Wireless Module Big Bore shocks			5859	•
Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake) 6537 Wire retainers, gear cover/ 3x4mm BCS (2) 3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake) SIOCKS (Ultra Slocks) Body, Ultra Shock(s) (long) (gray) (2) Body, Ultra Shock(s) (XXL) (gray) (2) Rebuild kit, Ultra shocks (for 2 shocks)				
6537 Wire retainers, gear cover/ 3x4mm BCS (2) 3765A Body , Ultra Shock(s) (long) (gray) (2) 3018R XL-5 Electronic Speed Control, waterproof (land version, low-v oltage detection, fwd/rev/brake) 2362 Rebuild kit, Ultra shocks (for 2 shocks)	3355R			
3018R XL-5 Electronic Speed Control, waterproof (land version, low-v oltage detection, fwd/rev/brake) 3766A Body, Ultra Shock(s) (XXL) (gray) (2) Rebuild kit, Ultra shocks (for 2 shocks)	6537	, , , ,	3765A	Body, Ultra Shock(s) (long) (gray) (2)
detection, fwd/rev/brake) 2362 Rebuild kit, Ultra shocks (for 2 shocks)				
2002 Robalia kit, Gitta Gilocko (101 2 Gilocko)				
		·		

58094-1 Ford F-150 Raptor: 1/10-Scale Ford F-150 Raptor with TQ 2.4GHz

	radio system
	Rear Suspension
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
1951	Half shafts, long truck (external-splined (2) & internal-splined (2)/ metal U-joints (4)
3638	Shock tower (rear)
3752	Stub axle carriers (2) (requires 5x11x4mm bearings)
3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
36520	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3652T	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
3652F	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3652X	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
2753X	Stub axles, rear (2)
2555	Suspension arms, (rear) (2)
2555X	Suspension arms, black, rear, heavy duty (2)
2555A	Suspension arms, blue, rear, heavy duty (2)
25550	Suspension arms, green, rear, heavy duty (2)
2555T	Suspension arms, orange, rear, heavy duty (2)
2555F	Suspension arms, red, rear, heavy duty (2)
2555L	Suspension arms, white, rear, heavy duty (2)

0.00.1	204); Oliva Oliocok(e) (101.9) (g.4) / (2)
3766A	Body, Ultra Shock(s) (XXL) (gray) (2)
2362	Rebuild kit, Ultra shocks (for 2 shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
	(2)
2742X	Rod ends, short (6)/ hollow balls (6)
3767	Shock caps (2)/ shock bottoms (2)
8361	Shock caps (black) (4) (assembled with hollow balls)
3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long)
	(2)
1664	Shock shafts, steel, chrome finish (long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
1765	Silicone diaphragms (4)
3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole
	(2))
2458	Springs, front (black) (2)
2458P	Springs, front (pink) (2)
5857P	Springs, front (pink) (progressive rate) (2)
2458A	Springs, front (white) (2)
5857	Springs, front (white) (progressive rate) (2)
3757	Springs, rear (black) (2)
3757T	Springs, rear (blue) (2)
3757A	Springs, rear (green) (2)
3757P	Springs, rear (pink) (2)
5858P	Springs, rear (pink) (progressive rate) (2)

Page 4 Ford F-150 Raptor: TQ 2.4GHz Radio (Model 58094-1) Parts List

3757X 5858 4957	Springs, rear (white) (2) Springs, rear (white) (progressive rate) (2) Springs, real (for Illian Shocks and (2)	3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3760	Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)	3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow
3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)	3139X	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm
3760A	Ultra Shocks (gray) (long) (complete w/ spring pre-load spacers & springs) (2)	3644	aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled
3762A	Ultra Shocks (gray) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)	3044	with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3793	Slipper Clutch Components Input shaft (slipper shaft) / spring pin	3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/		Team Traxxas Items
2554	4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm cap-head machine (hex drive) (6)	2514	Decal sheet, racing sponsors
5556	Slipper pressure plate & hub (aluminum alloy)	6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
	Spur Gears & Pinion Gears	9950 9909	Official Team Traxxas® racing decal set (flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)
3790	Gear adapter, fixed	5555	Tires & Wheels
2416	Gear, 16-T pinion (48-pitch) / set screw	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
1918	Gear, 18-T pinion (48-pitch) / set screw	5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X,
2419 2423	Gear, 19-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / set screw		#6469)
2426	Gear, 26-T pinion (48-pitch)/set screw	3647	Nuts, 4mm flanged ny lon locking (steel, serrated) (8)
2431	Gear, 31-T pinion (48-pitch) / set screw	1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
4725	Gear, pinion (25-tooth) (48-pitch) / set screw	1747G 1747T	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
4728	Gear, pinion (28-tooth) (48-pitch)/ set screw	1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
4683	Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch)	1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
4686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control	1985 1647	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
4690	slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper	2754	Silicone grease Stub axle pins (4)
4000	clutch)	5864	Tire & wheel assy, glued (SCT black, orange beadlock wheels,
	Steering Components		SCT off-road racing tires, foam inserts) (2) (2WD front)
2728	Ball bearings (5x8x2.5mm) (2)	5885A	Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts)
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)		(2) (2WD Front)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	5883A	Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock
2742 5347	Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12)		wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)
3744	Serv o sav er w/adapters	5880X	Tires & wheels, assembled, glued (SCT satin chrome, beadlock
3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)	5880	style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
3743 3743A	Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum) 5x8mm ball bearings (4)/ hardware (assembled)	5000	Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
3743G	Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	5882	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts)
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)	6873X	(2) (2WD front) Tires & wheels, assembled, glued (S1 ultra-soft off-road racing
3743X	5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)		compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, BFG Mud-Terrain tires, foam inserts) (2) (4WD front/rear,
6845X	Steering belicranks/ servo saver/ servo saver spring/ servo	=000B	2WD rear only)
	spring retainer/servo horn, steering	5882R	Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock style
1935 3139A	Turnbuckles, 36mm (2) Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2)		wheels, Kumho tires, foam inserts) (2) (2WD front)
31394	(assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	6874R	Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock style
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)		wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
	(assembled with rod ends & hollow balls) (requires 5mm	5877R	Tires & wheels, assembled, glued (S1 ultra-soft, off-road racing
3745	aluminum wrench #5477) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled		compound) (SCT Split-Spoke chrome, red beadlock style wheels,
0740	with rod ends and hollow balls)	6072D	BFGoodrich® Mud-Terrain™ T/A® KM2 tires) (2) (2WD front)
2746	Washers, 3x6mm metal (12)	6873R	Tires & wheels, assembled, glued (S1 ultra-soft, off-road racing compound) (SCT Split-Spoke chrome, red beadlock style wheels,
	Suspension Linkage		BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2)
5525	Rod ends (12)/ hollow balls (12)	E0C2	(4WD f/r, 2WD rear)
5347	Rod ends, Revo® (large) with hollow balls (12)	5863	Tires & wheels, assembled, glued (SCT black, orange beadlock wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing
3739 5529	Screw pin set (Rustler®/ Bandit/ Stampede®) Shim set 3x7x1mm (2) 3x6x0 5mm (4) 3x7x2mm (2)/ hollow halls		tire, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)
5528	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)	5869	Tires & wheels, assembled, glued (SCT chrome, red beadlock
2640	Suspension pins, 44mm (2) w/ e-clips		style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a	5867	Tires & wheels, assembled, glued (SCT chrome, red beadlock
3737A	complete suspension pin set) (Bandit, Rustler®, Stampede®) Turnbuckle, aluminum (blue-anodized), 39mm (1)(assembled		style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam
3101A	w/rod ends)/hollow balls (2) (fits front & rear on Slash)	5873R	inserts) (2)(4WD front/rear, 2WD rear only) Tires & wheels, assembled, glued (SCT satin chrome red
3737	Turnbuckle, aluminum (red-anodized), 39mm (1) (assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash)	007 JIK	beadlock wheels, ultra-soft S1 compound off-road racing tires, inserts) (2) (2WD rear, 4WD f/r)
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/	5881X	Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)
	wrench		

Page 5 Fo	ord F-150 Rapto	or: TQ 2.4GHz Radio ((Model 58094-1)) Parts List
-----------	-----------------	-----------------------	-----------------	--------------

. ago o	Total Too Raptori I Q 21 Total Radio (model cook	.,	
5875	Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (2WD	5872X	Wheels, SCT satin chrome, black beadlock style SCT, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)
5873	front) Tires & wheels, assembled, glued (SCT satin chrome, beadlock	5874X	Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
5070	style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear, 2WD rear only) (TSM rated)	5874A	Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
5878	Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2	5872A	Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)
5881	tires, foam inserts) (2)(4WD front/rear, 2WD rear only) Tires & wheels, assembled, glued (SCT satin chrome, black	5886A	Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
	beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)	5884A	Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2)
5875X	Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (2WD front)	5886	Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
5873X	Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts)	5884	Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2)
5873A	(2) (4WD front/rear, 2WD rear only) Tires & wheels, assembled, glued (SCT satin chrome, red-	6872X	Wheels, SCT Split-Spoke, chrome, green beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear) (2)
3073A	beadlock style wheels, CST off-road tires, foam inserts) (2) (4WD front/rear, 2WD rear only)	5876A	Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
6873A	Tires & wheels, assembled, glued (SCT Split-Spoke chrome, red	6872A	Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear) (2)
5004	beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear)	5876	Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
5891	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, beadlock style wheels, paddle tires, foam inserts) (2) (4WD front/rear, 2WD rear only) (TSM rated)	6872	Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear
6873	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, BFGoodrich® Mud-	5866	only) (2) Wheels, SCT, chrome, green beadlock style, dual profile (2.2"
	Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)	6875	outer, 3.0" inner) (2) (2WD front only) Wheels, SCT, chrome, green beadlock style, dual profile (2.2"
6874	Tires & wheels, assembled, glued (SCT Split-Spoke satin		outer, 3.0" inner) (2) (4WD front/rear, 2WD rear only)
	chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)	4550	Transmission Components
5885	Tires & wheels, assembled, glued (SCT Split-Spoke, black, satin	1552 4607	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Ball bearings (5x11x4mm) (8)
	chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
E000	tires, foam inserts) (2) (2WD Front)	3792	Cov er, gear/ rubber gear cov er plug/ 3x6 RM (2)
5883	Tires & wheels, assembled, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2	3790	Gear adapter, fixed
	tire, foam inserts) (2) (4WD f/r, 2WD rear)	3691	Gearbox halves (l&r) (black) w/ idler gear shaft
5877A	Tires & wheels, assembled, glued (SCT Split-Spoke, chrome red	3691A	Gearbox halves (I&r) (gray) w/ idler gear shaft
	beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2	5148 3696	Grease, white lithium
	tires, foam inserts) (2) (2WD front)	3793	Idler gear, steel (30-tooth) Input shaft (slipper shaft) / spring pin
5877	Tires & wheels, assembled, glued (SCT Split-Spoke, satin chrome, black beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)	2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
5865	Tires & wheels, assembled, glued (SCT, chrome, green beadlock wheel, BFGoodrich® Mud-Terrain™ TIA® KM2 tire, foam inserts)	2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
6876	(2) (2WD front only) Tires & wheels, assembled, glued (SCT, chrome, green beadlock	2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
0070	wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (4WD front/rear, 2WD rear only)	9495	Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash)
6871	Tires, BFGoodrich® Mud-Terrain T/A® KM2 (dual profile 4.3x1.7-2.2/3.0") (2)/ foam inserts (2)	5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
6871R	Tires, BFGoodrich® Mud-Terrain T/A® KM2 , ultra-soft (S1 off-	2554	Screws, 3x6mm cap-head machine (hex drive) (6)
	road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam	3931	Screws, 3x8mm flat-head machine (hex drive) (6)
6870	inserts (2)	1647 5556	Silicone grease Slipper pressure plate & hub (aluminum alloy)
6870R	Tires, Kumho (dual profile 4.3x1.7-2.2/3.0") (2)/ foam inserts (2) Tires, Kumho, ultra-soft (S1 off-road racing compound) (dual	3195	Top drive gear, steel (22-tooth)
007010	profile 4.3x1.7-2.2/3.0") (2)/ foam inserts (2)	3695	Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit,
5871	Tires, off-road racing, SCT dual profile 4.3x1.7-2.2/3.0" (2)/ foam inserts (2)		Stampede®, Slash)
5871R	Tires, ultra-soft, S1 compound for off-road racing, SCT dual		Traxxas Tools
	profile 4.3x1.7-2.2/3.0" (2)/ foam inserts (2)	3433X	Body reamer (aluminum handle)
1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)	3433	Body reamer (plastic handle)
3654	Wheel hubs, hex (tall offset, Rustler®/Stampede® front) (2)/ axle pins	3436	Cap, body reamer
EOE2V	(2.5x10mm) (2) Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts,	3432 3431	Scissors, curved tip Scissors, straight tip
5853X	splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle	8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes
	pin (4)/wrench, 5mm		premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)		and 8.0mm), 1/4" drive
5480X	Wheel wrench, splined, 17mm Wheels SCT black grange headlock style, dual profile (2.2"	8721	Speed bit handle, medium (one piece)
5870X	Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)	8720	Speed bit handle, premium, large (rubber overmold)
5868X	Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2)	8722 8710	Speed bit handle, premium, medium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes
5870	Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) $$		premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,
5868	Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)		3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),
5874	Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front)	8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers
5872	Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only)		(straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive

Page 6 Ford F-150 Raptor: TQ 2.4GHz Radio (Model 58094-1) Parts List

8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle

Tuesda	hiick	ac a T	hrood		ode
	1111111111		nrean	IHI 🔳 i	1111167

33Z3	Rod ends (12)/ hollow balls (12)
5347	Rod ends, Revo® (large) with hollow balls (12)
3737A	Turnbuckle, aluminum (blue-anodized), 39mm (1)(assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash)
3737	Turnbuckle, aluminum (red-anodized), 39mm (1) (assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash)
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM